QC
100
.U56
4862
1992

NISTIR 4862

REFERENCE
NIST PUBLICATIONS

A11103 777269
NAT'L INST. OF STAND & TECH R.I.C.

National
Type
Evaluation
Program

Index of Device Evaluations

NCWM PUBLICATION 5

This Publication replaces all previous editions and supplements. It includes all NTEP evaluated devices to this date.

Fourth Edition
June 12, 1992

U.S. Department of Commerce
Technology Administration
National Institute of Standards and Technology
Gaithersburg, MD 20899

NIST

The National Institute of Standards and Technology has a statutory responsibility for "cooperation with the States in securing uniformity of weights and measures laws and methods of inspection." In partial fulfillment of this responsibility, the Institute is pleased to publish this document for the National Conference on Weights and Measures (NCWM).

NISTIR 4862

National
Type
Evaluation
Program

Index of Device Evaluations

NCWM PUBLICATION 5

This Publication replaces all previous editions and supplements. It includes all NTEP evaluated devices to this date.

Fourth Edition
June 12, 1992

U.S. Department of Commerce
Technology Administration
National Institute of Standards and Technology
Gaithersburg, MD 20899

NIST

The National Institute of Standards and Technology has a statutory responsibility for "cooperation with the States in securing uniformity of weights and measures laws and methods of inspection." In partial fulfillment of this responsibility, the Institute is pleased to publish this document for the National Conference on Weights and Measures (NCWM).

National Type Evaluation Program

Index of Device Evaluations

NCWM PUBLICATION 5

This Publication replaces all previous editions and supplements. It includes all NTEP evaluated devices to this date.

Fourth Edition
June 12, 1992

U.S. Department of Commerce
Barbara Hackman Franklin, Secretary

Technology Administration
Robert M. White, Under Secretary for Technology

National Institute of Standards and Technology
John W. Lyons, Director

National Type Evaluation Program

Index of Device Evaluations

NCWM PUBLICATION 5

This Publication replaces all previous editions and supplements. It includes all NTEP evaluated devices to this date.

Fourth Edition
June 12, 1992

U.S. Department of Commerce
Barbara Hackman Franklin, Secretary

Technology Administration
Robert M. White, Under Secretary for Technology

National Institute of Standards and Technology
John W. Lyons, Director

NIST R
QC100
.U56
4862
1992

Introduction To Edition 4 of
NCWM Publication No. 5
June 12, 1992

The listings in this publication include all Certificates of Conformance that have been issued from January 1, 1986 through June 12, 1992. Certificate of Conformance numbers are also included for all devices that have successfully completed type evaluation but for which the hard copy of the certificates have not yet been issued. These certificate listings are identified by an absence of a "Date" and by indicating "IN PROCESS" in the "Comments" column. The certificate numbers have been assigned based upon successful completion of the type evaluation.

Several suffix codes are used in conjunction with the basic certificate of conformance number which always remains the same. These codes are necessary to indicate special kinds of certificates and when changes are made to a certificate. These codes are explained below.

A Identifies an addendum to a certificate when changes are made to the certificate's contents. A number following the letter "A" designates the number of addenda that have been issued for the certificate. Inconsistencies of format exist in certificates generated over the years. Standard practice now dictates the addenda sequence as follows: xx-xxx, xx-xxxA1, xx-xxxA2, xx-xxxA3, etc.

P Identifies a provisional Certificate of Conformance. Provisional certificates are issued based on manufacturers' data when Participating Laboratories cannot fully test devices to insure compliance with Handbook 44. When the test capabilities become available, the devices covered by the provisional certificates are to be resubmitted to complete the type evaluation and to convert the provisional certificates to full Certificates of Conformance. The addenda sequence for provisional certificates is as follows: xx-xxxP, xx-xxxPA1, xx-xxxPA2, xx-xxxPA3, etc.

PN Identifies a Pre-NTEP certificate which has been issued under the NTEP policy of accepting results of type evaluation by individual State jurisdictions before the NTEP program was established. After a period of six months, if no information is received indicating the device does not comply with Handbook 44, the certificate is to be upgraded to a full certificate.

Amended - Corrections may be made to certificates to correct an error or for editorial purposes. In these cases the word "Amended" will follow the certificate number.

CONTENTS

LIST OF COMPANIES	v
LIST OF DEVICE TYPES	xi
LISTING BY COMPANY	A 1
LISTING BY DEVICE TYPE	B 1
LISTING BY CERTIFICATE NUMBER	C 1

List of Companies

A&D Engineering, Inc.
Abacus Scales
Absco Scale Co.
Accurate Metering Systems, Inc.
Advance Scale Company
Advanced Retail Systems Corporation
Advanced Systems Interfacing, Inc.
Airway Scale and Mfg Co., Inc.
Alcoa Recycling Machinery Services
Alkon Corporation
Allegany Technology Inc.
Ameacon, Inc.
Analogic Corporation
Antonson/Meto, Inc.
Applied Forces Corporation
Applied Technology
Argo Instruments, Inc.
Artech Industries, Inc.
Astec Industries
AutoGas Systems, Inc.
Automotive Natural Gas, Inc.
Avery Weighing Technology
Baader North America Corp.
Bennett Pump Company
Berkel Incorporated
Better Built Scale Products
Bizerba United States, Inc.
BLH Electronics, Inc.
Brechbuhler Scales, Inc.
Brooks Instrument Division
Cambridge Engineering, Inc.
CANMAX Retail Systems, Inc.
Cardinal/Detecto Scale Mfgr. Co.
CAS Corporation
CASIO, INC.
CAT Scale Company
CCI Scale Company
Celtron Technologies, Inc.
Centrodyne Corporation of America
Certified Scale Co.
Champion Scale Ltd.
Check Robot
CMI Weighing Equipment
Combo-Tronix, Inc.
Compro Systems
COMPTROL Computer Control Inc.
CompuWeigh
Condec Consolidated Controls
Consolidated Controls, Eaton Corporation
Control Logic Corporation
Daniel Industries, Inc.
Denver Instrument Company
DH Print
Diamond Control Systems
Digi Matex, Inc.
Digi Postal Corporation
Division Scale

Doran Scales, Inc.
Douglas Homs Corporation
Dover Corporation
Duratron Corporation
Durline Scales and Mfg., Inc.
Easy Systems Inc.
Eaton Corporation
Edlund Company, Inc.
Electronic Scales International
Electroscale Corporation (See Ref.)
Emark Corporation
Engineered Systems, Inc. (ESI)
Epelsa International, Inc.
Ernst & Young
ESCO Manufacturing, Inc.
Esselte Meto
Exact Equipment Corporation
Fairbanks Scales
Fargo Electronic Services Inc.
Ferranti Autofil
Filing Scale Company
FIRST-Weigh
Fisher & Porter Company
Flex-Weigh Corporation
Flintab, Inc.
Friden Alcatel
GasBoy (See Winslow under The A.H. Emory Co.)
GDT, Inc.
Gedge Systems
General Electrodynamics Corporation
General Electronic Systems, Inc.
Gilbarco, Inc.
Global Scale Imports, Inc.
Graco, Inc.
Graffco Inc.
Griffin Tech. Inc.
GSE, Inc.
Gull Inc.
Hardin Industries
Hardy Instruments, Inc.
Hasstech, Inc.
Hecon Corporation
Henry Troemner, Inc.
Hobart Corporation
Holtgreven Scale & Electronics Corporation
Honeyville Metal, Inc.
Hottinger Baldwin Measurements, Inc
Howe Richardson Division
Howe Scale Div., Chronos Richardson, Inc.
Hugin Sweda, Inc.
Husky Corporation
IBM Corporation
ICL, Inc.
Indiana Scale Company Inc.
Industrial Data Systems, Inc.
Information Systems, Inc.
Int. Weighing Systems, Inc
Intercomp Corporation
Interface, Inc.
International Mailing Systems, Inc.
InterSystems, Inc.
Ishida Scales Mfg. Co., Ltd.
ISHIDA U.S.A. INC.
Ivex Corporation
J&S Scale Company, Inc.
J.A. King & Company, Inc.
Jacobs Scale Co.
JB Scale Mfg.
John Chatillon & Sons, Inc.
Jonel Engineering
Junge Control, Inc.
JWS Corporation

K-Scale, Inc.
K-Tron
Koltek, Inc.
Koppens Automatic USA Ltd.
Kraus Industries
Kubota Corporation
Lake Goodwin Scale Company, Inc.
Liqua-Tech Corporation
Liquid Controls Corporation
Livestock Marketing Services Corporation
Livingston Seed Company
Loadometer Corporation
Lodec, Inc.
M&R Brand Scale
M-R Brand Scale Manufacturing, Inc.
Mantle Industries inc.
Marel Equipment Inc.
Marsh Scale, Inc.
Masstron Scale, Inc. (See Toledo)
McNeilus Truck & Mfg. Inc.
Measurement Systems International
Metro Equipment Corporation
Metrometer, Inc.
Mettler Instrument Corporation
Micro General
Micro Motion, Inc.
Micros Systems, Inc.
Mid-America Scale Company
Midwest Computer Register Corp.
MOBBA
Mobile Computing Corporation
Morrison Weighing Systems, Inc.
National Cash Register
National Scale and Repair
National Semiconductor
NCI Weigh-Tronix Inc.
NCR Corporation
Neptune Water Meter Company
New Brunswick International, Inc.
NMB Technologies Incorporated
OCS Technologies - National Scale Division
Ohaus Corporation
Ohio Valley Scale & Equipment Corp
Oklahoma Industries (see Unibridge)
Omron Systems of America
Oregon Weighing Systems
Orion Scale
P.O.M. Incorporated
Pacific Scale Co., Inc.
PAR Microsystems
Parcom Technologies
PAT Equipment Corporation
Pel-State Electronics
Pelouze Scale Company
Pennsylvania Scale Company
Perkins Scale Corporation
Pertech
Petro Vend, Inc.
Phelphs Industries, Inc.
Pitney Bowes
POS Data Products, Inc.
Powell All-Steel Scales, Inc.
PSI/Command Data
Pulsar Technology Systems, Inc.
Quality Business Machines
R&W Specialty Mfg. Corp.
Ramsey Technology Inc.
Retail Automation, Inc.
Revere Corp (See Revere Transducers, Inc.)
Revere Transducers, Inc.
Rice Lake Weighing Systems
RSB Engineers/Planners, Inc.

Rudda Meter Inc.
Rusty's Weigh Scales & Service, Inc.
S. Jacobs Scale Company
Santa Rosa Scale Company
Sanyo Business Systems Corp.
Sartorius Corporation
Scaime S.A.
Scale Data Systems
Scale Systems, Inc.
Scales Unlimited Inc.
Schlumberger Technologies, Inc.
Schmidt Electronic Laboratories
Scientech, Inc.
SCOOP Logic Group
Sea Shell Technologies
Seca Corporation
Seedburo Equipment Company
Seltec Corporation
Sensortronics
Shekel Electronic Scales
SI-LODEC
Smith Meter Inc.
Sooner Scale, Inc.
Southwest Pump Company
Southwestern Scale Co., Inc.
SP Systems, Incorporated
Spectra Physics
Sterling Scale Company, Inc.
Stock Equipment Company
Stores Automated Systems, Inc.
Stress-Tek, Incorporated
Sun Electric Corporation
Sun Refining and Marketing Company
Sun Scale Inc.
Suntronic Technology Group
Superior Load Cell
Syn-Tech Systems, Inc.
Syracuse Scale Co, Inc.
Systems Associates, Incorporated
Tanita Corporation
Tara Systems
TARE Incorporated
TEC America, Inc.
Tech 21
Tedea Inc.
Tektra International
Tele-Weight, Inc.
Thayer Scale
The A. H. Emery Company
The Merrick Corporation
The Scale People, Inc.
The Scale Store
Thurman Scale Company
Tokheim Corporation
Toledo Scale Corporation
Totalcomp, Inc.
Towa Corp. of America
Transcell Technology Inc.
Transducers, (See Revere Transducers,Inc.)
Tri-Coastal Industries
Triangle Microsystems, Inc.
Triner Scale & Manufacturing
Triple A Scale
Tru-Test Distributors Ltd.
Tulsa Power Products, Inc.
Tuthill Corporation
Tyrel Corporation
UHL Scale Service, Inc.
Unibridge Scale Systems
Universel Epsco, Inc.
Veeder-Root
Vertex Industries, Inc.

Viking Taximeter Company
W.R. Grace & Co.
Washington Trade Associates
Wayne Division
Webster Scale, Inc.
Weigh-Tronix, Inc.
Weight Check
Weldotron Corporation
Weldtec Scales
West Michigan Scales
Western Scale Company Limited
William M. Wilson's Sons, Inc.
Winslow Scale Company
Wisconsin Electrical Mfgr. Co., Inc

List of Devices

Aluminum Recycling System
Animal Scale
Belt Conveyor Scale
Bench and Counter Scale
Bulkweighing System
Cash Register
Computing Scale
Crane Scale
Data Processing Systems
Dry Measure
Fabric Measuring Device
Fan Scale
Field Standard
Floor Scales
Graduate
Grain Test Scale
Hanging Scale
Hopper Scale
Indicating Elements
Jewelers' Balance
LPG Liquid Meter
Livestock Scale
Load Cell
Mass Flow Meter
Monorail Scale
Parking Meter
POS Scale
Prepackaging Scale
Prescription Balance
Printer
Railroad Track Scale
Retail Motor Fuel Dispenser
Retail Motor Fuel Register
Retail Motor Fuel System
Service Station Consoles/ECR
Software
Taximeter
Vehicle Scale
Vehicle Tank & LPG Meter
Weighbeam
Weight Classifier
Wheel Load Weigher
Wholesale Meter
Wire and Cordage Device

LISTING BY COMPANY

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
A&D Engineering, Inc.									
87-041 09/29/87	A&D Engineering, Inc.	FV-30KA2, FV-60KA2, FV-150KA1	Bench and Counter Scale	FV-60KA1	III	3100	60 x .02 kg	15.4" x 20.8"	Superseded by 87-041A
87-041A 04/19/89	A&D Engineering, Inc.	FV-30KA2, FV-60KA2, FV-150KA1	Bench and Counter Scale	FV-60KA1	III	3,100	60 x .02 kg		Digital Bench Scale
88-023 03/24/88	A&D Engineering, Inc.		Indicating Elements	AD 4321A & B	III/III L	10,000			Digital Electronic
88-023.A1 03/07/91	A&D Engineering, Inc.	AD 4321 SS; AD 4321 MS	Indicating Elements	AD 4321A & AD 4321B	III/III L	10,000			Digital Electronic
88-031 03/10/88	A&D Engineering, Inc.		Indicating Elements	AD4316	III/III L	10,000			Digital Indicating Element
88-095 06/08/88	A&D Engineering, Inc.		Indicating Elements	AD 4323	III/III L	10,000			Digital Indicator
89-037	A&D Engineering, Inc.		Indicating Elements	AD-4332A					
89-037A1 03/16/92	A&D Engineering, Inc.		Indicating Elements	AD 4322A	III & IIIL	10,000			Digital Electronic
90-061 04/18/90	A&D Engineering, Inc.		Floor Scales	FW-150KA1	III	7,500	300 x .1 lb	15.4" x 20.8"	Digital Electronic
90-061.A1 01/24/91	A&D Engineering, Inc.	Platform: 15.4" x 20.8" (KA1); 12.8" x 16.5" (KA2)	Bench and Counter Scale	FW Series	III	10,000	300 lbs	see below	Superseded by 90-061.A2
90-061.A2 02/12/91	A&D Engineering, Inc.	Platform: 12.8" x 16.5"(KA2), capacities - 12, 60, 120, 200 & 300 lbs.	Bench and Counter Scale	FW SERIES	III	10,000	see below	15.4"x20.8" (KA1)	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-061.A2 AMEND	08/14/91	A&D Engineering, Inc.	Platform: 15.4" x 20.8"(KA1)-12.8" x 16.5"(KA2).	Bench and Counter Scale	FW Series	III	10,000	see certificate	see below	Digital Electronic
90-064	08/21/90	A&D Engineering, Inc.	FV-30KA2, FV-60KA2, FV-150KA1. Other capacities: 60 x .02 kg, 1920 x 1 oz	Bench and Counter Scale	FV-60KA1	III	3,100	120 x .05 lb	15.4" x 20.8"	Digital Electronic
90-096	08/21/90	A&D Engineering, Inc.	FV-60KAS2 60 x 0.2kg, 150 x 0.5 lb, 2400 x 1 oz, 12.8" x 16.5"	Bench and Counter Scale	FV-60KAS1	III	3,000	60 x .02 kg	15.4" x 20.8"	Digital Electronic
91-125	03/16/92	A&D Engineering, Inc.		Printer	AD-8115 A,B,or C					Electronic
Abacus Scales										
92-042	03/23/92	Abacus Scales	2x2HP-2K; 2.5x2.5HP-2K; 3x3HP-2K; 4x4HP-5K; 4x4HP-10K; 4x5HP-5K; 4x5HP-10K; 4x6HP-5K; 4x6HP-10K; 5x5HP-5K; 5x5HP-10K; 5x6HP-5K; 5x6HP-10K; 5x7HP-5K & 5x7HP-10K	Floor Scales	XxXHP-YYK	III	5,000	see certificate	see certificate	Low Profile-Ld Cell Electronic
Absco Scale Co.										
91-003	01/08/91	Absco Scale Co.	CLC: 80,000 lb	Vehicle Scale	5752	IIIL	10,000	200,000 x 20 lb	60" x 10"	Load Cell Electronic
91-003A1	04/17/92	Absco Scale Co.		Vehicle Scale	5752 Series	III L	10,000	100k - 270k lb	30x10" - 90x10"	Load Cell Electronic
91-003P	01/08/91	Absco Scale Co.		Vehicle Scale	5752					
Accurate Metering Systems, Inc.										
85-065A	06/03/88	Accurate Metering Systems, Inc.		Vehicle Tank & LPG Meter	Diessel RZ 2A			99999.9 gal		Vehicle Tank Meter for Milk
90-068	08/21/90	Accurate Metering Systems, Inc.		Wholesale Meter	RZ-3A			35 to 315 gal/min		Digital Electronic
90-068A1	02/07/91	Accurate Metering Systems, Inc.		Wholesale Meter	RZ 3A			35 to 315 gal/min		Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Advance Scale Company										
87-115	12/29/87	Advance Scale Company		Printer	Auto-Scale 4000					Inbound/outbound vehicle scale
Advanced Systems Interfacing, Inc.										
89-010	04/05/89	Advanced Systems Interfacing, Inc.		Printer	Microway II/TKII					Computer Interface System
90-150	10/27/90	Advanced Systems Interfacing, Inc.		Bulkweighing System	Bulk II	III	10,000			Digital Electronic
Agri-Electronic Systems, Inc.										
91-161		Agri-Electronic Systems, Inc.		Vehicle Scale	AES1000 Series					IN PROCESS
92-064	05/07/92	Agri-Electronic Systems, Inc.		Bulkweighing System	AES 2001		10,000			Controller/Computer Interface
Airway Scale and Mfg Co., Inc.										
88-247P	09/22/88	Airway Scale and Mfg Co., Inc.	AW 45T 1035-PE, AW 50T 1040-PE, AW 55T 1050-PE, AW 60T 1060-PE, AW 60T 1065-PE, AW 60T 1080-PE, AW 60T 10100-PE, AW 60T 10105-PE. Capacities (lb): 90,000 - 120,000	Vehicle Scale	AW 60T 1070-PE	III L	6,000	120,000 x 20 lb	10' x 70'	Load Cell Weighing Element
88-313		Airway Scale and Mfg Co., Inc.		NO DEVICE TYPE	65023S					
89-041P	02/23/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900	III L	10,000 M	20K to 100K		WITHDRAWN
90-140		Airway Scale and Mfg Co., Inc.		Bench and Counter Scale	XX XL YY	III				IN PROCESS
90-141	11/02/90	Airway Scale and Mfg Co., Inc.	Model: AW600B-2.4K, AW600B-5K, AW600B-10K, AW600B-15K & AW600B-20K.	Load Cell	AW600B Series	III	5000	2500 to 20,000lb		Shear Beam, Tension

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-142	11/02/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900B	IIIL	10,000	20,000-100,000lb		Double-Ended Shear Beam
			Models: AW900B-20K, AW900B-25K, AW900B-30K, AW900B-40K, AW900-50K, AW901B-50K, AW900B-60K, AW900B-60KL, AW900B1-65K, AW900B-75K, AW900B-75KL & AW900B-100K.							
Alcoa Recycling Machinery Services										
91-047	04/18/91	Alcoa Recycling Machinery Services	Dimensions: 3 ft x 3 ft	Hopper Scale	WH27	III	3,000	300 x 0.1 lb		Digital Electronic
Alkon Corporation										
86-033	12/04/86	Alkon Corporation		Indicating Elements	LCI-1	III/III L	1,000			
Ameacon, Inc.										
89-039	01/30/90	Ameacon, Inc.		Indicating Elements	PROCESS MATE 96	III L	10,000			
Analogic Corporation										
87-073	12/30/87	Analogic Corporation		Indicating Elements	AN5315	III/III L	10,000			Digital Indicating Element
87-074	12/30/87	Analogic Corporation		Indicating Elements	AN5316	III/III L	10,000			Digital Indicating Element
87-075	12/30/87	Analogic Corporation		Indicating Elements	AN5322	III/III L	10,000			Digital Indicating Element
88-175	11/01/88	Analogic Corporation		Indicating Elements	ITG 3030	III/III L	10,000			Digital Electronic
91-083	05/22/91	Analogic Corporation		Indicating Elements	AN3050	III/III L	10,000			Electronic
Antonson/Meto, Inc.										
87-067	10/14/87	Antonson/Meto, Inc.		Computing Scale	823	III	3,000	30 x 0.01 lb	12" x 14.5"	Digital Computing Scale

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Applied Forces Corporation								
88-097 06/08/88	Applied Forces Corporation	Indicating Elements	F3, F4, F5, and F6	III/III L	10,000			Digital Indicator
88-097A1 09/11/90	Applied Forces Corporation	Indicating Elements	F3, F4, F5, F6	III/III L	10,000			Digital Electronic
Applied Technology								
89-100 10/12/89	Applied Technology	Retail Motor Fuel System	1200P, 1200W					
Argo Instruments, Inc.								
91-168 12/12/91	Argo Instruments Inc	Taximeter	1144					Digital Electronic
	Flag Drop $0.01-$655.35; Fare Increment: $0.01-$655.35; Extras: $0.01-$99.99							
Artech Industries, Inc.								
87-057 05/24/88	Artech Industries, Inc.	Load Cell	20210	III	4500 S	25 to 10000 lb		Superseded by 87-057A3
87-057A2 05/02/89	Artech Industries, Inc.	Load Cell	20210	III	4,500 S	25 - 10,000 lb		Superseded by 87-057A3
87-057A3 05/11/90	Artech Industries, Inc.	Load Cell	20210	III, III L	5k, 10k S	25 - 40,000 lb		Type "S" - Load Cell
	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000, 25,000, 30,000, 35,000, 40,000							
87-057P 09/29/87	Artech Industries, Inc.	Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
	Capacities (lb): 50, 100, 250, 500, 1000, 2500, 3000, 5000, 10000							
87-057PA 01/27/88	Artech Industries, Inc.	Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
87-057PA3 02/12/90	Artech Industries, Inc.	Load Cell	20210	III, III L	5K,10K S	25 to 20,000 lb		Superseded by 87-057A3
87-058 05/24/88	Artech Industries, Inc.	Load Cell	30310	III/III L	5000 M	1000 to 10000 lb		Superseded by 87-058A2

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-058.A3 03/07/91	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000	1,000 to 10k lb		Shear Beam
		The specific models of load cells covered by this certificate are identified by the capacity of each load cell.							
87-058A2 05/02/89	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000 M	1k - 10k lb		Shear Beam
		Specific models of load cells are identified by the capacity. See Certificate. Optional model families: 30210 and 30310-xx-C/B							
87-058P 09/29/87	Artech Industries, Inc.		Load Cell	30310	III	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-058PA 01/27/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-094 05/24/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000 M	5k - 50k lb		Double Ended Shear Beam
87-094.A1 03/07/91	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000	5,000 to 50k lb		Double Ended Shear Beam
		The specific models of load cells covered by this certificate are identified by the capacity of each load represented.							
87-094A2	Artech Industries, Inc.		Load Cell	70210	III/III L	see below	see below		IN PROCESS
		Class III, M, n = 5,000, Capacity 5,000 to 50,000 lb Class III L, M, n = 10,000, Capacity 5,000 to 200,000 lb							
87-094P 01/27/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5000 M	5000 to 50000 lb		Superseded by 87-094
		Capacities (lb) 5,000: 10,000: 20,000: 50,000							
90-032 04/25/90	Artech Industries, Inc.		Load Cell	SS30310 SERIES	III/III L	5k, 10k M	1,000 - 10,000 lb		SHEAR BEAM LOAD CELL
		Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacity 1,000 to 10,000 lb. Other models: SS30210 and SS30310-xx-C/B							
90-032P 02/12/90	Artech Industries, Inc.		Load Cell	SS30310 Series	III/III L	5K,10K M	1,000 to 10,000lb		Superseded by 90-032
90-083 05/15/90	Artech Industries, Inc.		Load Cell	80210 Series	III L	10,000	20,000 - 200,000		Double Ended Shear Beam
		80310 - The difference between the Models 80210 and 80310 is in the manner of contact of the load cell to the mounting assembly. The 80210 has a semicircular indentation in the middle of the bottom of the cell where the cell rests on a semicircular rod. The point of contact is the semicircular areas. The bottom of the 80310 is flat and the semicircular is turned upside down so the flat area is in contact with the load cell. The semicircular rod makes contact with a flat plate in its mounting assembly							
90-083.A1	Artech Industries Inc		Load Cell	80210 Series	III L	10,000	20,000 - 200,000		IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Astec Industries										
87-037P	09/14/87	Astec Industries		Hopper Scale	SEB	III L	3,750	75 x 0.02 ton		Portable Hopper Scale
89-128	10/24/89	Astec Industries		Hopper Scale	WB		1,000	20,000 lb		Superceded by 89-128A1
89-128A1	04/18/90	Astec Industries		Hopper Scale	WB, WB-A, AC, DA	III L	6,000	1,000 - 20,000 lb		Digital Electronic
AutoGas Systems, Inc.										
88-256	01/25/89	AutoGas Systems, Inc.	AC 2004 E, AC 2003 M	Retail Motor Fuel System	AT 2002 X					Card Reader/Station Controller
Avery Weighing Technology										
87-071	12/30/87	Avery Weighing Technology	Optional capacity: 30 x 0.01 lb	Bench and Counter Scale	3359	III	3,000	60 x .02 lb	350mm x 350mm	Digital Bench Scale
87-071A	09/22/88	Avery Weighing Technology	Optional capacities: 30 x 0.01 lb, 60 x 0.02 lb	Bench and Counter Scale	3359	III	2,000	100 x 0.05 lb	350 mm x 350 mm	Digital Electronic
88-001	03/01/88	Avery Weighing Technology		Computing Scale	A600	III	1,500	15 x .01 lb	13.75" x 8.75"	Superseded by 88-001A1
88-001A1		Avery Weighing Technology		Computing Scale	A600	III	3000	15 & 30 x 0.01 lb	13.75" x 8.75"	IN PROCESS
88-056	05/26/88	Avery Weighing Technology		Prepackaging Scale	B700	III	3,000	30 x 0.01 lb	12" x 15.25"	Digital Prepackaging Scale
88-170	09/22/88	Avery Weighing Technology		Computing Scale	A100E	III	3,000	30 x 0.01 lb	13.5 " x 11 "	Digital Electronic
88-179	09/22/88	Avery Weighing Technology	8638, 8636	Computing Scale	1770	III	3,000	30 x 0.01 lb	9.5 " x 11.5 "	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-180	09/23/88	Avery Weighing Technology	1791A, 1791C, 1791E	Computing Scale	1791	III	3,000	30 x 0.01 lb	344 mm x 280 mm	Digital Electronic
88-255	11/01/88	Avery Weighing Technology		Computing Scale	A100	III	3,000	30 lb	13.5" x 11"	Digital Electronic
Baader North America Corp.										
86-007	05/28/86	Baader North America Corp.	10XX.10, 10XX.20, 10XX.30, 10XX.40	Bench and Counter Scale	1020.30.73	III	3000	300 kg (600 lb)	24" x 19 1/2"	
86-008	05/28/86	Baader North America Corp.	8605.15.00: 8605.15.05: 8610.20.00: 8610.20.01: 8610.20.03: 8610.20.06: 8610.20.07: 8610.20.08: 8615.25.00: 8615.25.05	Indicating Elements	8600 Series		3000			
87-026	08/25/87	Baader North America Corp.		Floor Scales	3020.10.02	III	3,000	300 kg	36"x36"	Elec. Load Cell Weighing Elem.
Bennett Pump Company										
87-020	05/22/87	Bennett Pump Company		Service Station Consoles/ECR	M 430					Superseded by 87-020A2
87-020A	04/19/89	Bennett Pump Company	A 430-1	Service Station Consoles/ECR	Access 430					Superseded by 87-020A2
87-020A2	08/21/89	Bennett Pump Company	MI 320, MI 350	Service Station Consoles/ECR	ECR-430 ECR A 430-1					Cash Register/Controller
87-062	10/27/87	Bennett Pump Company	6012, 6013, 6022, 6025, 6024, 6027	Retail Motor Fuel Dispenser	6000 Series			99.999 gal.		Digital RFD
88-083	05/26/88	Bennett Pump Company		Service Station Consoles/ECR	100			24 dispensers		Electronic Service Station POS
88-303	04/19/89	Bennett Pump Company	A 410-1, A 410-2	Service Station Consoles/ECR	A 410-1 and A 410-2					Superseded by 88-303A1

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-303A1 08/21/89	Bennett Pump Company	Service Station Consoles/ECR	A 410-X* A 410-1, A 410-2, MI 320, MI 350			999.99 vol		Digital Electronic
89-063 10/02/89	Bennett Pump Company	Retail Motor Fuel Dispenser	7000 & 9000 Series			999.999 total gal		Superseded by 89-063A1
89-063.A2 07/10/91	Bennett Pump Company	Retail Motor Fuel Dispenser	7000 & 9000 Series					Electronic Computing
89-063A1 01/31/91	Bennett Pump Company	Retail Motor Fuel Dispenser	7000 & 9000 Series 7600 & 7800 High Cap Series, Includes: 9000 Series, Conventional 7000 Series - Low hose & High hose.	$9.999/vol		999.999 total vol	$9,999.99 total $	Electronic Computing
89-072 10/02/89	Bennett Pump Company	Service Station Consoles/ECR	OMNI-OT			up to 24 dispens.		
90-034 02/14/90	Bennett Pump Company	Retail Motor Fuel Dispenser	3700 & 3900 Series 3722; 3724; 3725; 3725D; 3727; 3782; 3788; 3788D; 3789; 3789D; 3792; 3922; 3924; 3925; 3925D; 3927; 3912; 3913 & 3913D					Analog Volume Only
90-034A1 03/12/92	Bennett Pump Company	Retail Motor Fuel Dispenser	3700 & 3900 Series 3722; 3724; 3725; 3725D; 3727; 3782; 3788; 3788D; 3789; 3789D; 3792; 3922; 3924; 3925; 3925D; 3927; 3912; 3913 & 3913D.					Analog Volume Only
90-034PN 07/11/91	Bennett Pump Company	Retail Motor Fuel Dispenser	3700 Series 3722, 3724, 3725, 3725D, 3727, 3782, 3788, 3788D, 3789, 3789D, 3792, 3922, 3924, 3925, 3925D, 3927, 3912, 3913 & 3913D.					Analog Volume Only
90-034PNA1	Bennett Pump Company	NO DEVICE TYPE	3900 Series					
90-035PN 03/13/90	Bennett Pump Company	Retail Motor Fuel Dispenser	4000 Series 4012, 4013, 4022, 4024, 4025, 4027					Analog Computing
90-036PN 03/13/90	Bennett Pump Company	Service Station Consoles/ECR	81 Series 814M, 816M, 818M					Digital
90-162 01/31/91	Bennett Pump Company	Service Station Consoles/ECR	M405-8E & M405-16E For use with electronic RMFD's, M405-*e interfaces with up to 8 hoses, M405-16E interfaces with up to 16 hoses.			999.99 total vol	9,999.999 total $	RMFD Console
91-095 04/12/91	Bennett Pump Company	Retail Motor Fuel Register	SB 100					

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Berkel Incorporated										
88-171	08/30/88	Berkel Incorporated		Computing Scale	688LS	III	3,000	30 x 0.01 lb	13.5 " x 11 "	Digital Electronic
88-179.A1	03/07/91	Berkel Incorporated		Computing Scale	1770	III	3,000	30 x 0.01 lb	9.5" x 11.5"	Digital Computing
88-181	08/30/88	Berkel Incorporated	680 CW MKII	Bench and Counter Scale	680 MKII	III	3,000	30 x 0.01 lb	384 mm x 280 mm	Digital Electronic
90-095	08/21/90	Berkel Incorporated	RS-300: 300 x 0.1 lb	Bench and Counter Scale	RS-150	III	3,500	150 x 0.05 lb	13.9" x 19.7"	Digital Electronic
90-154	01/03/91	Berkel Incorporated	624LS Capacity 30 x 0.01lb - Same as the Model 623LS except the operator's display is alphanumeric.	Computing Scale	623LS	III	3,000	30 x 0.01 lb	400 x 252 mm	Digital Electronic
91-165	03/12/92	Berkel Incorporated	CX9 - Capacity- 50 x 0.01 lb	Bench and Counter Scale	CX10	III	5000	50 x 0.01 lb	11" x 13 1/2"	Digital Electronic
92-037	03/25/92	Berkel Incorporated		Computing Scale	A100E	III	3000	30 lb	13.5" x 11"	Digital Electronic
92-038	03/25/92	Berkel Incorporated		Computing Scale	A600	III	3000	15x0.01/30x0.01lb	13.75" x 8.75"	Digital Electronic
92-065		Berkel Incorporated		Computing Scale	CX20, CX30					IN PROCESS
Better Built Scale Products										
90-066	04/18/90	Better Built Scale Products	Optional Models: UMC 555 ---, Enclosure: A=Standard, Mildsteel Painted, B=Nema Enclosure. Input Power: A=117 VAC, 60Hz, B=227 VAC, 50Hz. Load Cell Term: A=Standard 6-wire Connector, B=RFI-Shielded 6-Wire Connector: A=Standard, B=Non-Standard.	Indicating Elements	UMC 555 AAAA	III/III L	10,000			Digital Electronic
Bizerba United States, Inc.										
86-023	09/29/86	Bizerba United States, Inc.		Computing Scale	Pro 7000	III	3000	30 x 0.01 lb	15" x 10.25"	

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-028	10/14/86	Bizerba United States, Inc.	Pro 7400. Other capacity: 15-30 lb x 0.01 lb	Computing Scale	Pro 7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
86-028A	11/05/87	Bizerba United States, Inc.	Other capacity 15-30 lb x 0.01 lb: 30 lb x 0.01 lb	Computing Scale	PRO7400, PRO7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
89-009	08/02/89	Bizerba United States, Inc.		Computing Scale	PRO 6000	III	3,000	30 X 0.01 lb	15" x 10.5 "	Superseded by 89-009A1
89-009A1	10/12/89	Bizerba United States, Inc.	PRO 6400 hanging scale	Computing Scale	PRO 6000	III	3000	30 x 0.01 lb	15" x 10.5"	
90-053	06/14/90	Bizerba United States, Inc.	This series consists of the Models PRO9100, PRO9400, PRO9700, PRO9600 & PRO9800.	Computing Scale	PRO9000 Series	III	3,000	30 x 0.01 lb	10.4" x 15"	Digital Electronic
91-072	05/15/91	Bizerba United States, Inc.		Indicating Elements	MCE-XX	III	6,800			Digital Electronic
91-073	05/15/91	Bizerba United States, Inc.		Indicating Elements	MCI-W	III	6,800			Digital Electronic
91-074	05/15/91	Bizerba United States, Inc.		Indicating Elements	20	III	6,800			Load Cell Electronic
91-075	05/15/91	Bizerba United States, Inc.		Indicating Elements	150	III	6,800	300 x 0.05 lb	15.7 x 19.7 "	Flexure Lever, Load Cell
91-076	05/15/91	Bizerba United States, Inc.		Indicating Elements	350	III	6,800	600 x 0.05 lb	23.7 x 31.5"	Flexure Lever-Load Cell
92-100.		Bizerba United States, Inc.		NO DEVICE TYPE	PVT/PHT Series					IN PROCESS
92-101		Bizerba United States, Inc.		Computing Scale	SW/BW/EW Series					IN PROCESS
BLH Electronics, Inc.										
87-060	06 28 88	BLH Electronics, Inc	Capacities 20k, 50k, 100k, 200k	Load Cell	C2P1	III L	4,500 M	20k-200k lb		

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-060P	03/10/88	BLH Electronics, Inc.	Capacities (lb): 20k, 50k, 100k, 200k	Load Cell	C2P1	III	3000 S	20000 - 200000 lb		WITHDRAWN
87-060PA	01/27/88	BLH Electronics, Inc.	Capacities (lb): 20k, 50k, 100k, 200k	Load Cell	C2P1	III L	10000 M	20000 - 200000 lb		Superseded by 87-060
87-061	06/28/88	BLH Electronics, Inc.	Capacities (lb): 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450 - 45000 lb		Shear Beam Load Cell
87-061P	09/29/87	BLH Electronics, Inc.	Capacities: 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450-4500 lb		Superseded by 87-061
87-082	12/18/87	BLH Electronics, Inc.		Indicating Elements	LCI	III/III L	10,000			Digital Indicating Element
91-155	10/08/91	BLH Electronics, Inc.	Multiple Cells: III L	Load Cell	C2Z1	III L	10,000	20k to 200k		Compression
Brechbuhler Scales, Inc.										
91-129	08/21/91	Brechbuhler Scales, Inc.		Indicating Elements	UMC 600 XX-XX	III/III L	10,000			Digital Electronic
91-130	08/22/91	Brechbuhler Scales, Inc.		Indicating Elements	UMC 555-XXXX Series	III/IIIL				Digital Electronic
91-131	08/22/91	Brechbuhler Scales, Inc.	N-max: SC-Class III: 5,000; SC-Class III L: 10,000	Load Cell	RL200000A-XXX	III/III L	see below	25 - 20,000 lb		S-Beam Tension
Brooks Instrument Division										
89-101	09/13/90	Brooks Instrument Division	Generic name: PetroCount II	Wholesale Meter	0500B1BXX1					Digital Electronic
89-116	10/24/89	Brooks Instrument Division		Wholesale Meter	0501A1BXBX					

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-117	09/11/90	Brooks Instrument Division	004X-XXXXXXXX and 004X-XXXX	Wholesale Meter	PetroCount 44					Digital Electronic
90-118	11/02/90	Brooks Instrument Division	Generic Name: Parity Series	Wholesale Meter	Turbo					3-inch & 4-inch
90-118A1	03/26/92	Brooks Instrument Division	Trademark Name: Parity Series	Wholesale Meter	Turbo					3-inch; 4-inch & 6-inch
92-082PN		Brooks Instrument Division	B62DS, B-72DB, B-82DB, B-92DEB.	Wholesale Meter	see below					IN PROCESS
92-083PN		Brooks Instrument Division	BA-31, BA-33, B-40DB, B-50DB, B-60CB, B-61CB, B-61CB-1	Wholesale Meter	see below					IN PROCESS
CANMAX Retail Systems, Inc.										
87-025	01/25/89	CANMAX Retail Systems, Inc.	Class 2157, Model 0104: Class 2157, Model 0109	Service Station Consoles/ECR	FULL SERVE					Cash Register Service
91-050		CANMAX Retail Systems, Inc.		Software	C-Serve					IN PROCESS
Cardinal/Detecto Scale Mfgr. Co.										
86-035	12/17/86	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738	III/III L	10,000			Digital Electronic
86-035A	03/25/88	Cardinal/Detecto Scale Mfgr. Co.	738 BA (Batch Aid)	Indicating Elements	738	III/III L	10,000			Digital Electronic
86-035A2	04/18/90	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738	III/III L	10,000			Digital Electronic
86-035A3	07/29/91	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738/738 SCD	III/IIIL	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-036	12/19/86	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	10K	III/III L	10000			Digital Electronic
87-027	07/16/87	Cardinal/Detecto Scale Mfgr. Co.	6600-2, 6600-5, 6600-10, 6600-50, 6600-100	Bench and Counter Scale	6600 Series	III	5,000	100x0.02 lb	8.25" x 14.5"	Digital Bench Scale
87-028	07/13/87	Cardinal/Detecto Scale Mfgr. Co.		Bench and Counter Scale	AP-20	III	1,999	19.99x0.01	6.75" x 5.25"	Supersedes by 87-028A1
87-028A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 X 9.91 lb	6.75 x 5.25 "	Digital Bench Scale
87-033	07/16/87	Cardinal/Detecto Scale Mfgr. Co.	6600-2, 6600-5, 6600-10, 6600-50, 6600-100	Bench and Counter Scale	6600 Series	III	5,000	100 x 0.02lb	8.25" x 14.5"	Digital Bench Scale
87-034	07/16/87	Cardinal/Detecto Scale Mfgr. Co.		Bench and Counter Scale	AP-20	III	1,999	19.99 x 0.01 lb	6.75" x 5.25"	Superseded by 87-034A1
87-034A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 x 9.91 lb	6.75" x 5.25"	Digital Bench Scale
87-059	04/06/92	Cardinal/Detecto Scale Mfgr. Co.	Class III-MC-5000; Class III L-SC-10000	Load Cell	SB SERIES	III/III L	III5kM/	2.5k - 20k lb		Stainless Steel Shear Beam
87-059P	11/25/87	Cardinal/Detecto Scale Mfgr. Co.	SB-2500S, SB-5000S, SB-10 000S, SB-20 000S	Load Cell	SB-5000S	III	5,000 M	2.5k - 20k lb		Shear Beam
87-059P.A	01/22/88	Cardinal/Detecto Scale Mfgr. Co.	SB-2500S, SB-5000S, SB-10 000S, SB-20 000S	Load Cell	SB-5000S	III L	10,000 S	2.5 - 20k lb		Shear Beam Load Cell
87-059P.A1	02/20/91	Cardinal/Detecto Scale Mfgr. Co.	SB-2500S, SB-5000S, SB-10000S & SB-20000S	Load Cell	SB-5000S	III	MC-5000	2500 - 20,000 lb		Shear Beam
87-083P	04/07/88	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	50K-HDD	III L	10,000 M	50,000 lb		Column Compression Load Cell

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-010PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Floor Scales	BSR and BSRL	III		5-150 TON	VARIOUS	Dormant Industrial Scale
	56BSR, 58BSR, 59BSR, 5SBSR, 108BSR, 109BSR, 10SBSR, 15SBSR, 20SBSR, 30SBSR							
88-011PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Hopper Scale	FS Series	III/III L		5000 - 300000 LB		Floor Tank & Hopper Mech. lev.
	FS-1F, -2F, -2.5F, -3F, -4, -5, -6, -7, -8, -9, -10, -11							
88-012PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	SR and SRL Series	III/III L		10-150 TONS	18'x 9'-100'x 10'	Mech. Lever Weighing Element
	1018 SR: 1522 SR: 2024 SR: 3024 SR: 3034 SR: 30343 SR: 40403 SR: 5045 SR: 5050 SR: 5060 SR: 5070 SR: 501207 SR: 6045 SR: 6050 SR: 6060 SR: 6070 SR: 7550 SR: 7560 SR: 75705 SR: 8060 SR: 8070 SR: 10060 SR: 100100 SR: 15070 SR. Capacity range 10-150 tons							
88-013PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	ASR and ASRL	III/III L		30 Tons	12 'x 10 '	Mechanical axle load scales
	206-ASR: 208-ASR: 2010-ASR: 308-ASR: 3010-ASR: 3012-ASR							
88-014PN 03/01/88	Cardinal/Detecto Scale Mfgr Co	Floor Scales	OLP Series	III		4,000	60 " x 60 "	Overhead Mech. Plat. Scale
	OLP-505F, -505, -404F, -404							
88-015PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Railroad Track Scale	RS, RSL, RSA & RSAL	III/III L		150-300 TONS	60'x 10'-72'x 10'	Railway Track Vehicle Scale
	6050-RSA, 6060-, 6070-, 6650-, 6660-, 7250-, 6080-, 6670-, 7260-, 7270-, 6680-, 7280-							
88-016PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Hopper Scale	SH Series	III/III L		1,000 - 100,000lb		Suspension Hopper Lever Sys.
	SH-1, -2, -3, -3.5, -4, -5, -6, -7, -8. Capacity range 1,000 to 100,000 lbs							
88-017PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Livestock Scale	LS Series	III/III L		1.5 - 20 ton	8 x 3 - 26 x 14'	Mechanical Weighing Element
	31, LS51208, LS51408, LS51608, LS1016, LS1018, LS1022, 1030 S, 1530 S, 2026 S							
88-028 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Computing Scale	PC-30	III	3,000	30 x 0.01 lb	13 " x 8 "	Digital Computing Scale
	PC-10, -10 kg, -11, -11 kg, -20, -20 kg, -21, -21 kg, -30 kg, -31, -31 kg							
88-028A1 08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Computing Scale	PC-30A	III	3,000	30 x 0.01 lbs	13" x 8"	Digital Electronic
88-028A2 05/05/92	Cardinal/Detecto Scale Mfgr. Co.	Computing Scale	PC Series	III	3,000	see below	13" x 8"	Digital Electronic
	PC-10A, PC-10kg A, PC-11A, PC-11kg A, PC-20A, PC-20kg A, PC-21A, PC-21kg A, PC-30A, PC-30kg A, PC-31A, PC-31kg A. Capacities: 6 x 0.002 lb, 3 x 0.001 kg, 15 x 0.005 lb, 30 x 0.01 kg.							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-061PN	10/11/88	Cardinal/Detecto Scale Mfgr. Co.	Modified Model Numbers XXYYY-PRC-H and XXYYY-SRC-I	Vehicle Scale	PRC and SRC Series	III L		60 'to 180'x 10'		Digital Electronic
88-106	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	854F-50P, -50K, -50PK, -100P, -100PK	Floor Scales	854F-100P	III	2,000	1,000 lb	19 " x 28 "	Mechanical Lever Floor Scale
88-106A1	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	500 - 1000 lb; 200 - 500 kg	Bench and Counter Scale	854P	III	2,000	see below	19" x 28"	Full Mechanical
88-107	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	854F-50P, -50K, -50PK, -100P, -100PK	Floor Scales	854F-100P	III	2,000	1,000 lb	19 " x 28 "	Mechanical Lever Floor Scale
88-108	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	954F-100P, -50K, -100PK	Floor Scales	954F-100P	III	4,000	2,000lb	28 " x 28 "	Mechanical Lever Floor Scale
88-108A1	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Levertronic: 8950F, 5950F - Full Mechanical: 954F-100P, 954F-500K, 954F-100PK	Floor Scales	954F	III	4,000	2000 lb	28"x28"	Mechanical portable floor scal
88-109	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	954F-100P, -50K, -100PK	Floor Scales	954F-100P	III	4,000	2,000 lb	28 " x 28 "	Mechanical Lever Floor Scale
88-110	06/09/88	Cardinal/Detecto Scale Mfgr. Co.		Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
88-111	06/09/88	Cardinal/Detecto Scale Mfgr. Co.		Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
88-112	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4 x 0.001 lb	8 " Diameter	Digital Bench Scale
88-113	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4lb - 80lb	8" Diameter	Digital Bench Scale
88-130	03 12 92	Cardinal/Detecto Scale Mfgr. Co.	XTD-4638, XTD-4848, XTD-6048; XTD-6060; XTD-7248; XTD-7260; XTD-7654; XTD-8460 & XTD-9672	Bench and Counter Scale	XTD & ETD SERIES	III		6500	see certificate	Dormant Mechanical

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-130PN 08/31/88	Cardinal/Detecto Scale Mfgr. Co.	Floor Scales	XTD and ETD Series	III		6500 lb		Dormant Mechanical
	XTD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672							
88-131 03/12/92	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	XD Series	III		6500	see certificate	Dormant Mechanical
	XD-4638; XD-4848; XD-6048; XD-6060; XD-7248; XD-7260; XD-7654; XD-8460 & XD-9672							
88-131PN 08/31/88	Cardinal/Detecto Scale Mfgr. Co.	Floor Scales	XD Series	III		6500 lb		Dormant Mechanical
	XD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672							
88-132PN 08/31/88	Cardinal/Detecto Scale Mfgr. Co.	Floor Scales	SCD and SCDF Series	III		12,500 lb		Dormant Mechanical
	SCD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672, -10884, -12096							
88-133PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	Indicating Elements	3000 Series	III	1,200			Mechanical Dial Indicator
	3200, 3250, 3300, 3025, 3050, 3075, 3500							
88-134PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	2200 Series	III		50 - 125 lb	18" x 20"	Mechanical Dial Bench Scale
	2200 DB, 2200 AB, 2201 DD, 2201 AD, 2202 DE, 2202 AE, 2202 DEDX, 2202 AEDX, 2203 DF, 2203 AF, 2203 ADFDX, 2203 AFDX, 2205 DJ							
88-135PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PR and PRL Series	III L				Portable Mech. Vehicle Scale
	2020PR, 2030PR, 2530PR, 3030PR, 3540PR, 3550PR, 2020-40PR, 2020-50PR, 2525-50PR, 3030-50PR, 3535-50PR, 2525-60PR, 3030-60PR, 3535-60PR, 2525-65PR, 3030-65PR, 3535-65PR, 2525-80PR, 3030-80PR, 3535-80PR, 2525-100PR, 3030-100PR, 3535-100PR							
88-136PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PSR and PSRL Series	III L		20-100 ton		Portable Mech. Vehicle Scale
	2020 PSR, 3020 PSR, 3025 PSR, 3030 PSR, 4035 PSR, 5035 PSR, 2020-40PSR, 2020-50PSR, 2525-50PSR, 3030-50PSR, 3535-50PSR, 2525-60PSR, 3030-60PSR, 3535-60PSR, 2525-65PSR, 3030-65PSR, 3535-65PSR, 2525-80PSR, 3030-80PSR, 3535-80PSR, 2525-100PSR, 3030-100PSR, 3535-100PSR							
88-137PN 07/25/88	Cardinal/Detecto Scale Mfgr. Co.	Weighbeam	SEE CERTIFICATE	III				Mechanical Type Registering
	Beam Numbers: 182, 170, 170A, 15, 180, 180A, 16, 120, 130, 130A, 140, 150, 160, 161, 162, 163, 3TM, 182M, 13M, 170M-5, 170M-2, 180M-5, 180M-2, 120M-5, 130M-5, 135M, 140M							
88-138PN 07/25/88	Cardinal/Detecto Scale Mfgr. Co.	Weighbeam	SEE CERTIFICATE	III				Direct Reading Full Capacity
	Beam numbers: 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310							
88-139P 07/05/88	Cardinal/Detecto Scale Mfgr. Co.	Weighbeam		III				Compound Full Capacity

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-139PN	07/25/88	Cardinal/Detecto Scale Mfgr. Co.	Beam numbers: 3, 12, 40, 50, 60, 70, 80, 90, 91, 92, 93, 94, 95, 96, 97, 98, 100, 110, 115, 125, 2M, 3M, 12M, 100M, 110M, 50M, 60M, 65M, 70M	Weighbeam	SEE CERTIFICATE	III				Compound Full Capacity
88-166P	08/30/88	Cardinal/Detecto Scale Mfgr. Co.	Capacities (lb): 250, 500, 1000	Load Cell	Z	III/III L	5K,10K S	250 - 1000 lb		Tension
88-173PN	07/05/88	Cardinal/Detecto Scale Mfgr. Co.		Weighbeam		III				Mechanical Type Registering
88-224	03/27/90	Cardinal/Detecto Scale Mfgr. Co.		Vehicle Scale	PRC-I Series	III L	10,000	20,000 lb	70' x 10'	Electronic Load Cell
88-224P	10/11/88	Cardinal/Detecto Scale Mfgr. Co.	Range of capacities from 100,000 to 270,000 lb. Range of platform area from 350' x 350' to 1050' x 1050' (10 to 12 foot widths). CLC 72,000 to 80,000 lb	Vehicle Scale	PRC-I Series	III L	10,000	200,000 lb	70'x 10'	Superseded by 88-224
88-248	10/11/88	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3,999	3999 x 1 g	6.75" x 5.25"	Superseded by 88-248A1
88-248A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3999	3999 X 1 g	6.75"x 5.25"	
88-249	10/11/88	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3,999	3999 x 1 g	6.75" x 5.25"	Superseded by 88-249A1
88-249A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4k	III	3999	3999 X 1g	6.75 X 5.25 "	Digital Electronic
88-276	01/20/89	Cardinal/Detecto Scale Mfgr. Co.		Printer	740 and 750					Electronic Dot Matrix
89-005	01/06/90	Cardinal/Detecto Scale Mfgr. Co.		Bulkweighing System	738CBW	III/III L	10,000			
89-030	01/10/90	Cardinal/Detecto Scale Mfgr. Co.		Bench and Counter Scale	102 SERIES	III	4,000	100 x 0.05 lb	14" x 14"	Load Cell Electronic
89-030.A2	01/29/92	Cardinal/Detecto Scale Mfgr. Co.	102; 105; 122; 125; 1010; 1020; 1210; 1220; 1240; 1250; 1440; 1450; 12100 & 14100.	Bench and Counter Scale	see certificate	III	4000	2 lb - 100 lb		Load Cell Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-030A1 03/27/90	Cardinal/Detecto Scale Mfgr. Co.	102, 105, 1010, 1020, 1440, 1450, 14100	Bench and Counter Scale	102W	III	4,000	2 lbs to 100 lbs		Load Cell Electronic
89-031 01/10/90	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	6000 & 6800	III	5000			
89-032 01/10/90	Cardinal/Detecto Scale Mfgr. Co.	1100 DB, 1102 DE, 1102 EDX, 1105 DG, 1106 DK, 1105 DGK, 1100 DBK, 1102 EDK, 1106 DKK	Bench and Counter Scale	1100 SERIES	III	1000	50 - 300 lb	13-3/4" x 18-1/2"	Mechanical Dial
89-032A1 08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Models: Levertronic- 5110, 7011. Dial- 1100 DB, 1102 DE, 1102 EDX, 1105 EG, 1106 DK, 1105 DGK, 1100 DBK, 1102 EDK, 1106 DKK & 1105 DGK.	Bench and Counter Scale	1100 Series	III	1000	50 to 300 lbs	13-3/4" x 18-1/2"	Mechanical Dial
89-032A2 04/09/92	Cardinal/Detecto Scale Mfgr. Co.	Capacities: 50lb x 1 oz; 100lb x 2 oz; 100lb x 0.1lb; 200lb x 4 oz; 300lb x 8oz; 400lb x 0.2lb; 25kg x 25g; 50kg x 50g; 150kg x 250g; 100kg x 100g	Bench and Counter Scale	5110,7011 & 1100	III	1000	see below	13-3/4 x 18-1/2"	Mechanical Dial & Levertronic
89-042 12/20/89	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50K & 100K lb		COLUMN COMPRESSION
89-042.A1 04/18/91	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	M-Cell 10000	50k - 100k lb		Column Compression
89-042P 08/17/89	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50k & 100k lb		Superseded by 89-042
89-071 11/02/90	Cardinal/Detecto Scale Mfgr. Co.	50K-SCD, 100K-SCD, 50K-SCD-C & 100K-SCD-C.	Load Cell	SCD & SCD-C	III L	10,000	50k & 100k lb		Column, Digital Output
89-071 Amended 03/07/91	Cardinal/Detecto Scale Mfgr. Co.	The specific load cells in this family covered by this certificate are identified by the model number which includes the load cell capacity as a prefix to the SCD or SCD-C indentification. The only difference b/t the SCD & the SCD-C load cells is that the SCD-C has a connector rather than the cable being attached directly to the load cell. Models: 50K-SCD, 100K-SCD, 50K-SCD-C & 100-SCD-C.	Load Cell	SCD & SCD-C	III L	MC: 10,000	50k to 100k lb		Column, Digital Output
89-071P 07/05/89	Cardinal/Detecto Scale Mfgr. Co.	50K-SCD, 100K-SCD, 50K-SCD-C, 100K-SCD-C	Load Cell	SCD and SCD-C	III L	10,000 M	50,000-100,000 lb		COLUMN, DIGITAL OUTPUT
89-097 08/21/89	Cardinal/Detecto Scale Mfgr. Co.		POS Scale	ECR-30	III	3000	30 x .01 lb	14" x 12"	

CC No.	Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-102	08/21/89	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	6900	III	5000	4 lb - 100 lb		
		6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80, 6900-100, 6901-100							
90-008	02/14/90	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	PCS 200 M	III	3200	99lb 15.5 x 0.5oz	18" x 18"	
		PCS 200 MR, PCS 200 M, PCS 200, PCS-RCM, PCS-AS-150							
90-045	06/14/90	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	LP Series	III L	6000	30 & 60 Ton	25'-70' x 10'	Mechanical Lever System
		Models: 3025-LP, 3030-LP, 6035-LP, 6040-LP, 6050-LP, 6060-LP & 6070-LP.							
90-065	04/18/90	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	EF Series	III	2500	100 - 1,000 lbs		Load Cell Electronic
		EF-100: 100 lb x .05 lb, 18 x 18 / EF-218: 200 lb x .1 lb, 18 x 18 / EF-224l 200 lb x .1 lb, 24 x 24 / EF-524: 500 lb x .2 lb, 24 x 24 & EF-528: 500 lb x .2 lb, 28 x 28							
90-069	05/11/90	Cardinal/Detecto Scale Mfgr Co	Floor Scales	FH-XXYY-II	III	5,000	5,000 - 10,000 lb	2 x 2 - 10 x 6	Low Profile-Load Electronic
		FH 522-II, FH 533-II, FH 544-II, FH 553-II, FH 554-II, FH 555-II, FH 563-II, FH 564-II, FH 565-II, FH 566-II, FH 575-II, FH 1044-II, FH 1053-II, FH 1054-II, FH 1055-II, FJ 1063-II, FJ 1064-II, FH 1065-II, FH 1066-II, FH 1075-II, FH 1086-II, FH 1097-II & FH 10106-II.							
90-110	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	6800/Z100 & 600/Z100	III	5,000			Steelyard Rod Adaptor
		Optional Models: 6000/TLC100 & 6800/TLC100 n_max:4,000							
90-111	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	738/TLC100-738/Z100		5,000			Steelyard Rod Adaptor
		Type Z & TLC load cell capacity: 100 lbs.							
91-041PN	06/11/91	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	RSC & RSCA Series	III L	10,000	85 - 200	60-72 X 10	Electronic Load Cell
		7250RSC, 6660RSC, 6650RSC, 6070RSC, 6060RSC, 7250RSCA, 6650RSCA, 6060RSCA & 6050RSCA.							
91-108	07/11/91	Cardinal/Detecto Scale Mfgr. Co.	NO DEVICE TYPE	AL62SPLT XY	III	600	300 x 0.5 lb	672 in squared	Digital Electronic
		X is the platform size represented in inches where(1 = 24 x 24, 2 = 26 x 19, 3 = 23 x 20, 4 = 24 x 22, 5 = 25 x 24) and Y represents the available option combinations (0 to 7) such as an upturned platform, dual display and metric conversion.							
91-162	03/26/92	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	440	III	1400	350 x 1/4 lb	13-3/4" x 18-1/2"	Full Mech., Beam Indicator
		441; 442; 443; 444; 445; 446 & 4420 (short column)							
91-163	03/20/92	Cardinal/Detecto Scale Mfgr. Co.	Weight Classifier	MS-100	III	8000	see below	14.87" x 8.12"	Load Cell, Electronic
		Capacity: 99 lb 15.8 oz x 0.2 oz. MS-15 (15 lb x 0.05 oz); MS-30 (30 lb x 0.1 oz) n-max: 4800 for both.							

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
CAS Corporation									
90-125 09/17/90	CAS Corporation	6D & 15D	Bench and Counter Scale	3D	III	3,000	6 lb	13.5" x 8.5"	Load Cell Electronic
90-126 09/17/90	CAS Corporation		Computing Scale	15 M	III	3,000	30 x .01 lb	17.25" x 10.75"	Load Cell Electronic
91-141	CAS Corporation		Computing Scale	S2000					IN PROCESS
CASIO, INC.									
90-166 03/07/91	CASIO, INC.	SA-2040KY, SA-2141KY, SA-2060D, SA-2013RJ, SA-2014RJ, SA-2070S & SA-2010SP OR SA-2012 SP.	Cash Register	SA 2000 & SA 2100					Stand Alone
91-139 03/12/92	CASIO, INC.		Vehicle Tank & LPG Meter	SA 2000					Stand Alone
92-041 03/26/92	CASIO, INC.		Service Station Consoles/ECR	CE-4600					Stand Alone
92-048	CASIO, INC.		Service Station Consoles/ECR	TK-2600					IN PROCESS
CAT Scale Company									
90-123 11/02/90	CAT Scale Company		Printer	320					Dot Matrix
Cedarapids, Inc.									
92-072 05/06/92	Cedarapids, Inc.		Indicating Elements	HMS 3006	5,000				
Celtron Technologies, Inc.									
91-043P 06/11/91	Celtron Technologies, Inc.	SQB-XX-C (counterbored load hole), SQB-XXX-U (load hole threaded in upper half) & SQB-XX-T (through load hole).	Load Cell	SQB-XX-L	III	see below	1000 - 10,000 lb		Single-Ended Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-044P	06/11/91	Celtron Technologies, Inc.	Capacity: SC-Class III, 5000 / SC-Class III L, 10,000.	Load Cell	STC-XX	III/III L	see below	250 - 20,000 lb		Type "S" Load Cell
Centrodyne Corporation of America										
86-029	11/12/86	Centrodyne Corporation of America		Taximeter	630			$999.99		
Certified Scale Co.										
89-127	02/09/90	Certified Scale Co.		Floor Scales	2010	III	5,000	1,000 - 5,000 lb	24 x 24 - 60 x 60	Low Profile-Load Cell Electr.
89-127.A1	04/18/91	Certified Scale Co.		Bench and Counter Scale	2010	III	5,000	1,000 - 5,000 lb	24 x 24 - 60 x 60	Low Profile-Load Cell Electr.
90-055	04/25/90	Certified Scale Co.		Floor Scales	2010	III	5,000	5,000 lb	48" x 60"	Load Cell Electronic
CMI Weighing Equipment										
88-024	08/08/91	CMI Weighing Equipment		Vehicle Scale	2PS11010	III L				
88-024.A1	08/08/91	CMI Weighing Equipment	2PS1510;2PS1610; 2PS2010; 2PS2410; 2PS3010; 2PS3510; 2PS4010; 2PS4610; 2PS6010; 2PS7010;2PS8010; 2PS9010; 2PS9310; 2PS10010; 2PS11010; 2PS11610; 2PS12010; 2PS13010 & 2PS14010	Vehicle Scale	2PS11010	III L	10,000	200,000 x 20 lb	110" x10"; 6 secs	Load Cell Electronic
88-024P	09/09/88	CMI Weighing Equipment	2FT11010, 2PS3510 2FT3510, 2PS4010 2FT4010, 2PS4610 2FT4610, 2PS6010 2FT6010, 2PS7010 2FT7010, 2PS8010 2FT8010, 2PS9010 2FT9010, 2PS9310 2FT9310, 2PS10010 2FT10010, 2PS11610 2FT11610, 2PS12010 2FT12010, 2PS13010 2FT13010, 2PS14010 2FT14010; Capacity range 60 to 100 tons	Vehicle Scale	2PS11010	III L	10,000	200,000 x 20 lb	100'x 10'	Vehicle Scale Weighing Element
88-169	09/09/88	CMI Weighing Equipment	2C-4010, -4610, -6010, -7010, -8010, -9010. Capacities (tons): 60 and 100	Vehicle Scale	2C-XXXX Series	III L	10,000	100 ton	60 'x 10 '	Weighing Element
90-024	02/14/90	CMI Weighing Equipment	UMC 2000, UMC 2002, UMC 2004, UMC 2006, UMC 2008	Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-025	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC UMC 555AAAA	III/III L	10,000			Digital Electronic
90-026	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
90-119	09/11/90	CMI Weighing Equipment		Hopper Scale	SE/SW 653B	III L	6,000	60 x .01 tons		Load Cell Electronic
Computer Advice										
91-157	09/04/91	Computer Advice		Printer	CAM-290A					Dot Matrix
CompuWeigh										
88-185	11/14/88	CompuWeigh		Bulkweighing System	Compudraft Ser 2000	III				
88-185A1		CompuWeigh		Bulkweighing System	Compudraft Ser 2000	III				IN PROCESS
90-093	08/21/90	CompuWeigh		Indicating Elements	Compudraft 2000	III/III L				Electronic
			Compudraft Series 2000 console consisting of a self contained 19 inch compact case incorporating a 9-inch CRT, a flip-down alpha keyboard, and a single board Computer with Platform Scale Software.							
Concrete Equipment Co. Inc.										
92-007		Concrete Equipment Co. Inc.		Hopper Scale	1170, 2150					IN PROCESS
Condec Consolidated Controls										
88-066	04/20/88	Condec Consolidated Controls		Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Indicating Element
			UMC 2000-66, -2002-66, -2004-66, -2000 XX-XX, -2002 XX-XX, -2004 XX-XX, -2006 XX-XX, -2008 XX-XX, -2010 XX-XX, -2012 XX-XX							
88-070	06/28/88	Condec Consolidated Controls		Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
88-225	01/25/89	Condec Consolidated Controls		Indicating Elements	UMC 555AAAA	III/III L	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Consolidated Controls, Eaton Corporation										
91-081	03/25/92	Consolidated Controls, Eaton Corporation		Indicating Elements	UMC 5600	III/III L	10,000			Digital Electronic
Control Logic Corporation										
88-234	09/13/88	Control Logic Corporation		Printer	CLC 1100 & CLC 1200					Dot Matrix
Daniel Industries, Inc.										
90-028	04/25/90	Daniel Industries, Inc.		Wholesale Meter	LR 3601-1A					Turbine Meter
			Maximum flow rates: 1000 GPM for gasoline, 800 GPM for diesel							
90-060	04/18/90	Daniel Industries, Inc.		Mass Flow Meter	1450-15-SP			Max 60 GPM		Rotary Meter
90-122	08/23/90	Daniel Industries, Inc.		Wholesale Meter	3401-3P					4-inch
Denver Instrument Company										
92-055	04/07/92	Denver Instrument Company		POS Scale	AL-3K/44	III	10m000	6lb, 4oz x 0.01oz	8" x 7"	Digital Mass Transducer
DH Print										
91-137	03/16/92	DH Print		Printer	SERIES 44XX					
			4410; 4411; 4412; 4413; 4414 & DHP 7000; DHP 4000							
Diamond Control Systems										
91-005	01/10/91	Diamond Control Systems		Indicating Elements	Guardian WS					Data Procession Unit
Digi Matex, Inc.										
90-091	08/07/90	Digi Matex, Inc.		Bench and Counter Scale	DS-410	III	3,000	300 x 0.1 lb		Digital Electronic
			Optional Capacities: 150 x 0.05 lb, 600 x 0.2 lb. Optional Platform Sizes: 15.5" x 15.5", 27" x 22".							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-070	04/15/91	Digi Matex, Inc.		Indicating Elements	DI-10	III	5000			Digital Electronic
92-003		Digi Matex, Inc.		Bench and Counter Scale	Series S	III				IN PROCESS
92-063		Digi Matex, Inc.		Floor Scales	Digi-Grand					IN PROCESS
Digi Postal Corporation										
90-049	06/14/90	Digi Postal Corporation	Optional Model: DP-102M (computer interface)	Indicating Elements	DP101-U		1999			Digital Electronic
90-071	07/12/90	Digi Postal Corporation	DP 100X, DP-100R, DP-100F, DP-100M	Computing Scale	DP-100*	III	3199	99lb 15.5oz X 0.5	15.75 ' X 10.75"	Postal Weight Classifier
90-156		Digi Postal Corporation		Bench and Counter Scale	DP70S	III				IN PROCESS
Division Scale										
91-087	06/04/91	Division Scale	DLP-2K44, DLP-5K44, DLP-5K45, DLP-10K45, DLP-5K46, DLP-10K46, DLP-5K55, DLP-10K55, DLP-5K57 & DLP-10K57. Capacities: 2000 lb, 5,000 lb & 10,000 lb. Platform Size: 48" x 48", 48" x 60", 48" x 72", 60" x 60" & 60" x 84".	Floor Scales	DLP Series	III	5,000	see below	see below	Load Cell Electronic
91-112		Division Scale		Floor Scales	DSP1000 Series	III				IN PROCESS
91-113		Division Scale		Indicating Elements	DSP-BSI	III				IN PROCESS
Doran Scales, Inc.										
89-051	10/12/89	Doran Scales, Inc.		Indicating Elements	ML 8000	III	3000			Digital Electronic
89-051 AMENDED	05/20/91	Doran Scales, Inc.		Indicating Elements	8000M	III	3000			Digital Electronic

CC No.	Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-051A1	02/04/92	Doran Scales, Inc.	Indicating Elements	8000MIS	III	3000			
89-111	04/25/90	Doran Scales, Inc.	Bench and Counter Scale	DSP1000 Series	III	3,000	5 to 30 lb	8" x 10"	Load Cell Electronic
		DSP1005, DSP1015, DSP1030							
89-112	04/25/90	Doran Scales, Inc.	Bench and Counter Scale	DSP2000 & DSP3000	III	2,000	15 to 300 lb	12"x16", 18"x18"	Load Cell Electronic
		DSP2015, -2030, -2060, -2100, -2150, -2200, -3060, -3100, -3150, -3200, -3300							
89-112A1	04/06/92	Doran Scales, Inc.	Bench and Counter Scale	DSP2000/3000 Series	III	3,000	10 - 300 lb	12x16" - 18x18"	Load Cell Electronic
		DSP2010; DSP2015; DSP2020; DSP2030; DSP2050; DSP2060; DSP2100; DSP2150; DSP2200; DSP3050; DSP3060; DSP3100; DSP3150; DSP3200; DSP3250; DSP3300.							
89-113	04/25/90	Doran Scales, Inc.	Bench and Counter Scale	DSP5000 Series	III	2,000	60 to 1,000 lb	18"x24", 24"x24"	Load Cell Electronic
		DSP5060/1824, -5100/1824, -5150/1824, -5200/1824, -5300/1824, -5500/1824, -51000/1824, -5060/2424, -5100/2424, -5150/2424, -5200/2424, -5300/2424, -5500/2424, -51000/2424							
89-113A1	04/06/92	Doran Scales, Inc.	Bench and Counter Scale	DSP5000 Series	III	3,000	50 - 1000 lb	18x24" - 24x24"	Load Cell Electronic
		DSP5050/1824; DSP5060/1824; DSP5100/1824; DSP5150/1824; DSP5200/1824; DSP5200/1824; DSP5300/1824; DSP5599/1824; DSP5750/1824; DSP51000/1824; DSP5050/2424; DSP5060/2424; DSP5100/2424; DSP5150/2424; DSP5200/2424; DSP5250/2424; DSP5300/2424; DSP5500/2424; D SP5750/2424; DSP5100/2424							
90-074	07/29/91	Doran Scales, Inc.	Bench and Counter Scale	7000-P Series	III	3000	5 - 100 lb	10"x10" & 12"x12"	Load Cell Electronic
		7005-P, 7015-P, 7030-P, 7060-P & 7100-P.							
90-074P	05/11/90	Doran Scales, Inc.	Bench and Counter Scale	7000-P Series	III	3000	5 to 100 lb	10" x 10"	Load Cell Electronic
		7005-P: 5 lb, 2500, 0.002 lb, 10" x 10" / 7015-P: 15 lb, 3000, 0.005 lb, 10" x 10" / 7030-P: 30 lb, 3000, 0.01 lb, 10" x 10" / 7060-P: 60 lb, 3000, 0.02 lb, 12" x 12" & 7100-P: 100 lb, 2000, 0.05 lb, 12" x 12".							
91-106	03/23/92	Doran Scales, Inc.	Indicating Elements	7000M	III	3000			Digital Electronic
91-154		Doran Scales, Inc.	Indicating Elements	4200M					IN PROCESS
92-080		Doran Scales, Inc.	Indicating Elements	4100L					IN PROCESS

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Dover Corporation									
90-116 11/02/90	Dover Corporation	OPW 111-V 22, OPW 111-V 24, OPW 111-V 47 & OPW 111-V 49.	Retail Motor Fuel System	111-V Series					Vapor Recovery Nozzle-balance
Duratron Corporation									
89-059P 07/05/89	Duratron Corporation	800 030, -031, -032, -033, -034, -038, -039, -040, -041, -042, -043, -044, -045, -046, -047, -048, -049, -050	Load Cell	800 000A	III L	10,000 M	1,000 TO 5,000 LB		Double ended shear beam
89-060P 02/23/90	Duratron Corporation		Load Cell	800 000B	III L	10,000 M	VARIES WITH MODEL		WITHDRAWN
89-061P 02/23/90	Duratron Corporation		Load Cell	801 000A	III L	10,000 M	20K TO 100K		WITHDRAWN
89-062	Duratron Corporation		Load Cell	AW400B	III L	10,000 M	15k to 125k lb		IN PROCESS
89-062P 07/05/89	Duratron Corporation	801 024, -025, -026, -011, -027, -012, -028, -029, -030	Load Cell	801 000B	III L	10,000 M	15000-125000 LB		Double ended shear beam
Durline Scales and Mfg., Inc.									
88-063P 06/28/88	Durline Scales and Mfg., Inc.	EFTX-35603, -40603, -651004, -701004, -801004, -901004	Vehicle Scale	EFT Series	III L	6,000	200,000 x 20 lb	65'x 10'	Load Cell Electronic
89-088 10/06/89	Durline Scales and Mfg., Inc.	MT-40403, LS-3420, LS-2620, LS-3020	Livestock Scale	LS 40403	III L	10,000	50,000 lb	40' x 14'	
Eaton Corporation									
88-225.A1 01/03/91	Eaton Corporation		Indicating Elements	UMC555-XXXX Series	III/III L	10,000			Digital Electronic
Edlund Company, Inc.									
91-032 04/18/91	Edlund Company, Inc.		Bench and Counter Scale	E2000	III	3200	320 x 0.1 oz	9" x 9"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Electronic Scales International										
87-022	05/20/87	Electronic Scales International	JK901aa, JK903aa, JK951aa, JK953aa	Computing Scale	JK900 Series	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-102	07/25/88	Electronic Scales International	JK701aa, -702aa, -703aa, -704aa, -705aa, -706aa	Computing Scale	JK700	III	3,000	30x .01 lb	10 " x 16 "	Digital Electronic
Emark Corporation										
89-022	05/02/89	Emark Corporation		Wholesale Meter	455 Series			99,999 Gallons		Digital Electronic
90-012	02/14/90	Emark Corporation	Generic name: HARDiMeter Phase 2	Wholesale Meter	0455-XXXX-001					Digital Electronic
92-029	05/05/92	Emark Corporation	0455-6600-001 (Master Terminal), 0455-6400-001 (Gallons Display), 0455-6400-002 (Liters Display) & 0455-7100-001 (Control Unit).	Wholesale Meter	see below					Digital Electronic
Engineered Systems, Inc. (ESI)										
87-012	06/16/87	Engineered Systems, Inc. (ESI)	271 XX	Wholesale Meter	330 XX					Wholesale Terminal Controller
Epelsa International, Inc.										
89-109		Epelsa International, Inc.		Load Cell	MC					IN PROCESS
89-109P	08/21/90	Epelsa International, Inc.	Capacities (kg): 75, 100, 150, 200, 250, 300, 500, 681	Load Cell	MC	III	3,000	75 to 681 kg		Bending Beam
89-114		Epelsa International, Inc.		Load Cell	SC	III	3,000 S	500 - 3,000 kg		IN PROCESS
89-114P	10/06/89	Epelsa International, Inc.	Capacities (kg): 500, 750, 1000, 1500, 3000	Load Cell	SC	III	3,000 S	500 to 3,000 kg		

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-162P 01/06/90	Epelsa International, Inc.	Load Cell ATC 5, ATC 8, ATC 13, ATC 17, ATC 32	ATC	III	3,000 S	5 to 32 kg		
89-163	Epelsa International, Inc.	Load Cell	BP					IN PROCESS
89-163P 01/06/90	Epelsa International, Inc.	Load Cell BP 5, BP 7, BP 10, BP 15, BP 17, BP 20, BP 30	BP	III	3,000 S	5 to 30 kg		Bending Beam
90-048 04/25/90	Epelsa International, Inc.	Indicating Elements Other manufacturer: FIRST-Weigh Model DI11 and Model DI21	LC-110 & LC-210	III, III L	3,000			Digital Electronic
90-105	Epelsa International, Inc.	Load Cell	TSF & LC18					IN PROCESS
90-105P 09/11/90	Epelsa International, Inc.	Load Cell	TSF & LC18	III/III L		100 to 1,000 lb		
90-105P.A1 04/30/91	Epelsa International, Inc.	Load Cell SC, Class III: 3000/SC, Class III L: 10,000.	TSFS & LC18	III & IIIL	see below TSFS100, TSFS200, TSFS300, TSFS500, TSFS750 & TSFS1000.	100 to 1000 lb		S-Type Tension
90-150P 09/11/90	Epelsa International, Inc.	Load Cell see certificate for other models.	TSF & LC18*	III	3000	100 to 1000 lb		S-Type
90-155 01/24/91	Epelsa International, Inc.	Bench and Counter Scale SP12-1813, SP12-2413 & SP12-3013	SP12 Series	III	3000	300 lb		Load Cell Electronic
91-042P 04/18/91	Epelsa International, Inc.	Load Cell LC 1000, LC 2500, LC 2600, LC 4000, LC 5000, LC 5000 & LC 10000.	LC Series	III	M-Cells 3000	1,000 - 10,000 lb		Single Ended Shear Beam
91-042P.A1 03/11/91	Epelsa International, Inc.	Load Cell LC 1000, LC 2500, LC 2600, LC 4000, LC 5000, LC 5000 & LC 10000.	LC Series	III	MC- 5000	1000 - 10,000 lb		Single Ended Shear Beam
91-042P.A2 03/11/91	Epelsa International, Inc.	Load Cell	LC Series					

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-092	06/10/91	Epelsa International, Inc.	5000, Class III; 10,000 - Class IIIL	Indicating Elements	FIRST-Weigh DI12	III/IIIL				Digital Eletronic
92-078		Epelsa International, Inc.		Load Cell	SB2					IN PROCESS
92-079		Epelsa International, Inc.		Load Cell	LCI					IN PROCESS
ESCO Manufacturing, Inc.										
89-069	08/01/89	ESCO Manufacturing, Inc.		Service Station Consoles/ECR	TLC-10XX			799.999 gal		Electronic
Esselte Meto										
86-016A	04/27/88	Esselte Meto		POS Scale	CR 511	III	3,000	30 x 0.01 lb	13.2" x 9.5"	Superseded by 86-016A
86-016A2	02/09/90	Esselte Meto	Model CR511-20, capacity 20 x 0.01 lb: Model CR512-30, capacity 30 x 0.01 lb	POS Scale	CR511; CR512	III	3,000	30 x 0.01 lb	13.2" x 9.5"	Digital Electronic
86-017	09/17/86	Esselte Meto		Computing Scale	CC494	III	1500	7.5 x .005 lb	7.5" x 11.5"	
88-035	03/23/88	Esselte Meto		Computing Scale	BLP 804	III	3,000	30 x 0.01 lb	255 mm x 355 mm	Digital Electronic
88-062	04/27/88	Esselte Meto		Computing Scale	CB493	III	1,500	15 x 0.01 lb	8 " x 12.5 "	Digital Computing Scale
88-064	04/27/88	Esselte Meto		Computing Scale	CP 501	III	3,000	30 x 0.01 lb	13.75" x 9.5"	Digital Computing Scale
88-065	04/20/88	Esselte Meto		Computing Scale	CS 491-1	III	3,000	30 x 0.01 lb	13.75 " x 9.5 "	Digital Computing Scale
90-039	04/25/90	Esselte Meto		Computing Scale	CS 512	III	3,000	30 x 0.01 lb	14.25" x 9.75"	Digital Electronic
90-040	04/25/90	Esselte Meto		Computing Scale	ES 1010	III	2,000	10 x 0.005 lb	11.75" x 8.5"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Exact Equipment Corporation										
88-183	09/22/88	Exact Equipment Corporation	960S, 960T, 960L	Prepackaging Scale	960	III	3,000	30 x 0.01 lb	16 " x 10 "	Digital Computing
88-184	09/22/88	Exact Equipment Corporation		Prepackaging Scale	920	III	5000	50 x 0.01 lb	270 mm x 400 mm	Superseded by 88-184A
88-184A	05/01/89	Exact Equipment Corporation		Prepackaging Scale	951	III	5,000	50 x 0.01 lb	270 mm x 400 mm	Digital Electronic
89-107	01/10/90	Exact Equipment Corporation	921-30, 921-50, 921R-30, 921R-50	Computing Scale	921, 921R	III	3,000	30 x 0.01 lb	30 x 0.01 lb	Digital Electronic
Fairbanks Scales										
86-009	06/04/86	Fairbanks Scales	H70-4710-1, H70-4710-2, H70-4714-1, H70-4714-5, H70-4718-1	Bench and Counter Scale	H70-4710-1	III	6000	12 x .002 lb	10" x 10"	
86-010	06/04/86	Fairbanks Scales		Floor Scales	1124D	III	2000	1000 x 0.5 lb		Digital, Load Cell, & Levers
86-011	06/04/86	Fairbanks Scales		Indicating Elements	90-100	III	2000			Digital Load Cell
86-012	06/19/86	Fairbanks Scales		Indicating Elements	90-164	III/III L	10000			Digital Electronic
86-013	06/19/86	Fairbanks Scales		Indicating Elements	H90-167-1	III/III L	10000			Digital Electronic
87-021	05/21/87	Fairbanks Scales	H90-3042, H90-3042B	Indicating Elements	H90-3043	III/III L	6,000			Digital Indicating Element
88-071	08/30/88	Fairbanks Scales	23-2500A, H23-2500A, 23-2502A, H23-2502A, 23-2503A, H23-2503A	Floor Scales	23-25XXA Series	III	5,000	5000-10000lb		Load Cell Electronic
88-072	08/30/88	Fairbanks Scales		Floor Scales	23-2554A	III	2,500	2500 x 1 lb	4' x 5'	Load Cell Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-072A1 09/24/90	Fairbanks Scales	23-2554A; 23-2554B; 23-2554C	Floor Scales	23-2554	III	5,000	1,000 to 5,000		Load Cell Electronic
88-073 08/30/88	Fairbanks Scales		Indicating Elements	90-161A	III/III L	10,000			Digital Electronic
88-074 09/12/88	Fairbanks Scales	H70-4000-2, -4050-2, -4100A, -4100B	Bench and Counter Scale	H70-4XXX	III	5,000	40 - 200 lb		Bench Scale weighing element
88-075 09/22/88	Fairbanks Scales	70-4170, capacity 600 x 0.2 lb, 1000 x 0.5 lb	Bench and Counter Scale	70-4070	III	2,000	200 x 0.1 lb	17 " x 22 "	Digital Electronic
88-076 01/26/89	Fairbanks Scales	90-167-XX	Indicating Elements	90-164-XX	III/III L	10,000			Digital Electronic
88-077 10/21/88	Fairbanks Scales		Floor Scales	1125D	III	5,000	1000 x 0.2lb	23.5" x 17.75 "	Lever system, load cell
88-078 01/25/89	Fairbanks Scales		Indicating Elements	90-110	III/III L	5,000			Digital Electronic
88-079 01/26/89	Fairbanks Scales		Indicating Elements	90-3045	III/III L	10,000			Digital Electronic
88-152 05/01/89	Fairbanks Scales	12-8724-S, -8724-C, -8726-S, -8726-C, -8727-S, -8727-C, -8728-S, -8728-C, -8729-S, -8729-C	Vehicle Scale	12-87XX Series	III L	10000	120k & 200 k lb		Load Cell Electronic
88-153PN 06/17/88	Fairbanks Scales		Livestock Scale	11-3300 Series	III L		10 tons	8' - 9' x 15'	Mechanical Livestock Scale
88-154PN 06/17/88	Fairbanks Scales	11-3116, -3141, -3153A, -3157, -3158, -3381, -3342, -3344, -3446, -3484, -3352, -3354, -3356, -3394, -3482, -3485	Vehicle Scale	11-3000 Series	III L		15 - 80 tons	22'x 9'- 80'x 10'	Mechanical Lever Vehicle Scale
88-155PN 06/17/88	Fairbanks Scales		Weighbeam	50-5361	III L	10,000	100,000 lb		Type Registering Weighbeam
88-156PN 06/17/88	Fairbanks Scales	41-3132, -3132-A02, -3132-A03, -3132-A21	Floor Scales	41-3132 Series	III	2000	1,000lb	18" x 27"	Portable Mech Floor Scale

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-157PN 06/17/88	Fairbanks Scales		Livestock Scale	11-6100 Series	III L		5 - 20 ton	14 'x 8 '	Mechanical Levertronic
		The following model designations carry a prefix of 11- or 14-. The 11- models are mechanical scales. The 14- models are levertronic (lever system with load cell) scales (e.g. 11-6186A is mechanical and 14-6186A is levertronic). Models: 6186A, 6187A,; 6188A, 6189A, 6190W, 6190, 6192A, 6197A, 6198, 6199.							
88-158	Fairbanks Scales		Vehicle Scale	11-4300 Series	III L		30-75 ton	10" x 10"	IN PROCESS
		11-4300, -4301, -4302, -4303, -4311, -4306, -4304, -4307, -4308, -4305, & 4309.							
88-158PN 06/17/88	Fairbanks Scales		Vehicle Scale	11-4300 Series	III L		30-75 ton	10 'x 10 '	Mechanical Levertronic
		11-4300, -4301, -4302, -4303, -4311, -4306, -4304, -4307, -4308, -4305, -4309							
88-159PN 06/17/88	Fairbanks Scales		Floor Scales	14-2000 Series	III	8,000	8,000lb		Weighing Element
		14-2000, -2001, -2003, -2004, -2005							
88-160PN 10/12/88	Fairbanks Scales		Vehicle Scale	13-8200 Series	III L		60 to 80 ton		Portable Mech/Levertronic
		13-8241, -8246, -8251, -8261, -8266, -8271, -8276, -8281							
88-167PN 10/12/88	Fairbanks Scales		Vehicle Scale	11-7100 Series	III L		20 - 30 tons	12'x 10'	Mechanical Lever System
		11-7181, 11-7182, 11-7183							
88-168PN 10/12/88	Fairbanks Scales		Livestock Scale	V Series	III L				Mechanical Lever System
		V18-1015-220, V22-1015-220, V35-10353325, V20-1015-220							
88-266 10/21/88	Fairbanks Scales		Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
88-266.A1 03/07/91	Fairbanks Scales		Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
		PB9000; PB9000-1 & 1124-1							
88-297P 01/25/89	Fairbanks Scales		Vehicle Scale	14-8271*	III L	8,000	160,000 x 20 lbs	70' x 10'	Weighing Element
		The following model designations carry a prefix of 13- or 14-. The 13- models are mechanical scales, and the 14- models are levertronic (lever system with load cell) scales, e.g. 13-8241 (mechanical) or 14-8241 (levertronic). Models: 8241, 8246, 8251, 8261, 8266, 8276, 8281, 8286, 8291, 8296, 8301							
88-308 01/26/89	Fairbanks Scales		Indicating Elements	H90-1701; H90-1702	III/III L	10,000			Digital Element

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-015	10/12/89	Fairbanks Scales	21-2102, 21-2104	Floor Scales	21-2101	III	5,000	2,500 x 0.5 lb	3' x 3'	Loadcell Electronic
89-093	10/12/89	Fairbanks Scales	H23-2512, 23-2512	Floor Scales	H23-2512	III	2000	1000 lb	30" x 30"	Load Cell Electronic
89-136	01/31/90	Fairbanks Scales	23-2558	Floor Scales	23-2557	III	5,000	10,000 lb	5' x 7'	Load Cell Electronic
89-151	11/22/89	Fairbanks Scales	Capacities (lb): 10,000, 20,000, 25,000, 30,000, 40,000, 50,000, 60,000, 75,000, 100,000	Load Cell	90814-XX	III L	10,000 M	10 k - 100 k lb		Double Ended Shear Beam
90-042	04/25/90	Fairbanks Scales		Indicating Elements	90-166	III, IIIL	10,000			Digital Electronic
90-043	03/07/91	Fairbanks Scales		Indicating Elements	90-515 & 90-516	III/IIIL	10,000			Digital Electronic
90-057	11/02/90	Fairbanks Scales	EL9000	Floor Scales	1126D	III	5000	1000 x 0.2 lb	23.5 x 17.75"	Lever System, Load Cell
90-084	09/13/90	Fairbanks Scales		Indicating Elements	H90-3051	III/IIIL	10,000			Digital Electronic
90-094	06/14/90	Fairbanks Scales		Indicating Elements	70-1414	III	2000	100 x .05 lb	14" x 14"	Load Cell Electronic
90-094.AI	04/18/91	Fairbanks Scales		Load Cell	70-1414	III	2000	100 x 0.05 lb	14 x 14 inch	Load Cell Electronic
90-127	08/30/90	Fairbanks Scales		Bench and Counter Scale	70-490X-XXX FAM	III				
90-128	08/30/90	Fairbanks Scales	H90-5150 & H90-5200.	Indicating Elements	H90-5100	III/IIIL	10,000			Digital Electronic
91-055	04/04/91	Fairbanks Scales		Vehicle Scale	14-4304 S	III L	10,000	60 ton	60,70,80,90 x 10	Mechanical/Levertronic
the 11-430X-S series weighing elements are mechanical devices and the 14-430X-S weighing elements are levertronic devices.										

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-056		Fairbanks Scales		Vehicle Scale	13-8460-3					IN PROCESS
91-061	04/10/91	Fairbanks Scales	See certificate for specific models.	Floor Scales	23-6200 Series	III	5,000	1000 - 20,000 lb	30"x30" - 6"x8"	Digital Electronic
91-065		Fairbanks Scales		Indicating Elements	Datamaster	III				IN PROCESS
91-143	03/19/92	Fairbanks Scales	Capacities: 120,000 x 20 lb - 200,000 x 20 lb. FP-4010; FP-6010; FP-7010; FP-8010 & FP-9010	Vehicle Scale	FP-XXXX Series	IIIL	10,000	see below	40 x 10'-90 x 10'	Load Cell Electronic
91-148	09/09/91	Fairbanks Scales	70-2443, 70-2443ABR	Bench and Counter Scale	23-2443	III	4,000	200 x 0.05 lb	14" x 14"	Load Cell Electronic
91-152	03/23/92	Fairbanks Scales	90-154	Indicating Elements	90-158	III/III L	5000			Digital Electronic
92-004	01/07/92	Fairbanks Scales		Floor Scales	HS100	III	3,000	600 lb	12" x15"	Digital Electronic
92-022	03/26/92	Fairbanks Scales	HS120; HS120WW; 1135D; 1135K; HS125 & HS125WW	Floor Scales	1135L	III	3000	600 x 0.2 lb	11" x 16"	Digital Electronic
92-034	03/26/92	Fairbanks Scales		Indicating Elements	System IV	III/III L	10,000			Electronic
92-050	03/27/92	Fairbanks Scales	H90-3052; 90-3052D; H90-3052D	Indicating Elements	90-3052	III/III L	5000			Digital Electronic

Fargo Electronic Services Inc.

88-233	09/22/88	Fargo Electronic Services Inc.		Printer	SP 2000					Dot Matrix
89-157	01/06/90	Fargo Electronic Services Inc.	KB-102, ACS-105	Printer	KB-105					Accessory Keyboard

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-157.A1	01/24/91	Fargo Electronic Services Inc.	Optional Models: KB-102, ACS-105 & ACS-107	Printer	KB-105					Accessory Keyboard
FIRST-Weigh										
90-048A1	03/12/92	FIRST-Weigh	n: 5000-Class III; 10,000-Class III L	Indicating Elements	FIRST-Weigh DI21/11	III/III L	see below			Digital Electronic
91-091	06/07/91	FIRST-Weigh		Computing Scale	RS10	III	2000	10 x 0.005 lb	11.75" x 8.5"	Digital Electronic
91-102	08/12/91	FIRST-Weigh		Computing Scale	see certificate	III	5,000	2,000 lb-5,000 lb	5" x 5" - 3" x 3"	Load Cell Electronic
91-104	07/01/91	FIRST-Weigh		Computing Scale	RS20	III	3000	30 x 0.01 lb	14.25" x 9.75"	Digital Electronic
91-109	08/12/91	FIRST-Weigh	DP10-1003, DP10-1006 & DP10-10. Capacities: 30 lb x 0.01, 60 lb x 0.02 & 100 lb x 0.02. N-max: 3,000 & 5,000.	Bench and Counter Scale	DP10	III	see below	30 lb - 100 lb	12" x 14"	Digital Electronic
92-030		FIRST-Weigh		Load Cell	STR	III L	10,000	10K - 50K lb		IN PROCESS
Flex-Weigh Corporation										
87-003	04/07/87	Flex-Weigh Corporation		Indicating Elements	DWM-IV	III/III L	10,000			Superseded by 87-003A
87-003A	05/21/87	Flex-Weigh Corporation		Indicating Elements	DWM IV	III/III L	10,000			Digital Indicating Element
88-100	06/28/88	Flex-Weigh Corporation	FLB2424-.5K, -2424-1K, -3030-.5K, -3030-1K, -3030-1.5K, -3030-2K, -3636-1K, -3636-2K, -3636-5K, -3846-1K, -3846-2K, -3846-5K, -3846-10K, -4848-1K, -4848-2K, -4848-5K, -4848-10K, -4860-1K, -4860-2K, -4860-5K, -4860-10K, -4872-1K, -4872-2K, -4872-5K, -4872-10K, -6060-1K, -6060-2K, -6060-5K, -6060-10K, -6072-5K, -6072-10K	Floor Scales	FLB	III	5,000	500 - 10k lb		Flexure Lever, Load Cell
88-100A1	03/16/92	Flex-Weigh Corporation		Indicating Elements	FLB SERIES	III	5,000	500 - 10,000 lb	24"x24" - 72"x96"	Flexure Lever, Load Cell
89-108P	10/02/89	Flex-Weigh Corporation		Load Cell	S	III	3000	500 to 3000 lb		Superseded by 89-108PA1

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-108PA1 01/12/90	Flex-Weigh Corporation	Capacities (lb): 500, 750, 1000, 1500, 2000, 3000	Load Cell	S	III	5,000 S	500 to 3,000 lb		S-Type
89-158P 12/20/89	Flex-Weigh Corporation	Capacities (lb): 1000, 2000, 2500, 4000	Load Cell	SSB and SSBT	III	5,000 M	1,000 to 4,000 lb		Shear Beam
89-158P.A1	Flex-Weigh Corporation		Load Cell	SSB/SSBT					IN PROCESS
90-184P 02/12/91	Flex-Weigh Corporation		Load Cell	C SERIES	III	5000	150 to 500 lb		Single-Ended Bending Beam
Flintab, Inc.									
90-086 04/29/91	Flintab, Inc.	SB4-5kN, SB4-10kN, SB4-20kN, SB4-23kN & SB4-50kN.	Load Cell	SB4 Series	III	SC-3000	5kN - 50kN		Stainless Steel Bending Beam
90-086P 09/11/90	Flintab, Inc.	SB4-5kN - 5, 0.25, 0; SB4-10kN - 10, 0.50,0; SB4-20kN - 20, 1.0, 0; SB4-50kN - 50, 2.5, 0.	Load Cell	SB4 Series	III	Single 3,000	5 kN - 50 kN		Stainless Steel Bending Beam
92-098	Flintab, Inc.		Load Cell	RC1-XX	III L	10,000 S	250 to 400 kN		IN PROCESS
92-098	Flintab, Inc.		Load Cell	RCI Series	III L	10,000 S	250 to 400 kN		IN PROCESS
Friden Alcatel									
90-124 09/26/90	Friden Alcatel	Model 8510-5: 5 lb x 0.1 oz	Weight Classifier	8510	III	1600	10 lb x 0.1 oz	9.5" x 7.5"	Digital Electronic Computing
91-127 03/19/92	Friden Alcatel	n-max: 640 (0-20 lb x 0.5 oz); 1120 (0-70 lb x 1 oz)	Weight Classifier	8865	III	see below	70 lb	14 1/2" x 12 1/2"	Load Cell Electronic
92-049 03/27/92	Friden Alcatel	n-max: 640(0-20 lb); 1120(0-70 lb)	Weight Classifier	8860	III	see below	70 lb	13" x 12"	Load Cell Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
GasBoy (See Winslow under The A.H. Emory Co.)									
92-077	GasBoy (See Winslow under The A.H. Emory Co.)	SST-8	Service Station Consoles/ECR	SST-8 and SST-16					IN PROCESS
Gedge Systems									
90-033 04/30/90	Gedge Systems		Indicating Elements	GS1650B	III/III L	10,000			Digital Electronic
General Electrodynamics Corporation									
88-004P 04/07/88	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	IIII	400	20k x 50 lb	18 " x 14 "	Superceded by 88-004P 5/15/90
88-004P Amend 05/11/90	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	IIII	400	20,000 x 50 lb	18" x 14"	Digital Electronic
88-057P 04/07/91	General Electrodynamics Corporation		Wheel Load Weigher	MD 700	IIII	1,200	60k x 50 lb	2'- 7 ' x 30 "	Portable Digtl Axle-Load Weigh
88-057P.A1 04/18/91	General Electrodynamics Corporation		Wheel Load Weigher	MD700	IIII	1,200	60k x 50 lb	2' - 7' x 30"	Portable Digtl Axle-Load Weigh
88-288P.A1	General Electrodynamics Corporation		Floor Scales	Pro-Weigh 84-A					
90-089P 05/31/90	General Electrodynamics Corporation		Wheel Load Weigher	LP400E	IIII	400	20,000 x 50lb	14.5" x 22"	Digital Electronic
General Electronic Systems, Inc.									
88-087 06/13/88	General Electronic Systems, Inc.		Indicating Elements	4535	III	10,000			Digital Checkweigh Indicating
88-088 06/13/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000			Digital Indicating Element
88-088P 05/26/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000			Superseded by 88-088

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-254	05/02/89	General Electronic Systems, Inc.	Freedom I	Indicating Elements	Freedom II	III/III L	10,000			Digital Electronic
88-288P	02/10/89	General Electronic Systems, Inc.	Platform Sizes (W" x L"): 36 x 36, 48 x 48, 48 x 60, 48 x 72, 60 x 60, 60 x 72, 60 x 84	Floor Scales	Pro-Weigh 84-A	III	5,000	1,000 -20,000 lb	36x36 to 60x84"	Load Cell Electronic
89-025	05/02/89	General Electronic Systems, Inc.		Indicating Elements	ECONO	III	5,000			Superseded by 89-025A
89-025A	10/24/89	General Electronic Systems, Inc.		Indicating Elements	ECONO-WEIGH	III/III L	5,000			
89-025A2	02/06/91	General Electronic Systems, Inc.	540SS	Indicating Elements	ECONO-WEIGH	III/III L	5,000			Digital Electronic
89-043	08/17/89	General Electronic Systems, Inc.	4412, 4414, 4418, 4424	Bench and Counter Scale	4400 & 4500 Series	III	3k-6k	10 lb to 600 lb	12"x12" - 24"x24"	Load Cell Electronic
90-167	01/03/91	General Electronic Systems, Inc.	402-12, 402-14, 402-18 & 402-24	Bench and Counter Scale	UBS 402 Series	III	3000 or 5000	20 to 500		Digital Electronic
91-098	03/26/92	General Electronic Systems, Inc.	Optional Models see certificate	Indicating Elements	Freedom II/B	III/III L	10,000			Digital Electronic
91-114	03/26/92	General Electronic Systems, Inc.		Indicating Elements	GE600 & 600SS	III	10,000			Digital Electronic
91-114A1	04/06/92	General Electronic Systems, Inc.		Bench and Counter Scale	4550SS/4560SS	III	see cert.	10 - 600 lb		Load Cell Electronic
91-114A2	03/26/92	General Electronic Systems, Inc.		Bench and Counter Scale	4600SS	III	see cert.	10 - 600 lb		Load Cell Electronic
91-147	03/26/92	General Electronic Systems, Inc.	PT-820; PT-821; PT-822; PT-825; PT-826; PT-820X; PT-820X-4; PT-830SS; PT-831SS; PT-830SS/X; PT-800; PT-801; PT-802; PT-805; PT-806; PT-800X; PT-800X-4; PT-810 SS; PT-811SS;P PT-810SS/X	Floor Scales	Porta-Tronic 800 Srs	III	2500	500 - 1500 lb		Weighing Element
91-164		General Electronic Systems, Inc.		Bench and Counter Scale	4500 & 4560 Series	III				IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-087		General Electronic Systems, Inc.		Floor Scales	ABS-4000					IN PROCESS
Gilbarco, Inc.										
86-018	09/02/86	Gilbarco, Inc.	Optional model PA0203XXXX	Service Station Consoles/ECR	PA0188XXXX (T-12 C)					Digital Electronic
86-018A	03/11/87	Gilbarco, Inc.		Service Station Consoles/ECR	PAO203XXXX (T-12 G)					Digital Electronic
86-019	09/02/86	Gilbarco, Inc.	Marketing name is TCR-G Series	Cash Register	PAO180 0000 100					Cash Register/Console
86-019A	12/16/87	Gilbarco Inc		Service Station Consoles/ECR	PA0180XXXXXXX					Cash register/console
86-024	09/25/86	Gilbarco, Inc		Retail Motor Fuel System	Modular Electronics					
87-002	02/04/87	Gilbarco, Inc.		Service Station Consoles/ECR	T-15 PA0189, PA0190					Digital Controller
87-002.A1	07/06/90	Gilbarco, Inc.	includes: T-15 Console PA0189; C-15 Controller Model PA0190 & C-2 Controller Model PA0211	Cash Register	TCR-15 Systems					Digital Electronic
87-077	10/26/87	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-2 and MPD-3			99.999 gal		Superseded by 87-077A2
87-077A2	02/12/90	Gilbarco, Inc.	The Gilbarco model designation consists of a variety of entries based upon the dispenser configuration. The device is identified by the model designation AXXXXXX where the XXXXXX represents various device parameters. These devices are known by the; generic names of MPD-2, MPD-3, and the MPD-ProBlender. Other capacities of series: $999.99 Total Price, $9.999 Unit Price	Retail Motor Fuel Dispenser	AE, AK, AL, AP, AU			99.999 total gal		
87-099	04/07/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	ABXXXX			99.999 gal		Electromechanical Dispenser
88-002	04/07/88	Gilbarco, Inc.	AC4992AS1, AC6093, AC4093	Retail Motor Fuel Dispenser	AC4992S1			60 gal/min		Superseded by 88-226A2

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-003 03/01/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10					Superseded by 88-003A3
88-003A 05/03/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10					Superseded by 88-003A3
88-003A2 02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10					Superseded by 88-003A3
88-003A3 06/16/89	Gilbarco, Inc.	PAO24NC10	Service Station Consoles/ECR	PAO24TC10			40 gal/min		
88-022 04/20/88	Gilbarco, Inc.	AC4982AS1, AC6083, AC4093	Retail Motor Fuel Dispenser	AC4982S1			99.999 gal		Superseded by 88-226A2
88-022A 05/03/88	Gilbarco, Inc.	AC4982ASI, AC6083, AC4093	Retail Motor Fuel Dispenser	AC4982S1			99.999 gal		Superseded by 88-226A2
88-128 06/28/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-1			99.999 gal		Superdeded by 89-019A1
88-129 07/25/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Salesmaker-4 & 2			99.999 gal		Digital Electromechanical
88-162 07/17/88	Gilbarco, Inc.		Printer	PAO 16300					Dot Matrix Tape Printer
88-226 10/04/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Highline 111 Series			99.999 vol units		Superseded by 88-226.A3
88-226.A3 11/02/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC X X X X X XX	& 88-002		88-226;-226A; Supercedes:	-226A2;-022;-022A	Digital Computing RMFD
Generic Name: Highline 111 Series and Salesmaker Series, Includes "High", "Super High"'and "Ultra High" Gallonage Models, Uses Gilbarco "B" or "C" meters ot LC M-5 meter. Electronic Calibration Option available for Ultra High Gallonage dispenser with LC M-5 meter. Standard Flow rate: 13/2 gpm, High, 30/4, Super 40/8, Ultra, 60/12 gpm									
88-226A 02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Highline 111 Series			99.999 vol units		Superseded by 88-226.A3
88-226A2 03/13/90	Gilbarco, Inc		Retail Motor Fuel Dispenser	AC X X X X X XX					Superseded by 88-226.A3

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-019	04/04/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD - 1			999.99 total pr.		Superseded by 89-019A1
89-019A1	03/13/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-1			999.99 TOTAL PRIC		Digital Electromechanical
89-065	10/12/89	Gilbarco, Inc.		Cash Register	Q11891-XX, Q11640-XX					Electronic
89-066	07/05/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	CRIND					Card Reader (in Dispenser)
89-068	10/12/89	Gilbarco, Inc.		Service Station Consoles/ECR	TS-1000			999.999		Superseded by 89-068A1
89-068A1	02/12/90	Gilbarco, Inc.		Service Station Consoles/ECR	PA02400000000					Electronic
89-070	08/02/89	Gilbarco, Inc.		Service Station Consoles/ECR	PAO250XXXXXXX			799.999 gal		Electronic
90-115	08/23/90	Gilbarco, Inc.	$999.00 total price, 999.000 volume units & $9.999 unit price.	Retail Motor Fuel Register	Advantage Series			see below		Electronic Computing
90-115.A1	11/02/90	Gilbarco, Inc.	Model designations identified by four code positions; See Certificate for possible codes.	Retail Motor Fuel Dispenser	Advantage Series			2 x 13 gpm		Elec.Comp.Ret.Motor Fuel Disp.
90-115A2	08/21/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	The Advantage Series					
91-088PN	06/06/91	Gilbarco, Inc.	Generic Name: Trimline	NO DEVICE TYPE	AAX X (Ten Times)					Mechanical
92-056	04/17/92	Gilbarco, Inc.	Generic Model: "C" Meter	NO DEVICE TYPE	PAO24TC10/PAO24NC10					Positive Displacement Meter
Global Scale Imports, Inc.										
90-098	08/21/90	Global Scale Imports, Inc.		Prepackaging Scale	Automator 650A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-099	08/21/90	Global Scale Imports, Inc.		Computing Scale	Concentrator 220A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-100	08/21/90	Global Scale Imports, Inc.		Computing Scale	Ishida LIBRA 300	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
Graco, Inc.										
90-164	07/27/91	Graco, Inc.	Maximum Accumulation: 19,999 gallons	Wholesale Meter	(P/N) 222-560	III				Meter & Control Valve Assembly
Griffin Tech. Inc.										
87-005	03/24/87	Griffin Tech. Inc.		Service Station Consoles/ECR	RDT-4400					Electronic Cash Register
GSE, Inc.										
88-109A1	03/26/92	GSE, Inc.	4430; 4432; 4434; 4442; 4444; 4446; 4450; 4452; 4454	Bench and Counter Scale	4400 Series	III	3000	20 - 1000 lb	12"x12" - 24"x24"	Digital Electronic
88-188	10/28/88	GSE, Inc.		Indicating Elements	620	III	2,500			Digital Electronic
88-188A1	03/26/92	GSE, Inc.		Indicating Elements	620	III	3000			Digital Electronic
88-189	01/25/89	GSE, Inc.		Bench and Counter Scale	622	III	5,000	10 to 100 lb		Digital Electronic
88-190	12/20/88	GSE, Inc.	4430, 4432, 4434, 4442, 4444, 4446, 4450, 4452, 4454	Bench and Counter Scale	4400 Series	III	2,500	20 lb to 1,000 lb	12-18" to 24-24"	Digital Electronic
88-241	01/25/89	GSE, Inc.		Indicating Elements	622R	III	2,500			Digital Electronic
88-241A1	09/11/90	GSE, Inc.	n-max: 5000 class III; 10,000 class IIIL	Indicating Elements	622R	III/IIIL	see below			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-066	04/15/91	GSE, Inc.		Indicating Elements	550	III/IIIL	10,000			Digital Electonic
91-100	06/21/91	GSE, Inc.		Floor Scales	Weigh Deck	III	5000	1000 - 20,000 lb		Load Cell Electronic
Gull Inc.										
88-043	04/07/88	Gull Inc.		Vehicle Tank & LPG Meter	TTC					Computer System for LPG
			Truck Transaction Computer - Model 1903 001 XXXX, Electronic Pulser - Model 903 003 XXXX, Calibration Module - Model 903 008 XXXX, Remote Indicator - Model 903 009 XXXX							
Hardin Industries										
87-007P	04/30/87	Hardin Industries	Optional lengths 40' - 120'	Vehicle Scale	7080E10	III L	7,000	140k x 20 lb	80'x 10'	Vehicle Scale Weighing Element
Hardy Instruments, Inc.										
90-058	04/25/90	Hardy Instruments, Inc.		Indicating Elements	H2101 WC	III, III L	6,000, 9,000			Digital Electronic
90-075	04/25/90	Hardy Instruments, Inc.	HI 2151 WC-(XX)	Indicating Elements	HI 2150 WC-(XX)	III, III L	10,000			Digital Electronic
91-135	01/31/91	Hardy Instruments, Inc.		Indicating Elements	HI 2151/20 WC-(XX)	III/III L	10000			Digital Electronic
Hasstech, Inc.										
90-070	04/18/90	Hasstech, Inc.		Retail Motor Fuel Dispenser	HP-2, HP-22					Nozzle
Hauck Engineering										
92-073	05/06/92	Hauck Engineering		Wire and Cordage Device	99999					
			MAX 3000. Marketing Name: Ross Linewinder							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Healy Systems, Inc.										
92-008		Healy Systems, Inc.		NO DEVICE TYPE	99999					IN PROCESS
Hecon Corporation										
88-092	09/09/88	Hecon Corporation		Printer	A0 516 Series					Ticket Printer
88-093	09/09/88	Hecon Corporation		Printer	A0 543					Ticket Printer
88-094P	09/09/88	Hecon Corporation	AO 522 XXX, A6 522 XXX, AO 523 XXX, A6 523 XXX	Printer	AO AND A6 Series					Electronic Modular
Henry Troemner, Inc.										
90-056	04/25/90	Henry Troemner, Inc.		Prescription Balance	800A	III	6,000	60 x 0.01 g	2.875 inch round	Torsion Band/Equal Arm
Hobart Corporation										
88-051	04/27/88	Hobart Corporation		Computing Scale	1841	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-052	04/27/88	Hobart Corporation		Prepackaging Scale	1865	III	3,000	30 x 0.01 lb		Digital Prepackaging Scale
88-053	04/27/88	Hobart Corporation	1871	Computing Scale	1870	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-069	04/27/88	Hobart Corporation	5018 RSD, 5018V; 5018V2	POS Scale	5018	III	3,000	30 x 0.01 lb		Digital Point-of-Sale Scale
88-069A1	09/24/90	Hobart Corporation	5018 RSD, 5018V, 5018V2.	POS Scale	5018	III	3,000	30 x 0.01 lb		Digital Point-of-Sale Scale

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-293 01/26/89	Hobart Corporation	SP80	Computing Scale	SP1500	III	3,000	30 x 0.01 lb		Superseded by 88-293A1
88-293A1 03/13/90	Hobart Corporation	SP80, SP2 1500 System	Computing Scale	SP1500	III	3000	30 X 0.01 lb		Digital Electronic
89-091A1 09/17/90	Hobart Corporation		Cash Register	GT 6000					Digital Electronic
89-091A2 01/24/91	Hobart Corporation		Cash Register	GT6000					Digital Electronic
89-126 10/24/89	Hobart Corporation	HOB 15-1, HOB 15-2, HOB 15-3, HOB 15-4, HOB 15-5	Bench and Counter Scale	HOB 15-X	III	800	50 - 100 lb	13.5" x 19"	Mechanical Lever Spring Dial
92-062 05/06/92	Hobart Corporation	1840S, 1840M, 1840F, 1840B, 1800 & 1800V (1800 models are not computing devices).	Bench and Counter Scale	1840	III	3,000	30 x 0.01 lb	12" x 14"	Digital Electronic
Holtgreven Scale & Electronics Corporation									
89-077 07/05/89	Holtgreven Scale & Electronics Corporation	Scale capacities from 100,000 lb to 200,000 lb. Platform sizes from 300' x 300' to 900' x 900' with a platform width of 10'	Vehicle Scale	FT 2	III L	10,000	200,000 lb	60' x 10'	Electronic Load Cell
91-093 03/26/92	Holtgreven Scale & Electronics Corporation		Floor Scales	135-XXYY-Z	III/IIIL	3000	2000-30,000 lb	2"x 2" - 8"x 10"	Digital Electronic
91-093A1 05/06/92	Holtgreven Scale & Electronics Corporation	see certificate for specific models and capacities.	Floor Scales	135-XXYY-Z	III/III L	5,000	2000 - 30,000 lb	2'x 2' - 8' x 10'	Digital Electronic
Honeyville Metal, Inc.									
91-082 03/19/92	Honeyville Metal, Inc.		Floor Scales	864 Weigh Buggy	III	1000	1000 x 1 lb	22" x 34"	Mechanical Beam
Hottinger Baldwin Measurements, Inc									
87-055 08/17/89	Hottinger Baldwin Measurements, Inc	BLC-YYYXX500 thru BLC-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 500: 1,250: 2,000: 2,500: 5,000	Load Cell	BLC	III	3,000 S,M	500 to 5000 lb		Bending Beam

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-055P 09/29/87	Hottinger Baldwin Measurements, Inc	Load Cell	BLC	III	3,000 S,M			Superseded by 87-055
	Capacity range 500 - 5,000 lb							
87-087 08/17/89	Hottinger Baldwin Measurements, Inc	Load Cell	BBS	III	3,000 S	50 to 2500 lb		Bending Beam
	BBS-YYYXX500 thru BBS-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500							
87-087P 03/10/88	Hottinger Baldwin Measurements, Inc	Load Cell	BBS	III	3000 S	50 lb to 2500 lb		Superseded by 87-087
	BBS-YYYXX500 thru BBS-YYYXX699 where YYY is the load cell capacity and XX is the cable length; Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500							
87-088 08/17/89	Hottinger Baldwin Measurements, Inc	Load Cell	UIT	III	3,000 S	50 to 3000 lb		Bending Beam
	UIT-YYYXX500 thru UIT-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000							
87-088P 03/10/88	Hottinger Baldwin Measurements, Inc	Load Cell	U1T	III	3000 S	50 to 3000 lb		Superseded by 87-088
	U1T-YYYXX500 thru U1T-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 50, 100, 200, 300, 500, 1000, 2000, 3000							
87-089P 02/10/89	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III	3,000 S	200 - 5k lb		Superseded by 87-089P.A1
	USB-YYYXX500 thru USB-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities 200: 500: 1,000: 2,000: 5,000: 10,000							
87-089P.A1 09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III	3000	200 to 10,000 lb		Universal , Tension
	The specific models of load cells coverred by this certificate are USB-YYYXX500 through USB-YYYXX699 where YYY is the load cell capacity & XX is the cable length.							
87-096 08/17/89	Hottinger Baldwin Measurements, Inc	Load Cell	PLC & PLX Series	III	3,000 S	2 to 200 lb		
	PLC-YYYXX500 thru PLC-YYYXX699 and PLX-YYYXX500 thru PLX-YYYXX699, where YYY is the load cell capacity and XX is the cable length. PLC-2XX, -5XX, -10XX, -20XX, -30XX, -50XX, -70XX, -100XX, -200XX: PLX-5XX, -10XX							
87-096PA 04/29/88	Hottinger Baldwin Measurements, Inc	Load Cell	PLC & PLX Series	III	3000 S	2 to 200 lb		Superseded by 87-096
	PLX-YYYXX500 thru PLX-YYYXX699, where YYY is the load cell capacity and XX is the cable length. Models: PLC-2XX, PLC-5XX, PLC-10XX, PLC-20XX, PLC-30XX, PLC-50XX, PLC-70XX, PLC-100XX, PLC-200XX, PLX-5XX, PLX-10XX. PLC capacity range 2 to 200 lb; PLX capacity range 5 to 10 lb							
88-033 03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III	see below	1,000 to 200,000		Shear Beam
	capacity: multiple cells: 3,000 or 5,000 depending on capacity							
88-033P 07/08/88	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III	3,000 M	1k - 200K lb		Shear Beam Load Cell
	SB2-YYYXX500 through SB2-YYYXX699 and SB3-YYYXX500 through SB3-YYYXX699 where YYY is the load cell capacity and XX is the cable length.							

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-033P.A1 03/15/91	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III				
88-278	Hottinger Baldwin Measurements, Inc	Load Cell	BLC (1.5 mv/v)					IN PROCESS
88-278P 01/25/89	Hottinger Baldwin Measurements, Inc BLC-YYYXX500 thru BLC-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 500, 1250, 2000, 2500, 5000	Load Cell	BLC*	III	3K S,5K M	500 to 5,000 lb		Bending Beam
88-278P.A1 09/26/90	Hottinger Baldwin Measurements, Inc Capacity: single cell, 3000 - multiple cell, 5000. The specific load cells covered by this certificate are: BLC-YYYXX500 through BLC-YYYXX699 for cells with 1.5m V/V output, BLC-YYYXX700 through BLC-YYYXX790 for cells with 2.0 mV/V output, TLC-YYYXX700 through TLC-YYYXX790 for cells with 2.0 mV/V output, BLC-YYYXX800 through BLC-YYYXX990 for cells with 3.0 m V/V output where YYY is the load cell capacity and XX is the cable length.	Load Cell	BLC & TLC	III	see below	500 to 5000 lb		Bending Beam
88-278P.A2 11/02/90	Hottinger Baldwin Measurements, Inc n-max: singel cell 3,000, mutiple cell 5,000. The specific load cells covered by this certificate are: BLC-YYYXX500 through BLC-YYYXX699 for cells with 1.5 mV/V output, BLC-YYYXX700 through BLC-YYYXX790 for cells with 2.0 mV/V output, TLC-YYYXX700 through TLC-YYYXX790 for cells with 2.0 mV/V ooutput: BLC-YYYXX800 through BLC-YYYXX990 for cells with 3.0 mV/V output where YYY is the load cell capactiy & XX is the cable length.	Load Cell	BLC & TLC	III	see below	500 to 5,000 lb		Bending Beam
89-096P 01/10/90	Hottinger Baldwin Measurements, Inc TRT-50K, TRT-75K, TRT-100K	Load Cell	TRT Series	III L	10,000 SC	50,000-100,000 lb		Torsion Ring Transducer
90-015P 04/25/90	Hottinger Baldwin Measurements, Inc Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000	Load Cell	U1T	III L	10,000 S	50 - 3,000 lb		Universal Tension /Compression
90-016P 04/25/90	Hottinger Baldwin Measurements, Inc Capacities (lb): 200, 1000, 2000, 5000	Load Cell	USB	III L	10,000 S	200 - 5,000 lb		Universal Tension /Compression
90-016P.A1 09/26/90	Hottinger Baldwin Measurements, Inc The specific model of load cells covered by this certificate are USB-YYYXX500 through USB-YYYXX699 where YYY is the load cell capacity and XX is the cable length.	Load Cell	USB	III L	10,000	200 to 10,000 lb		Universal, Tension or Comp.
90-092 09/18/90	Hottinger Baldwin Measurements, Inc The specific load cell covered by this certificate are: SB2-YYYXX500 through SB2-YYYXX699 and SB3-YYYXX500 through SB3-YYYXX699 where YYY is the load cell capacity and XX is the cable length.	Load Cell	SB2 & SB3	III L	10,000	10k to 200 lb		Shear Beam

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity / Platform size	Comments
90-138P 09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III	5000	200 to 5000 lb	Universal, Tension
	The specific models of load cells covered by this certificate are USB-YYYXX500 through USB-YYYXX699 where YYY is the load cell capacity and XX is the cable length.						
91-030	Hottinger Baldwin Measurements, Inc	Load Cell	HLC/THC	III	see below	1k to 20k	IN PROCESS
	n = 3,000 S/5,000 M						
91-030P 03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	HLC & THC SERIES	III	see below	1,000 to 10k lb	Bending Beam
	n-max: single cell: 3,000 - multiple cells: 6,000. The specific load cells covered by this certificate are HLC-YYYXX400 through HLC-YYYXX690 & THC-YYYXX400 through THC-YYYXX690, where YYY is the load cell capacity & XX is the cable length. The numbers do not have any effect on compliance with NIST Handbook 44. Models: HLC-1K, HLC-2.5K, HLC-4K, HLC-5K & HLC-10K.						
91-030P AMENDED 05/14/91	Hottinger Baldwin Measurements, Inc	Load Cell	HLC & THC Series	III	see below	1000 - 10,000 lb	Bending Beam
	The specific load cells covered by this certificate are HLC-YYYXX400 through HLC-YYYXX690 & THC-YYYXX400 through THC-YYYXX690, where YYY is the load cell capactiy and XX is the cable length. the numbers 400 through 690 represent cutsomer variations that do not have any effect on compliance with NIST HB 44.						
91-031	Hottinger Baldwin Measurements, Inc	Load Cell	RSC SERIES	see below	see below	50 to 50,000 lb	IN PROCESS
	Class III, S, n = 3,000 Class III L, S, N = 10,000						
91-031P 03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	RSC SERIES	III/III L	see below	50 to 5,000 lb	Universal Beam ("S" Cell)
	n-max: single cell, class III: 3,000 - single cell, class III L: 10,000. The specific load cells covered by this certificate are RSC-YYYXX400 through RSC-YYYXX6790 where YYY is the load cell capacity & XX is the cable lenth. The numbers 400 through 690 represent customer variations that so not have any effect on compliance with NIST Handbook 44.						
91-036 03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	JRT SERIES	III L	MC: 10,000	20k to 200k lb	Compression Torsion Ring
	The specific load cells covered by this certificate are JRT-YYYXX500 through JRT-YYYXX600, where YYY is the load cell capacity & XX is the cable length. The numbers 500 through 600 represent customer variations that do not have any effect on compliance with NIST Handbook 44. Models: JRT-20K, JRT-50K, JRT-100K & JRT-200K.						
91-131	Hottinger Baldwin Measurements, Inc	Load Cell	RSC	III/III L	see below	50 to 50,000 lb	IN PROCESS
	Class III, S, 3,000 Class III L, S, 10,000						
92-099	Hottinger Baldwin Measurements, Inc	Load Cell	PWS Family	III	3,000 S	5 to 200 kg	IN PROCESS

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Howe Richardson Division								
88-044 03/29/88	Howe Richardson Division	Indicating Elements	9000	III	10,000			Digital Indicating Element
88-178 08/30/88	Howe Richardson Division 3450-35-60, 3460-35-60, 3450-45-60, 3460-45-60, 3450-45-100, 3460-45-100, 3450-50-60, 3460-50-60, 3450-50-100, 3460-50-100, 3450-60-60, 3460-60-60, 3450-60-100, 3460-60-100, 3450-70-60, 3460-70-60, 3450-70-100, 3460-70-100, 3450-75-60, 3460-75-60, 3450-75-100, 3460-75-100, 3450-80-60, 3460-80-60, 3450-80-100, 3460-80-100, 3450-100-60, 3460-100-60, 3450-100-100, 3460-100-100. Capacities (lb): 120,000 and 200,000	Vehicle Scale	3460-70-100	III L	10,000	200,000 lb	70 ' x 10 '	Load Cell: Electronic
88-178A1 03/25/92	Howe Richardson Division	Vehicle Scale	34 SERIES	III L	10,000	70K - 200k lb	see certificate	Load Cell: Electronic
89-087 10/24/89	Howe Richardson Division HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 WSK, HR-50 B, HR-50 BK	Indicating Elements	HR-50	III/III L	10,000			Digital Electronic
89-087A1 08/21/90	Howe Richardson Division HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 WSK, HR-50 B, HR-50 BK (D means desk top, K means keyboard, W means washdown version, S means stainless steel when used as the second letter, B means panel mount, S as first letter means; small.	Indicating Elements	HR-50	III/III L	10,000			Digital Electronic
Hugin Sweda, Inc.								
86-004 04/18/86	Hugin Sweda, Inc. Model 2835	Cash Register	2845					Digital Electronic
88-163 07/25/88	Hugin Sweda, Inc. 5430	Cash Register	5420					Electronic Stand Alone
88-164 07/25/88	Hugin Sweda, Inc. The 6700 cash register consists of: Model 6731 printer, Model 6710 keyboard, Model 6711 paging keyboard with programmable "paging" keys	Cash Register	6700					Electronic Stand Alone or CPU
Husky Corporation								
90-027 02/16/90	Husky Corporation	Retail Motor Fuel Dispenser	V (Coaxial)					Vapor Recovery Nozzle/Balance

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
IBM Corporation									
86-002 05/21/90	IBM Corporation		POS Scale	4683 Series					Digital Electronic
86-002.A1 03/08/91	IBM Corporation		Cash Register	4683 Series					Electronic Cash Register
88-118 06/02/88	IBM Corporation	4683-001 POS terminal (Primary), 4683-002 POS terminal (Satellite)	POS Scale	4680 Series					POS System/Controller
89-139 01/10/90	IBM Corporation		POS Scale	4687-2	III	3000	30 x 0.01 lb	17" x 11"	Digital Electronic
89-148 01/10/90	IBM Corporation		POS Scale	4687-2	III				Digital Electronic
91-067 04/19/91	IBM Corporation		POS Scale	4684-XXX Series					Digital Electronic
ICL, Inc.									
89-026 01/30/90	ICL, Inc.	M6545, M6546, M6000 Printer Module, M6000 Keyboard Display	Cash Register	6000 Series		2999	29.99 lb		Digital Electronic
89-081A 01/10/90	ICL, Inc.		POS Scale	310	III	2999	29.99 x 0.01 lb	11" x 15"	Digital Electronic
89-155 04/25/90	ICL, Inc.		POS Scale	310RD	III				Digital Electronic
91-078 03/23/92	ICL, Inc.	9520/60-69; 9520/150-159	POS Scale	9520 Family		2999	29.99 x 0.01 lb		Digital Electronic
92-020 02/07/92	ICL, Inc.		Cash Register	300	III	3,000	30 x 0.01 lb	14.2" x 12.7"	Digital Register
Indiana Scale Company Inc.									
92-060	Indiana Scale Company Inc		Indicating Elements	IN-20					IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Industrial Data Systems, Inc.										
89-040	05/03/89	Industrial Data Systems, Inc.		Data Processing Systems	DT 210					Electronic/Programmable
89-129	10/24/89	Industrial Data Systems, Inc.	160 (tape printer)	Printer	152					Dot Matrix Ticket
90-059	04/25/90	Industrial Data Systems, Inc.		Printer	Matrix 500					Electronic Dot-Matrix
92-096		Industrial Data Systems, Inc.		Indicating Elements	SDI					IN PROCESS
Int. Weighing Systems, Inc										
88-231	11/01/88	Int. Weighing Systems, Inc	NCD 1400 FT	Indicating Elements	NCD 1400	III/III L	10,000			Digital Electronic
Intercomp Corporation										
90-106P	09/24/90	Intercomp Corporation		Wheel Load Weigher	PT300	IIII	400	20,000 x 50lb	12" x 12"	Digital Electronic
90-160	11/05/90	Intercomp Corporation	AM1660, AM2660	Indicating Elements	AM4660					Digital Electronic
Interface, Inc.										
87-056P	11/25/87	Interface, Inc.		Load Cell	SSM	III/III L	6K,10K S			Superseded by 87-056P Ammended
87-056P	03/14/88	Interface, Inc.	SSM-xxx-100A, SSM-xxx-100C, SSM-xxx-100E, SSM-xxx-100G, SSM-xxx-100J, SSM-xxx-100M, SSM-xxx-100R, SSM-xxx-250A, SSM-xxx-250C, SSM-xxx-250E, SSM-xxx-250G, SSM-xxx-250J, SSM-xxx-250M, SSM-xxx-250R, SSM-xxx-500A, SSM-xxx-500C, SSM-xxx-500E, SSM-xxx-500G, SSM-xxx-500J, SSM-xxx-500M, SSM-xxx-500R, SSM-xxx-1000A, SSM-xxx-1000C, SSM-xxx-1000E, SSM-xxx-1000G, SSM-xxx-1000J, SSM-xxx-1000M, SSM-xxx-1000R	Load Cell	SSM Series	III/III L	6K,10K S			Load Cell

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-056PA1 05/15/90	Interface, Inc.		Load Cell	SSM-S	III/III L	6k, 10k S	6000 - 10000		Load Cell
		The specific models of load cells covered by this certificate are SSM-XXX-YYYYS where XXX is a two or three character alphanumeric code used to designate variations such as cable type or length, YYYY is the capacity of the load cell in pounds, and S is the unique character identifying this series from the previous certificate (CC No. 88-056P). Capacities from 100 to 1000 lbs.							
88-038P 04/07/88	Interface, Inc.	Capacities (lb): 50, 100, 250	Load Cell	SSB	III	3,000 S	50 - 250 lb		Shear Beam Load Cell
88-040P 04/07/88	Interface, Inc.	MB-XXX-10A, -25A, -50A, -75A, -100A	Load Cell	MB Series	III	3,000 S	10 - 100 lb		Shear Beam Load Cell
International Mailing Systems, Inc.									
90-019 03/13/90	International Mailing Systems, Inc.	MPS 100N, MPS 100RN	Computing Scale	3000N	III	3200	100 lb X 0.5 oz	13 X 10.5 in	Computing Postal Scale
90-019.A1 02/06/91	International Mailing Systems, Inc.		Computing Scale	3000N	III	3200	100 lb x 0.5 oz	13 x 10.5 "	Digital Electronic
InterSystems, Inc.									
88-294 02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV-A	III	10,000			Digital Electronic
90-021 02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV	III	10,000			
92-043 03/26/92	InterSystems, Inc.		Bulkweighing System	Masterweigh V	III/III L	10,000			Controller/Computer Interface
Ishida Scales Mfg. Co., Ltd.									
87-070 12/29/87	Ishida Scales Mfg. Co., Ltd.	NOVA-300L	Computing Scale	NOVA-150L	III	3,000	15 x .005 lb	285mm x 223mm	Digital Computing Scale
88-021 03/07/88	Ishida Scales Mfg. Co., Ltd.	MT-150, MT-60	Floor Scales	MT-300	III	3000	300 x 0.1 lb	550 mm x 400 mm	Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-021A 01/25/89	Ishida Scales Mfg. Co., Ltd. MT-150 Capacity 150 x 0.05 lbs. MT-60 Capacity 60 x 0.02 lbs	Bench and Counter Scale	MT-300	III	3,000	300 x 0.1 lb	550 mm x 400 mm	Digital Electronic
88-251 10/13/88	Ishida Scales Mfg. Co., Ltd. MT-30S, MT-15S	Bench and Counter Scale	MT-60S	III	3,000	60 x 0.02 lb	329 mm x 309 mm	Digital Electronic
89-003 03/01/89	Ishida Scales Mfg. Co., Ltd.	Indicating Elements	MTC 10 & MTC 20	III	3,000			Digital Electronic
89-143 04/25/90	Ishida Scales Mfg. Co., Ltd.	Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Checkweighing Scale
90-031 03/13/90	Ishida Scales Mfg. Co., Ltd. Optional capacity: 2.5 kg x 0.001 kg	Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Digital Checkweighing Elect.
91-053 04/04/91	Ishida Scales Mfg. Co., Ltd.	Computing Scale	AC-2000	III	3000	30 x 0.01 lb	15.7" x 9.8"	Digital Electronic
91-054 04/04/91	Ishida Scales Mfg. Co., Ltd.	Computing Scale	Libra II	III	3000	30 x 0.01 lb	10" x 15"	Digital Electronic
91-059 04/02/91	Ishida Scales Mfg. Co., Ltd. MS-7003, 7006, 7012, 7030, 7060	Floor Scales	MS70XX	III	3,000	see certificate	see below	Digital Electronic
91-060 03/16/92	Ishida Scales Mfg. Co., Ltd. WL 600SS (Stainless steel enclosure)	Indicating Elements	WL600	III	3000			Digital Electronic
91-121 03/27/92	Ishida Scales Mfg. Co., Ltd.	Bench and Counter Scale	MG-3000	III	3000	6 x 0.002kg	200 x 250 mm	Digital Checkweighting Elect.
Ishida U.S.A. Inc.								
90-099A1 11/26/91	Ishida U.S.A. Inc.	Computing Scale	Ishida Alpha-Cosmic	III	3,000	30 x 0.01 lb	10" x 16"	Digital Eletronic
Ivex Corporation								
89-012 07/05/89	Ivex Corporation	Dry Measure	3871			1 dry quart		Plastic Berry Basket

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity	Platform size	Comments
J&S Scale Company								
88-237 09/26/90	J&S Scale Company	Vehicle Scale MP121030C200: 60,000 lb, MP121230C200: 60,000 lb, MP201030C200: 60,000, MP201230C200: 60,000, MP241030C200: 60,000, MP241230C200: 60,000, MP301030C200: 60,000, MP301230C200: 60,000, MP301040C300: 80,000, MP301240C300: 80,000, MP340140C300: 80,000, MP341240C300: 80,000, MP401040C300: 80,000, MP401240C300, 80,000	MP Series	III L	4,000	60,000 lb	25' x 10'	Vehicle Scale
88-238 09/26/90	J&S Scale Company	Vehicle Scale CLC: 60,000 lb 4 sections; see certificate for othermodels.	MP SERIES	III L	8000	120,000 x 20 lb	70' x 10'	Pipe Lever Sys. w/1 load cell
91-004 02/06/91	J&S Scale Company	Vehicle Scale Capacity Range: 30,000 to 150,000 lb. Platform Size Range: 18' x 10' to 100' x 12'. CLC Range: 25,00 lb to 65,000 lb. Concrete or Steel deck, 2 to 4 sections See CC for details.	LP Series	III L	6,000	See CC	See CC	Load Cell Elec.Vehicle Scl WE
91-006 02/06/91	J&S Scale Company	Vehicle Scale Range of Capacities. 10,000 lb to 24,000 lb. Range of Platform Sizes: 8' x 8' to 22' x 10'. Range of CLC's: 4,000 lb to 9,000 lb, 2 sections. See CC for specific model information.	FT Series	III L	2,000	See CC	See CC	Load Cell Elec.Vehicle Scl WE
Jacobs Scale Co.								
92-024 01/29/92	Jacobs Scale Co.	Floor Scales	J1827	IIIL	2000	1000 x 0.5 lb	18" x 27"	Mechanical Lever System
JB Scale Mfg.								
92-016 01/17/92	JB Scale Mfg.	Floor Scales	HP XY	III	4,000	20,000 x 5 lb	5' x 7'	Load Cell Electronic
John Chatillon & Sons, Inc.								
86-030 12/04/86	John Chatillon & Sons, Inc.	Hanging Scale 0723TG, 0723TAS, 0720T	Type 027	III	640	20 lb x 1/2 oz	Scoop	Superseded by 86-030A
86-030A 06/02/88	John Chatillon & Sons, Inc.	Hanging Scale	027/A	III	640	20lb x 1/2oz	Pan ETC	Mechanical Hanging Dial Scale
87-092 05/03/88	John Chatillon & Sons, Inc.	Hanging Scale	0024/A	III	960	30lb x 1/2 oz	Pan	Mechanical Hanging Scale

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-032	03/01/88	John Chatillon & Sons, Inc.	7280 XHTR	Hanging Scale	7280XHT	III	600	150 x 1/4 lb		Dial hanging scale
88-060	05/03/88	John Chatillon & Sons, Inc.	Optional Capacities: 60 lb x 1 oz, 30 lb x 1/2 oz, 15 kg x 0.02 kg. Other Distributor: Hobart Corporation, Models: PR30-1, -30-2, -30-3	Hanging Scale	0028/A	III	960	30lb x 1/2oz	Pan	Mechanical Dial
88-096	11/03/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	13/A	III		130lb x 4oz	13.5 " x 19 "	Mechanical Lever-Spring Dial
88-096A1	10/24/89	John Chatillon & Sons, Inc.	Type 15	Bench and Counter Scale	13/A	III	520	520 x 1 lb	13.5" x 19"	Mechanical Lever Spring Dial
88-150	03/13/90	John Chatillon & Sons, Inc.	PBB 135, PBB 52, PBB 52kg, PBB 26kg	Bench and Counter Scale	PBB Series	III	See Below	135 lb - 35 kg	12" x 17"	Superseded by 88-150 5/4/90
88-150 Amended	05/04/90	John Chatillon & Sons, Inc.	PBB 135 135 lb, PBB 52 52 lb, PBB 52KG 52kg, PBB 26KG 26, kg	Bench and Counter Scale	PBB Series	III		26 kg - 135 lb	12" x 17"	Mechanical Lever System
88-150PN	06/28/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series	III		135lb - 52kg	12 " x 17 "	Superseded by 88-150
88-151	08/07/91	John Chatillon & Sons, Inc.		Floor Scales	HB-1000-BA	III L	2000	1000 x 0.5 lb	18" x 27"	Mechanical Lever System
88-151PN	06/28/88	John Chatillon & Sons, Inc.	HB-1000-BM, Capacity 500 kg x 0.2 kg	Floor Scales	HB-1000-BA	III	2,000	1k x 0.5 lb	18 " x 27 "	Portable Mechnical Lever Sys.
88-186	08/30/88	John Chatillon & Sons, Inc.	DPA150, capacity 150 x 0.05 lb. DPA600, capacity 600 x 0.2 lb	Bench and Counter Scale	DPA300	III	3,000	300 x 0.1 lb	15.5 " x 15.5 "	Digital Electronic
89-028	06/16/89	John Chatillon & Sons, Inc.	DHA 15K, capacity 15 x 0.005 kg	Hanging Scale	DHA 30	III	3000	30 x 0.01 lb		Digital Electronic
90-018	02/16/90	John Chatillon & Sons, Inc.	DHB 150K, DHB 100, DHB 50K	Hanging Scale	DHB 300	III	3000	300 x 0.1 lb		Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-078	05/15/90	John Chatillon & Sons, Inc.	PDT-50: 65 lb x 2 oz, PDT-200: 260 lb x 8 oz, PDT-25K: 25 x .05 kg, PDT-50K: 50 x .1 kg & PDT-100K: 100 x .2 kg.	Bench and Counter Scale	PDT-100	III	520	130 lb x 4 oz	12 x 17 inch	Mechanical Spring Dial
90-104	09/17/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB300-1	III	4816	301 lb x 1 oz	21.75" x 16.25"	Mechanical Lever System
Jonel Engineering										
90-072	06/14/90	Jonel Engineering		Indicating Elements	JL-DSD-253B	III/IIIL	1,000			Digital Electronic
JWS CORPORATION										
92-053	04/06/92	JWS CORPORATION		Software	Aggregate System					IBM Comp. Ticket Software
K-Scale, Inc.										
89-004	02/10/89	K-Scale, Inc.	9010 N, 9010 P, 9020, 9020 N, 9020 N-1 thru 4, 9020 P, 9020 P-1 thru 4, 9030, 9030 U-1 thru 4, 9030 U-10	Computing Scale	9010	III	3,000	30 x 0.01 lbs		Digital Electronic
91-084	08/12/91	K-Scale, Inc.	Other capacity: 15.5 oz x 0.5 oz.	NO DEVICE TYPE	MS-D	III	3,200	99 lb	13.5" x 9.5"	Digital Mass Transducer
91-085	08/12/91	K-Scale, Inc.		NO DEVICE TYPE	KMS-2000					Manifest System, PC Computer
K-Tron										
88-029	04/07/88	K-Tron	9010, 9010 N, 9010 P, 9020, 9020 N, 9020 P, 9030, 9030 U	Computing Scale	9010	III	3,000	30 x 0.01 lb		Digital Computing Scale
Koltek, Inc.										
88-059	02/16/90	Koltek, Inc.		Vehicle Tank & LPG Meter	K10-A332X			9999.9 gallons		Milk Metering System for Milk

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Kubota Corporation										
86-042	01/08/87	Kubota Corporation		Computing Scale	FP-900	III	3000	30 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A1	02/12/90	Kubota Corporation	Other capacity: 30 x 0.01 lb	Computing Scale	FP-900 SERIES	III	5,000	50 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A2	01/24/91	Kubota Corporation	capacities: 30 x 0.01 lb & 50 x 0.01 lb. Model designations: Model FP-900, Model FP-910, Model FP-950 & Model FP-960.	Computing Scale	FP-900 Series	III	5,000	see below	400 x 252 mm	Digital Electronic
87-008	04/14/87	Kubota Corporation		Computing Scale	LA 230	III	3,000	30 x 0.01 lb	27x37cm	Digital Computing Scale
87-081	11/25/87	Kubota Corporation		Computing Scale	LA-ONE	III	3,000	30 x 0.01 lb	14.6" x 10.8"	Digital Computing Scale
87-081A1	10/13/89	Kubota Corporation	LA-ONE, capacity 30 x .01 lb n:3000	Computing Scale	LA-150	III	5000	50 x .01 lb	14.6" x 10.8"	Digital Electronic
88-019	06/28/88	Kubota Corporation		Bench and Counter Scale	KA-10-HB	III	3,500	150 x 0.05lb	13.9" x 19.7"	Digital Electronic
88-054	03/24/88	Kubota Corporation		Computing Scale	LA-320	III	3,000	15 x O.01 lb	294 mm x 205 mm	Digital Electronic
88-054A1	06/14/90	Kubota Corporation	Model LA-315	Computing Scale	LA-320	III	3000	20 x .01 lb	294 x 205 mm	Digital Electronic
88-055	03/24/88	Kubota Corporation		Computing Scale	LA-250	III	5,000	50 x .01 lb	270 mm x 370mm	Digital Electronic
Liqua-Tech Corporation										
89-141	02/14/90	Liqua-Tech Corporation		Vehicle Tank & LPG Meter	LPM-100			3.5 - 18 gal/min		Gas Measuring Device

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Liquid Controls Corporation									
86-022 10/27/86	Liquid Controls Corporation		Vehicle Tank & LPG Meter	EC 2000 -Lectrocount					
86-022.A1 01/03/91	Liquid Controls Corporation		Cash Register	EC2000					Electronic Registering Meter
The EC2000 systems consists of an E2600 series remote electronic counter assembly and an E2520-2 Supervisory Console.									
86-025 10/15/86	Liquid Controls Corporation		LPG Liquid Meter	MA-2-CX-10			9999.9 X 0.1 gal		
87-023 05/21/87	Liquid Controls Corporation		Vehicle Tank & LPG Meter	5120					Temperature Volume Compensater
90-168PN 12/18/90	Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-4-CY-10	III				
90-169PN 12/18/90	Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-5-GX-10					
90-170PN 12/18/90	Liquid Controls Corporation		Wholesale Meter	MA-5-GX-12					
90-172 12/18/90	Liquid Controls Corporation		Retail Motor Fuel Dispenser	MA-5-1 & MA-5-2					
90-173PN 12/18/90	Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-10					
90-174PN 12/18/90	Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-11					
90-175PN 12/18/90	Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-12					
90-176 12/18/90	Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-7-1,M-7-2 & M-7-3					
90-177PN 12/18/90	Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-7-27					
90-178PN 12/18/90	Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-15-X					

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-179PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-25-2					
90-180PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-30-X					
90-181PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-60-X					
90-182PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-120-X					
90-183PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	MS-7-1, MS-7-2					
91-048PN 04/18/91	Liquid Controls Corporation Flow Rates 15 to 300 gpm	Wholesale Meter	M-25 Series					
91-120 08/06/91	Liquid Controls Corporation 800 GPM Maximum Flow Rate, 40 GPM Minimum Flow Rate, 150 PSI Maximum Pressure.	Wholesale Meter	M-80-2					Non-Ferrous Aircraft Fueling
92-019	Liquid Controls Corporation	Wholesale Meter	M7					IN PROCESS
92-075 05/06/92	Liquid Controls Corporation Model descriptions see certificate. Device description: Positive Displacement Meter. Vehicle Tank or Stationary Mount.	Wholesale Meter	M5-X, M7-X, & M15-X					Wholesale Measuring Element
Livestock Marketing Services Corporation								
92-059	Livestock Marketing Services Corporation	Livestock Scale	Market Master					IN PROCESS
Livingston Seed Company								
92-046 04/06/92	Livingston Seed Company	Dry Measure	A & B			1/32 & 1/8 dry pt		
Loadometer Corporation								
87-076P 10/29/87	Loadometer Corporation	Wheel Load Weigher	Haenni WL101	IIII	400	20k x 50 lb	20' x 14"	Analog Wheel-load Weigher

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
M&R Brand Scale									
90-051 04/25/90	M&R Brand Scale	1005010-50, 1006010-60, 1007010-60, 1008010-60, 1004012-50, 1005012-50, 1006012-60, 1007012-60, 1008012-60, 1003014-30, 1003414-30, 1004014-50, 1005014-50, 1006014-60, 1007014-60, 1008014-60	Vehicle Scale	100 Series	III L	6,000	120,000 x 20 lb	70' x 12'	Lever System
Mantle Industries inc.									
91-123	Mantle Industries inc.		Vehicle Scale	C and SPE Series	IIIL	10,000	200,000	120x 10"	IN PROCESS
Marsh Scale, Inc.									
88-253 02/10/89	Marsh Scale, Inc.	MCS-14, MCS-20, SMCS-18, MCS-25.	Livestock Scale	MCS and SMCS Series* Capacities (lb): 10,000 and 20,000	III L				Mechanical Lever System
88-253 Amended 06/06/91	Marsh Scale, Inc.	MCS-14, MCS-20, SMCS-18 & MCS-25.	Livestock Scale	MCS/SMCS SERIES CLC: 5,700 lb & 11,700 lb.	III L		see below	see below Platforms: 14' x 8', 20' x 8', 18' x 6'8" & 25' x 8'.	Mechanical Lever System
Mathews Ready Mix Inc.									
92-069 05/06/92	Mathews Ready Mix Inc.		Hopper Scale	A.W.H.-1& C.W.H.-1		2,000	see certificate		Load Cell, Electronic
McNeilus Truck & Mfg. Inc.									
90-153 03/07/91	McNeilus Truck & Mfg. Inc.	Load cell type: Rice Lake Weighing Systems RL2000-5K or RL20000-20K or certified equivalent.	Hopper Scale	RL20000-5K	III L	2,000	40k to 10k lb		Weighing Element Electronic
90-153.A1 07/02/91	McNeilus Truck & Mfg. Inc.		Hopper Scale	AH-40 & CH-40	III L	2,000	4k - 40k		
Measurement Systems International									
86-021 09/09/86	Measurement Systems International		Hanging Scale	3260	III	2500	250 x 0.1 lb		Digital Electronic
86-098 07/17/86	Measurement Systems International		Crane Scale	MSI-4260-01	III L	5000	50,000 x 10 lb		Superseded by 88-098A

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-098A	04/19/89	Measurement Systems International	Range of capacities: 5k to 70k lb	Crane Scale	MSI-4260-01	III L	5,000	50,000 x 10 lbs		Digital Crane Scale
89-027	04/04/89	Measurement Systems International	Capacities (lb): 10,000, 20,000, 30,000, 50,000, 70,000	Crane Scale	MSI-6260	III L	5,000	5,000 x 1 lb		Digital Electronic
89-090	11/21/89	Measurement Systems International		Hanging Scale	4260	III	2000	2000 lb		Load Cell Electronic
90-129P	03/07/91	Measurement Systems International		Wheel Load Weigher	MSI-5300	IIII	400	20,000 x 50 lb	11" x 10.25"	Digital Electronic
Metro Equipment Corporation										
87-097	01/11/88	Metro Equipment Corporation	BD-25M-XXX, BD-50D-XXX, BD-50M-XXX, BD-125PK-XXX, BD-100M-XXX, BD-250-XXX	Bench and Counter Scale	BD-125PK-XXX	III	560	125 lb x 4oz	13 1/2" x 20 1/2"	Mechanical Dial Bench Scale
88-206	09/29/88	Metro Equipment Corporation		Indicating Elements	SEP-12K	III/III L	10,000			Digital Electronic
88-207	09/29/88	Metro Equipment Corporation		Indicating Elements	POLO-12K	III/III L	10,000			Digital Electronic
88-240	09/22/88	Metro Equipment Corporation	SX 10KIB, SX 10KOB	Indicating Elements	SX-10K	III/III L	10,000			Digital Electronic
88-240A1	01/10/92	Metro Equipment Corporation	SX-2002	Indicating Elements	SX-2000	III\IIIL	10,000			Digital Electronic
89-044	05/25/89	Metro Equipment Corporation	A-251 (SS Round Pan), A-264 (SS Large Round Pan)	Hanging Scale	HDS-820	III	640	20 lb x 1/2 oz	Model A-250	Mechanical Dial
91-080PN	05/13/91	Metro Equipment Corporation	Model 50 TK Beams: 49 x 1 kg, 1 kg x 10 g. Model 150 TK beams: 140 x 10 kg, 10 x 0.1 kg. Model 126 TAD Beams: 120 x 5 lb, 5 lb x 1 oz, 1 x 0.1 lb.	Bench and Counter Scale	301TAD	III	4800	301 lb x 1 oz		Fully Mechanical

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Metrometer, Inc.										
87-010	04/20/87	Metrometer, Inc.		Taximeter	21R					Single or Multi-rate Taximeter
87-011	04/20/87	Metrometer, Inc.		Taximeter	22NP					Single or Multi-rate Taximeter
88-176	08/30/88	Metrometer, Inc.		Taximeter	CCM21R					Dig. Elec. Credit Card Meter
Mettler Instrument Corporation										
87-001	03/13/87	Mettler Instrument Corporation		Jewelers' Balance	PM Series/49	II	40,000	4000 x 0.01g	6.5" dia	Digital
87-001A	03/01/89	Mettler Instrument Corporation	n, class I - 120,000: n, class II - 20,000: PM2000C/49 (Class I): PM1200/49 (Class I): PM6100/49 (Class I): CM200/49 (Class II): PM400C/49 (Class II): PM15/49 (Class II)	Jewelers' Balance	PM/49 & CM/49 Series	I and II		110g to 16,006 g		Digital Electronic
87-004	04/06/87	Mettler Instrument Corporation	PJ300/49, PJ3000/49, PJ400/49, PJ4000/49, PJ6000/49, PJ360/49, PJ3600/49	Jewelers' Balance	PJ Series/49	II	41,000	4100 x 0.1 g	6.5" dia	Grain Test Scale
87-004A	05/24/88	Mettler Instrument Corporation	PJ600G, PJ4000G, PJ6000G, PJ3600G	Jewelers' Balance	PJXXXXG Series	II	41,000	4100 x 0.1 g	6.5" dia.	Digital Electronic
87-004A2	03/29/89	Mettler Instrument Corporation	PJ600/49: PJ6/49: PJ12/49: PJ1220/49: PJ15/49	Jewelers' Balance	PJ Series	II	41,000	610g to 15,000		Digital Electronic
88-202	10/04/88	Mettler Instrument Corporation		Grain Test Scale	PM 2200-1/49	II	21,000	0 - 200 x 0.01 g	13cm diameter	Digital Electronic
88-289	02/10/89	Mettler Instrument Corporation		Bench and Counter Scale	Mettler Multirange	II/III L	15000			Superseded by 88-289A
88-289A	03/01/89	Mettler Instrument Corporation	Class III Scales: KA15, KB60, KC120, KC240. Class II Scales: KA15, KB60, KC120	Bench and Counter Scale	Mettler Multirange	II/III	15,000	see certificate	see certificate	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-296	03/01/89	Mettler Instrument Corporation	SM3000/49, SM6000/49, SM1220/49, SM12/49, SM1520/49, SM15000/49, SM15/49	Bench and Counter Scale	SM/49 Series	II	15,000	2K to 15k g	322 x 232 mm	Digital Electronic
91-026	02/01/91	Mettler Instrument Corporation		Jewelers' Balance	AE 1000C/49	I	102,500	1025 x 0.1 c	80 mm diameter	Digital Electronic
Micro General										
90-165	01/24/91	Micro General	Other Models: 1084, 1064, 1052, 1085, 1065 & 1053.	Bench and Counter Scale	10XX	III	3168	99 lb. x .5oz.		Digital Electronic
Micro Motion, Inc.										
87-040	09/15/87	Micro Motion, Inc.	D25, D40, D100, D150, D300, D600	Mass Flow Meter	FlowScale					Superseded by 87-040.A1
87-040.A1	01/03/91	Micro Motion, Inc.	Mass Flow Transmitter Models: FSXXXXXX (FlowScale), RFT9712XXXX (Remote Flow Transmitter). Sensor Model Numbers: DX025XXXXX, DX040XXXXX, DX065XXXXX, DX100XXXXX, DX150XXXXX, DX300XXXXX & DX600XXXXX.	Mass Flow Meter	D Series Sensor					Digital Electronic
Micros Systems, Inc.										
90-121	11/02/90	Micros Systems, Inc.		Cash Register	Type 2000					Digital Electronic
Mid-America Scale Company										
89-165	02/16/90	Mid-America Scale Company	H-1, H-2, H-2, H-3, H-4	Hopper Scale	H-1, H-2, H-3	III L	2,250	7,000 lb	Hopper	Levers & Load Cell
Midwest Computer Register Corp.										
92-002		Midwest Computer Register Corp.		NO DEVICE TYPE	8000					IN PROCESS

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
MOBBA								
88-058 04/07/88	MOBBA LX, LS, LP1000, LD1000, LCB1000	Computing Scale	LD1000	III	3,000	30 x 0.01 lb	15.5" x 10.5"	Digital Computing Scale
Mobile Computing Corporation								
91-058 04/05/91	Mobile Computing Corporation 5400-1	Retail Motor Fuel Register	5400-2					Digital Electronic
91-058.A1 09/30/91	Mobile Computing Corporation	Vehicle Scale	5400-3					Digital Electronic
91-069	Mobile Computing Corporation	Service Station Consoles/ECR	5400-X					IN PROCESS
Morrison Weighing Systems, Inc.								
89-058 05/25/89	Morrison Weighing Systems, Inc.	Indicating Elements	T-3500M	III/III L	6,000			Digital Electronic
90-157 01/24/91	Morrison Weighing Systems, Inc. Other model: MP201/for use in batching systems	Indicating Elements	DC100	III	10,000			Digital Electronic
National Scale and Repair								
92-102P	National Scale and Repair	Load Cell	S5000N					IN PROCESS
92-103P	National Scale and Repair	Load Cell	S2000N					IN PROCESS
92-104	National Scale and Repair	Load Cell	TI2000S					IN PROCESS
92-105	National Scale and Repair	Load Cell	TI5000N					IN PROCESS
92-106	National Scale and Repair	Load Cell	R3000CSPN					IN PROCESS

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
National Semiconductor								
87-123 05/03/88	National Semiconductor	Cash Register	300	III	3,000	30 x 0.01 lb	14.2" x 12.7"	Digital Cash Register
88-067 05/03/88	National Semiconductor	Cash Register	545		3,000	30 x 0.01 lb		Digital Cash Register
NCI Weigh-Tronix Inc.								
87-064 09/29/87	NCI Weigh-Tronix Inc. 3451	Computing Scale	3450	III	3000	30 x 0.01 lb	12" x 14"	Digital Electronic
87-064A 09/22/88	NCI Weigh-Tronix Inc.	Computing Scale	3450	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-121A 09/22/88	NCI Weigh-Tronix Inc.	Weight Classifier	4000-1	III	3500	30 x 0.01 lb	12" x 14"	
88-272 11/14/88	NCI Weigh-Tronix Inc.	Bench and Counter Scale	3222	III	5000	15 lb - 100 lb	8"x8", 12"x16.5"	Superseded by 88-272A
88-272A 04/19/89	NCI Weigh-Tronix Inc.	Bench and Counter Scale	3222	III	5,000	15 lb to 100 lb	8"x8", 12"x16.5"	Load Cell, Electronic
88-311 01/25/89	NCI Weigh-Tronix Inc. 3800 R (remote indicator)	Bench and Counter Scale	3875	III	2240	5-70 lb x .5 oz	13-1/2" x 12"	Postal Weight Classifier
NCR Corporation								
87-014 06/12/87	NCR Corporation	POS Scale	7824	III	3,000	30 x 0.01 lb	13"x 12"	Scanner/Scale
87-024 02/10/89	NCR Corporation Class 2157, Model 0104: Class 2157, Model 0109	Cash Register	2157					Digital Electronic
87-032 07/10/87	NCR Corporation	Service Station Consoles/ECR	2522					Service Station Console
88-005 03/10/88	NCR Corporation	Cash Register	2061-54XX					Stand Alone ECR

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-006	03/10/88	NCR Corporation		Cash Register	2157-30XX					Digitial Cash Register
88-007	06/01/88	NCR Corporation	7050-XXXX, 7051-XXXX, 7070-XXXX, 7053-XXXX	POS Scale	7050 Series					Digital Electronic System
88-244	11/01/88	NCR Corporation	4522-K010	Computing Scale	4522	III	3,000	30 x 0.01 lb	12" x 14"	Digital Electonic
88-245	11/01/88	NCR Corporation	4526-K001, 4524	Computing Scale	4526-0102	III	3,000	30 x 0.01 lb	12" x 12"	Digital Electronic
88-257	02/10/89	NCR Corporation		Service Station Consoles/ECR	2126-1400					Electronic
88-261	02/10/89	NCR Corporation		POS Scale	2127					Pt. of Sale Products
88-261A	06/05/91	NCR Corporation	2127-F033/K027	POS Scale	2127					Terminal System
88-280	02/10/89	NCR Corporation		Cash Register	2760 FSS					Digital Electronic
89-007	07/05/89	NCR Corporation		Cash Register	2123-XXXX					Electric Stand Alone
89-092	10/12/89	NCR Corporation		Service Station Consoles/ECR	2113-3XXX					Digital Electronic
90-011	01/30/90	NCR Corporation		Weight Classifier	4000-XX1X	III	3,500	30 x 0.01 lb	12" x 14"	Digital Electronic
91-086	06/04/91	NCR Corporation		Cash Register	2760					Digital Electronic
92-088		NCR Corporation		Service Station Consoles/ECR	7052					IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
New Brunswick International, Inc.										
86-014	06/25/86	New Brunswick International, Inc.	Optional capacities: 150 x .05 lb, 600 x .2 lb	Bench and Counter Scale	DS-410		3000	300 x 0.1 lb	15.5" x 15.5"	Digital Electronic
86-014A	11/01/88	New Brunswick International, Inc.	Optional capacities: 150 x 0.05 lb, 600 x 0.2 lb	Bench and Counter Scale	DS-410	III	3,000	300 x 0.1 lb		Digital Electronic
86-026	10/15/86	New Brunswick International, Inc.		Computing Scale	DS 430	III	3,000	30 x 0.01 lb	11" x 12.5"	Digital Electronic
87-006	03/19/87	New Brunswick International, Inc.		Computing Scale	SM-15	III	3,000	30 x 0.01 lb	10.5" x 14.5"	Digital Computing Scale
87-065	09/29/87	New Brunswick International, Inc.	SM-60A	Computing Scale	SM-60	III	3,000	30 x 0.01 lb	11" x 15.5"	Digital Computing Scale
87-113	01/11/88	New Brunswick International, Inc.	DS-260, DS-261	Bench and Counter Scale	DS-260	III	3,000	300 x 0.1 lb	700 x 600 mm	Digital Bench Scale
87-114	01/11/88	New Brunswick International, Inc.		Computing Scale	DS-380	III	3,000	30 x 0.01 lb	8" x 12.25"	Digital Computing Scale
87-118	02/17/88	New Brunswick International, Inc.		Prepackaging Scale	DPS 6000	III	3,000	30 x .01 lb	341 mm x 284 mm	Digital Prepackaging Scale
88-174	08/31/88	New Brunswick International, Inc.		Prepackaging Scale	DPS-2600/AW-2600	III	3,000	30 x 0.01 lb	13.25" x 11.25"	Superceded by 88-174A1
88-174A1	03/27/90	New Brunswick International, Inc.	IL-2600	Prepackaging Scale	DPS-2600/AW-2600	III	3,000	30 x 0.01 lb	13-1/4" x 11-1/4"	Digital Electronic
91-049	03/20/91	New Brunswick International, Inc.		Hanging Scale	LCB-1000H	III	3000	30 x .01 lb	13" diameter	Digital Electronic
91-145		New Brunswick International, Inc.		Hanging Scale	DS580					IN PROCESS
92-044		New Brunswick International, Inc.		NO DEVICE TYPE	DS590					IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-107		New Brunswick International, Inc.		Computing Scale	SM-40					IN PROCESS
NMB Technologies Incorporated										
92-084P		NMB Technologies Incorporated		Load Cell	C2G1xx	III	3,000 S	0.6 to 300 kg		IN PROCESS
Ohaus Corporation										
88-081	05/03/88	Ohaus Corporation	I 20W	Indicating Elements	I 10	III	10,000			Superseded by 88-081A1
88-081A1	02/14/90	Ohaus Corporation	I 20W	Indicating Elements	I 10	III\ IIIL	10,000			Digital Electronic
88-203	09/13/88	Ohaus Corporation	LB30, LB60, LB100, LB150. Capacities (lb): 30 - 150	Bench and Counter Scale	LB100	III	5,000	100 x 0.02 lb	14" x 17"	Load Cell Electronic
88-204	09/22/88	Ohaus Corporation	WB10, WB25. Capacities (lb): 10 and 25	Bench and Counter Scale	WB50	III	5,000	50 x 0.01 lb	12" x 12"	Load Cell Electronic
88-205	09/13/88	Ohaus Corporation	WBS 10 and WBS 25. Capacities (lb): 10 and 25	Bench and Counter Scale	WBS50	III	2,500	50 x 0.02 lb	12" x 12"	Load Cell Electronic
88-227	09/22/88	Ohaus Corporation	GJ-4400-L, GT-4000-L, GJ-4000-L	Jewelers' Balance	GT 4400-L	II	40,000	0 - 400 x 0.01 g	6.5" Diameter	Digital Electronic
88-228	09/13/88	Ohaus Corporation	PL30, PL60, PL100, PL150	Bench and Counter Scale	PL Series	III	5,000	30 to 150 lb	18" x 18"	Load Cell Electronic
88-229	09/13/88	Ohaus Corporation		Indicating Elements	PBI	III	5,000			Digital Electronic
89-084	08/17/89	Ohaus Corporation		Jewelers' Balance	CT-600L	III	6000	600 x .1 g	4 in. diameter	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-185	01/24/91	Ohaus Corporation	Model I150-P with mild steel case	Indicating Elements	I150-S	III/IIIL	10,000			Digital Electronic
91-103	12/13/91	Ohaus Corporation	Capacities: 0-400 x 0.01 g, 400-4,000 x 0.1 g	Grain Test Scale	GT 4400-G	II	40,000	see below	6.5 " diameter	Digital Electronic
Ohio Valley Scale & Equipment Corp										
88-182	08/30/88	Ohio Valley Scale & Equipment Corp		Floor Scales	PLP-3026-1.2	III	2,400	1200 x 0.5lb	30" x 38.6"	Portable Electro-mechanical
Omron Systems of America										
87-050	09/29/87	Omron Systems of America	RS 8510	Cash Register	RS 8500					Stand Alone Cash Register
88-105	05/24/88	Omron Systems of America		Cash Register	RS 5510					Superseded by 88-105A
88-105A	09/22/88	Omron Systems of America	RS 5515	Cash Register	RS 5510 & RS 5541					Stand Alone
88-250	09/22/88	Omron Systems of America	RS 81-00, RS 81-30	Cash Register	RS 81-31					Stand Alone
88-267	10/28/88	Omron Systems of America	RS 4041	Cash Register	RS 4030					Stand Alone
89-018	04/19/89	Omron Systems of America		Cash Register	RS5510					Superseded by 89-018A1 4/18/90
89-018A1	08/21/89	Omron Systems of America		Cash Register	RS5510, 5550, 5560F					Superceded by 89-018A1 4/18/90
89-018A1	04/18/90	Omron Systems of America		Cash Register	RS5510, 5550, 5560F					
89-152	04/25/90	Omron Systems of America		Cash Register	RS3510					Stand Alone

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-153	04/25/90	Omron Systems of America		Cash Register	RS4043					Stand Alone
89-154	04/25/90	Omron Systems of America		Cash Register	RS5550					Stand Alone
90-044	02/28/90	Omron Systems of America		Cash Register	RS5500 Series					ECR
92-010	04/08/92	Omron Systems of America		Service Station Consoles/ECR	RS4541					Stand Alone
92-011		Omron Systems of America		Service Station Consoles/ECR	RS5000					IN PROCESS
Orion Scale										
92-067	05/06/92	Orion Scale		Computing Scale	2830	III	3,000	30 X 0.01 lb	17.25" x 10.75"	Digital Electronic
P.O.M. Incorporated										
88-274P	01/26/89	P.O.M. Incorporated		Parking Meter	"E" (ECON-O-METER)			2 hrs x 6 min		Parking Meter
Pacific Scale Co., Inc.										
88-103	05/24/88	Pacific Scale Co., Inc.	TNL 3636-2K, Capacity 2,000 x .5 lbs	Floor Scales	TNL 4848-2K	III	4,000	2000 x 0.5 lb	48 " x 48 "	Full Electronic
91-002	01/24/91	Pacific Scale Co., Inc.	2, 5 or 10 capacity in thousands pounds, 36 to 48, platform length in inches for 2,000 lb weighing element, 36 to 84 platform width in inches.	Floor Scales	TNL SERIES		5,000	see below	see below	Load Cell Electronic
91-105A1	04/17/92	Pacific Scale Co., Inc.	CLC: 40,000 lb	Vehicle Scale	P Series	IIIL	10,000	200,000 x 20 lb	100 x 10	Digital Electronic
91-169	03/25/92	Pacific Scale Co., Inc.	AGX3510-40; AGX3512-40; AGX4010-40; AGX4012-40; AGX5010-40; AGX5012-40; AGX6010-50; AGX6012-50; AGX7010-50; AGX7012-50; AGX8010-75; AGX8012-75; AGX9010-75; AGX9012-75; AGX10010-75; AGX10012-75; AGX12510-100; AGX12512-100 & AGX15010-100.	NO DEVICE TYPE	AGX Series	III L	10,000	150K x 20 lb	100 x 10 45,000lb	Electronic, Pitless

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
PAR Microsystems								
89-122 11/08/89	PAR Microsystems NTA 510, NXA 590-XX, NCX 591-XX, NXA XXX	Cash Register	NTA & NXA Series					Digital Electronic
Parcom Technologies								
91-122 06/25/91	Parcom Technologies	Data Processing Systems	PAR 3000					Manifest System, PC Computer
PAT Equipment Corporation								
87-078P 12/18/87	PAT Equipment Corporation Model SAW10A-2, Model SAW10C	Wheel Load Weigher	SAW 10A	IIII	400	20k x 50 lb	28.75" x 20"	Digital Wheel-Load Weigher
PC Synergy								
91-136 05/02/91	PC Synergy	Data Processing Systems	PCS 2000					Manifest System, PC Computer
Pelouze Scale Company								
87-072 03/10/88	Pelouze Scale Company	Bench and Counter Scale	PS75LR	III	750	75 x 0.1 lb	18'x 13"	Superceded by 87-072A2
87-072.A2 Amend 09/11/90	Pelouze Scale Company PS75LR: 75 x 0.1 lb or 34 x 0.05 kg, PS75LRX: 75 x 0.1 lb or 34 x 0.05 kg, PS75LR1: 75 x 0.05 lb, PS75L: 75 x 0.01 lb, PS75L1: 75 x 0.05 lb.	Bench and Counter Scale	PS75L	III	1,500	See other models	18" x 13"	Shipping Scale
87-072A 09/11/90	Pelouze Scale Company PS75LR, 75 x 0.1 lb: PS75LRX, 75 x 0.1 lb: PS75LR1, 75 x 0.05 lb: PS75L, 75 x 0.1 lb: PS75L1, 75 x 0.05 lb	Bench and Counter Scale	PS75L Series	III	1500	75 x 0.1 lb	18'x 13"	Superceded by 87-072A2
87-072A2 04/25/90	Pelouze Scale Company	Bench and Counter Scale	PS75LRX	III	1500	75 x 0.05 lb	18" x 13"	Shipping Scale
89-057 08/17/89	Pelouze Scale Company	Bench and Counter Scale	PS-6LI	III	1200	6 x 0.005 lb	6.75 x 9.5 in	Digital Electronic
89-119 01/08/90	Pelouze Scale Company	Bench and Counter Scale	PS6LR1	III	1200	6 X 0.005 lb	7 7/8 X 5 1/8 "	Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Pennsylvania Scale Company								
88-114 06/08/88	Pennsylvania Scale Company	Indicating Elements	5600	III/III L	5,000			Digital Indicating Element
88-114.A1	Pennsylvania Scale Company	Indicating Elements	5600					IN PROCESS
88-115 06/17/88	Pennsylvania Scale Company	Printer	PS400					Dot Matrix Ticket Printer
88-116 06/17/88	Pennsylvania Scale Company	Printer	PS400-T					Dot Matrix Ticket Printer
88-117 06/17/88	Pennsylvania Scale Company	Printer	P100					Dot Matrix Tape Printer
90-097 08/21/90	Pennsylvania Scale Company 24X24-1K, 24X24-2K, 24X24-5K, 30X30-1K, 30X30-2K, 30X30-5K, 36X36-1K, 36X36-2K, 36X36-5K, 36X36-10K, 48X48-1K, 48X48-2K, 48X48-5K, 48X48-10K, 48X60-5K, 48X60-10K, 48X72-5K, 48X72-10K, 48X84-5K, 48X84-10K, 60X60-5K, 60X60-10K, 60X72-5K, 60X72-10K, 60X84-10K	Floor Scales	6600 Series	III	5,000	1,000 - 10,000	12 x 24 - 60 x 84	Load Cell Electronic
90-161 11/06/90	Pennsylvania Scale Company	Indicating Elements	6400	III	5000	1000 lb	24" x 24"	Load Cell Electronic
91-149 02/07/92	Pennsylvania Scale Company Capacities: 10 x 0.002 lb; 25 x 0.005 lb; 50 x 0.01 lb; 100 x 0.02 lb. Models : 7000; 7100; 7200; 7300; 7400; 7400M.	Bench and Counter Scale	7X00 Series	III	5,000	see below	12" x 14"	Electronic
91-149A1	Pennsylvania Scale Company	Indicating Elements	7400M	III	5,000			IN PROCESS
Perkins Scale Corporation								
88-090 06/28/88	Perkins Scale Corporation	Vehicle Scale	7060	III L	6,000	120,000 x 20 lb	70'x 10'	Mechanical Lever System
Pertech								
89-010A1 01/10/92	Pertech Software Model: TK II. See certificate for specific specifications.	Computing Scale	Microway II					Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-150A1	01/10/92	Pertech	See certificate for specific specifications	Bulkweighing System	Bulk II					Digital Electronic
Pitney Bowes										
89-047	10/02/89	Pitney Bowes		Weight Classifier	A238	III		70 lb	12.5" x 14"	
89-048	10/02/89	Pitney Bowes	A523, capacity 3 lb x 0.05 oz	Weight Classifier	5820	III	1600	5 lb x 0.05 oz	8 7/8" x 8"	
89-049	01/10/90	Pitney Bowes		Bench and Counter Scale	A 510	III	3200	10 lb x 0.1 oz	8 7/8" x 8"	
89-050	08/21/90	Pitney Bowes	A570, A530	Bench and Counter Scale	A610	III	3168	0-2 x 0.1 lb	14 3/8" x 9 1/4"	Postal Weight Classifier
89-050 Amended	10/02/90	Pitney Bowes	Other capacities: n-320 , 0-99 lb x 0.5 oz, n- 3168	Weight Classifier	A 610	III		0-2 lb x 0.1 oz	14 3/8" x 9 1/4"	Digital Electronic Computing
89-120	01/06/90	Pitney Bowes		Weight Classifier	A 605	III	1600	5 lb X 0.1 oz	8 7/8" x 5 5/8"	Digital Electronic Computing
89-121	01/06/90	Pitney Bowes		Bench and Counter Scale	A 603	III	960	3 lb x 0.1 oz	8 7/8" x 5 5/8"	Digital Electronic Computing
90-087	02/12/91	Pitney Bowes		Weight Classifier	A 500	III	160	16 x 0.1 oz	9.25" x 5"	Digital Electronic
90-088	06/14/90	Pitney Bowes		Floor Scales	A219	III	1200	600 x 0.5 lb	30" x 30"	Load Cell Electronic
90-136	09/12/90	Pitney Bowes	N-max: 320 (0-2lb) & 2240 (0-70lb). Capacities: 0-2lb x 0.1oz, 0-70lb x 0.5 oz	Weight Classifier	A120-TA	III	SEE BELOW	SEE BELOW	13" x 14"	Digital Electronic
90-146	10/09/90	Pitney Bowes	A218 0.2 lb x .1 or 0-100 lb x .05 oz	Weight Classifier	A217	III	3200	100 lb	14 1/8" x 12x 1/2	Digital Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-146A1 04/06/92	Pitney Bowes		Weight Classifier	A217	III	3200	99 lb	14 1/8" x 12 1/2"	Digital Electronic
91-144	Pitney Bowes		POS Scale	J070					IN PROCESS
POS Data Products, Inc.									
91-015 01/18/91	POS Data Products, Inc.		POS Scale	3030	III	3,000	30 x 0.01 lb	14.25" x 10.5"	Digital Electronic
91-094	POS Data Products, Inc.		POS Scale	xxxxx					IN PROCESS
Powell All-Steel Scales									
88-213PN 11/14/89	Powell All-Steel Scales	See Certificate for models, capacities and platforms	Vehicle Scale	P Series	III L				Mechanical Pit Type
88-214PN 11/09/89	Powell All-Steel Scales	28PA10, 38PA10, 210PA10, 310PA10, 18PA10, 28PA10, 210PA10, 38PA10, 310PA10, 28A10, 210A10, 38A10, 310A10	Vehicle Scale	A and PA Series	III L				Portable & Stationary Mechanic
88-215PN 11/21/89	Powell All-Steel Scales	See Certificate for models, capacities and platforms	Vehicle Scale	C Series	III L				Mechanical Portable Contractor
88-216PN 11/21/89	Powell All-Steel Scales	1535C12, 1535C14, 1540C12, 1540C14, 1570C12, 1570C14, 1580C14	Vehicle Scale	PV Series	III L				Portable Mechanical
88-217 05/28/91	Powell All-Steel Scales	5651WS, 6751WS, 6851WS, 68101WS, 68201WS, 610201WS, & 610301WS. Capacities: 7,000 lb, 20,000 lb, 27,000 lb & 40,000 lb. Platforms: 6' x 5', 6' x 7', 6' x 8',& 6' x 10'.	Floor Scales	IWS Series	III/III L		see below	see below	Mechanical
88-217PN 11/21/89	Powell All-Steel Scales	5651WS, 6751WS, 6851WS, 68101WS, 68201WS, 610201WS, 610301WS	Floor Scales	IWS Series	III				Mech. Industrial Warehouse
88-218PN 11/09/89	Powell All-Steel Scales	1560RR10, 1570RR10, 2070RR10, 2084RR10, 2090RR10	Vehicle Scale	RRS Series	III L				Mechanical Lever System

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-219PN	11/21/89	Powell All-Steel Scales		Vehicle Scale	660EL10-C	III L	6000	120,000 x 20 lb	60' x 10'	Load Cell - Low Profile
89-134P	11/09/89	Powell All-Steel Scales		Vehicle Scale	EP and ET Series	III L	6,000	120,000 lb	60' x 10'	Supersedes 84-85 dated 4/21/86
91-068	11/19/91	Powell All-Steel Scales		Livestock Scale	XXYYECZ	III L	3,000	10K-13,5K x 5 lb		Load Cell, Electronic
		CLC: 9,000 lb. The specific models covered by this certificate are XXYYECZ where XX denotes the scale capacity in thousand pounds, YY denotes scale length in feet, and Z denotes the scale width in feet. Platform: 15" x 8" - 4" x 4" (The maximum platform area shall not exceed 120 sq. ft.)								
92-009		Powell All-Steel Scales		Bench and Counter Scale	XXYYECZ					IN PROCESS
PSI/Command Data										
91-016	03/07/91	PSI/Command Data		Indicating Elements	Scale Readout	III/III L	1000			Digital Electronic
Pulsar Technology Systems, Inc.										
90-077	09/11/90	Pulsar Technology Systems, Inc.		Taximeter	100					Mileage Odometer
90-133	08/31/90	Pulsar Technology Systems, Inc.		Taximeter	2010			See "Other Model"		Digital Eletronic Taximeter
		Flag Drop: $0.01 - $999.99, Fare Incr.: $0.01 - $999.99, Extras : $0.02 - $9.99, Earlier version of 2010 is larger—See CC, Shall be installed using Arthur Allen 4 pulse per revolution pulse transducer (NOT 2 pulse per revolution). See CC for impotant notes on proper sealing.								
91-140	03/16/92	Pulsar Technology Systems, Inc.		Taximeter	2010R					
R&W Specialty Mfg. Corp.										
91-101	03/12/92	R&W Specialty Mfg. Corp.		Bench and Counter Scale	SCLFT130	III	520	130 lb x 4 oz	12 x 17"	Mechanical Spring Dial
		SCLFT065; Capacity: 65 lb x 2 oz								
Ramsey Technology Inc.										
92-032	02/03/92	Ramsey Technology Inc.		Belt Conveyor Scale	10-14A SERIES					Load Cell Electronic
		10-14A-3; 10-14A-4. Scale Capacity: Min-108 tph; Max-10,800 tph.								

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Retail Automation, Inc.								
92-033	Retail Automation, Inc.	Software	Starpoint					IN PROCESS
Revere Corp (See Revere Transducers, Inc.)								
87-051.A2 03/19/92	Revere Corp (See Revere Transducers, Inc.) n-max: S/C-Class III: 3000; S/C-Class III L: 10000	Load Cell	9363-A3 & 9363-B10	III/III L	see below	100 - 10,000 lb		Tension S-Cell, Stnless Steel
87-063.A2 03/19/92	Revere Corp (See Revere Transducers, Inc.) n-max: S/C-Class III: 3000; S/C-Class III L: 10000	Load Cell	363-A3 & 363-B10	III/III L	see below	100 - 10,000 lb		Tension S-Cell
91-011.A1 03/12/92	Revere Corp (See Revere Transducers, Inc.)	Load Cell	792-B10	III L	MC-10,000	50k - 200k lb		Single col. Comp. Canister
92-047 03/25/92	Revere Corp (See Revere Transducers, Inc.) n-max: S/C: 3000; M/C: 5000. 933-A5-5k-YYYY; 933-A5-7.5k-YYYY; 933-A5-10k-YYYY & 933-A5-20k-YYYY	Load Cell	933-A5-XXXX-YYYY	III	see below	5000 - 20,000 lb		Shear Beam
Revere Transducers, Inc.								
86-037 12/16/87	Revere Transducers, Inc. Other capacities: 1k, 2.5k, 4k, 5k, 10k	Load Cell	5123	III	3k S, 5k M	1k - 10k lb		Single ended shear beam.
86-037P 01/26/87	Revere Transducers, Inc. Capacities (lb): 1k, 2.5k, 4k, 5k, 10k	Load Cell	B5123	III	3k S, 5k M	1k - 10k lb		Superseded by 86-037
86-038 03/28/91	Revere Transducers, Inc. The specific models of load cells covered by this Certificate are 5223-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for individual load cells comply with Handbook 44.	Load Cell	5223-B10	III L	10,000	50K, 65K, 100K		Double Ended Shear Beam
86-0388A1	Revere Transducers, Inc.	Load Cell	5223-B10	III L	10,000 M	50k to 200k lb		IN PROCESS
86-038P 01/26/87	Revere Transducers, Inc.	Load Cell	B5223	III L	10000 M	50k, 65k, 100k lb		Superseded by 86-038PA12/10/87

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-038PA 12/10/87	Revere Transducers, Inc.	Load Cell	5223	III L	10000 M	50k, 65k, 100k lb		Double Ended Shear Beam
86-039 03/28/91	Revere Transducers, Inc.	Load Cell	5103-B10	III L	10,000	30K to 250K lb		Double Ended Shear Beam
	The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.							
86-039P 01/26/87	Revere Transducers, Inc.	Load Cell	5103	III L	10,000 M	50k-150k lb		Superseded by 86-039PA 7/25/88
86-039P 07/25/88	Revere Transducers, Inc.	Load Cell	5103	III L	10000 M	10k to 100k lb		Double Ended Shear Beam
	The specific models of load cells covered by this Certificate are 5103-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. Range of capacities (lb) from to 100 K.							
86-040P 01/26/87	Revere Transducers, Inc.	Load Cell	C692B	III L	10000 M	25k, 50k, 100k lb		Superseded by 86-040P 12/10/87
86-040P Amended 12/10/87	Revere Transducers, Inc.	Load Cell	692B	III L	10000 M	25k, 50, 100k lb		Multi-Column Compression
86-041 03/01/89	Revere Transducers, Inc.	Load Cell	SSB	III	3,000 S	500 to 5,000 kg	1k to 10k lb	Single Ended Shear Beam
	SSB-.5t-C3, -1t-C3, -2t-C3, -2.5t-C3, -5t-C3: SSB-1-III/3, -2-III/3, -5-III/3, -10-III/3							
86-041.A1 03/28/91	Revere Transducers, Inc.	Load Cell	SSB	III & IIIL	3,000	500k - 5000 kg		Single Ended Shear Beam
	Capicity- 1,000 to 10,000 lb. The specific models of load cells covered by this certificate are SSB-X-Y-Z where X, Y, & Z, as applicable are model numbering codes denoting capactiy, classification, electrical connection. Other Models: SSB-.5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, kSSB-5-III/3 and SSB-10-III/3.							
86-041P 01/02/86	Revere Transducers, Inc.	Load Cell	SSB	III	3000 S	500 - 5,000 kg	1k to 10k lb	Superseded by 86-041
	SSB-.5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, SSB-5-III/3, SSB-10-III/3							
87-051 04/05/89	Revere Transducers, Inc.	Load Cell	9363	III/III L	3k/10k S	100-10,000 lb		Superseded by 87-051 12/20/89
	Class III, Model code 9363-A3-YYYY: Class IIIL, Model code 9363-B10-XXX-YYYY.							
87-051 12/20/89	Revere Transducers, Inc.	Load Cell	9363	III/III L	3k0/10k S	100 - 10,000 lb		Tension S-Cell,Stainless Steel

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-051.A1 03/28/91	Revere Transducers, Inc.		Load Cell	9363-A3 & 9363-B10	III & IIIL	see below	100 - 10,000 lb		Tension S-Cell
		Capacity: Single Cell, Class III: 3,000 & Single Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 9363-A3-XXX-YYYY: for Class III L, models 9363-B10-XXX-YYYY where XXX is the capacity code a nd YYYY is a designator for the electrical cable length, wiring color code, and private label variations.							
87-051PA 07/25/88	Revere Transducers, Inc.		Load Cell	9363	III/III L	3k/10k S	3000 - 10000 lb		Superseded by 87-051
		Class III, Models 9363-A3-XXX-YYYY: Class III L, Models 9363-B10-XXX-YYYY. Capacities (lb): 3,000: 5,000: 10,000							
87-063 04/05/89	Revere Transducers, Inc.		Load Cell	363	III/III L	3k,10k S	100-10,000 lb		Superseded by 87-063 12/20/89
		For Class III, Models 363-A3-XXX-YYYY: For Class III L, Models 363-B10-XXX-YYYY, where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities: 100, 200, 300, 500, 750, 1.5k, 2k, 3k, 5k, 10k							
87-063 Amended 12/20/89	Revere Transducers, Inc.		Load Cell	363	III/III L	3K,10K S	100 - 10,000 lb		Tension S-Cell
87-063.A1 03/28/91	Revere Transducers, Inc.		Load Cell	363-A3 & 363-B10	III & IIIL	see below	100 - 10,000 lb		Tension S-Cell
		Capacity: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 363-A3-XXX-YYYY: for Class III L, models 363-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.							
87-063PA 07/25/88	Revere Transducers, Inc.		Load Cell	363	III/III L	3k,10k S	3000 - 10000 lb		Superseded by 87-063
		For Class III, Models 363-A3-XXX-YYYY: for Class III L, Models 363-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities (lb): 3 k, 5 k, 10 k							
87-085 03/10/88	Revere Transducers, Inc.		Load Cell	SHB	III	3,000 S	20 - 1000 kg		Bending Beam and Shear Beam
		Capacities (kg): 20, 50, 100, 200, 500, 1000							
87-085.A1 03/28/91	Revere Transducers, Inc.		Load Cell	SHB	III & IIIL	S-Cell: 3000	20 - 1,000 kg		Bending Beam & Shear Beam
		The specific models of load cells covered by this certificate are SHB-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.							
87-086 03/10/88	Revere Transducers, Inc.		Load Cell	LCU	III	3,000 S	10 - 100 kg	30 - 250 lb	Bending Beam Load Cell
		Capacities: (kg) 10, 20, 30, 50, 100: (lb) 30, 50, 75, 125, 250							
87-086.A1 03/28/91	Revere Transducers, Inc.		Load Cell	LCU	III & IIIL	S-Cell: 3000	10-100kg/10-250lb		Bending KBeam
		The specific models of load cells covered by this certificate are LCU-X-Y-Z wherre X, Y, & Z, as applicalbe, are model numbering codes denoting capacity, classification, and electrical connection.							

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-041 04/29/88	Revere Transducers, Inc.	Load Cell	STS	III	3000 S	50 to 2500 lb		Superseded by 88-041 3/29/89
88-041 Amended 03/29/89	Revere Transducers, Inc. Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500	Load Cell	STS	III	3,000 S	50 to 2,500 lb		S-Type, Tension
88-041.A1 03/28/91	Revere Transducers, Inc. The specific models of load cells covered by this certificate are STS-X-Y-Z where X, Y & Z, as applicable are model numbering codes denoting capacity, classification, and electrical connection.	Load Cell	STS	III & IIIL	III3kIIIL10K	50 - 2500 lb		S-Type Tension
88-042 03/01/89	Revere Transducers, Inc. STS-XX-A-IIIL-10S where the XX is the capacity of the load cell in thousands of pounds. Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500	Load Cell	STS	III L	10,000 S	50 to 2,500 lb		S-Type, Tension
88-042.A1 03/28/91	Revere Transducers, Inc. The specific modsels of load cells covered by this certificate are STS-X-Y-Z where S, Y and Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.	Load Cell	STS	III L	S-Cell 10000	50 to 2500 pds		S-Type, Tension
88-082 05/25/89	Revere Transducers, Inc. Capacities (kg): 10,000, 25,000, 40,000, 60,000, 100,000	Load Cell	CSP	III/III L	3k,10k S	25k to 200k lb	1Ok to 100k kg	Multi-Column Compression
88-082.A1 03/28/91	Revere Transducers, Inc. Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. Capacity: 10k - 100k kg & 25k - 200 k kg. The specific models of load cells covered by this certificate are CSP-X-Y-Z where X, Y & Z, as applicable, are model numbering codes denoting capaci ty, classification, and electrical connection.	Load Cell	CSP	III & IIIL	see below	see below		Multi-Column Compression
88-082P 09/09/88	Revere Transducers, Inc.	Load Cell	CSP	III/III L	3k,10k S	25K to 200K lb		superseded by 88-082
88-089 05/25/89	Revere Transducers, Inc. Capacities (lb): 100, 250, 500, 1000, 2500, 5000	Load Cell	BSP	III/III L	3k,10k S	100 to 5,000 lb		S-Type, Tension/Compression
88-089.A1 03/28/91	Revere Transducers, Inc. Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are BSP-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connecti on.	Load Cell	BSP	III & IIIL	see below	100 - 5,000 lb		Universal, Bending & Shear
88-089P 09/29/88	Revere Transducers, Inc.	Load Cell	BSP	III/III L	3k,10k S	100 to 5,000 lb		Superseded by 88-089

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-126 05/25/89	Revere Transducers, Inc.	Load Cell	LCT-50	III/III L	3k,10k S	50,000 lb		Single Column Tension
88-126.A1 03/28/91	Revere Transducers, Inc.	Load Cell	LCT-50	III & IIIL	see below	50,000 lb		Single Column Tension
	Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are LCT-50-X-Y-Z where X, Y, & Z as applicable, are model numbering codes denoting capactiy, classification, and electrical conne ction.							
88-126P 07/25/88	Revere Transducers, Inc.	Load Cell	LCT-50	III/III L	3k,10k S	50,000 lb		Superseded by 88-126
89-024 01/06/90	Revere Transducers, Inc.	Load Cell	5723	III/III L	3kS,5kM,10kM			
	Class III: 5723-A5-1K-, 5723-A5-2.5K-, 5723-A5-4K-, 5723-A5-5K-, 5723-A5-10K-. Class III L: 5723-B10-1K-, 5723-B10-2.5K-, 5723-B10-4K-, 5723-B10-5K-, 5723-B10-10K-							
89-024.A1 03/28/91	Revere Transducers, Inc.	Load Cell	5723-A5 & 5723-B10	III & IIIL	see below	1,000 - 10,000 lb		Single-ended Shear Beam
	Capacity: S-Cell, Class III: 3,000, M-Cells, Class III: 5,000, M-Cells, Class III L: 10,000. The specific models of load cells covered by this certificate for Class III, Models 5723-A5-XXX-YYYY: for Class III L, models 5723-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.							
89-024P 04/04/89	Revere Transducers, Inc.	Load Cell	5723	III/III L	3kS,5kM,10kM			Superseded by 89-024
89-039P.A1 03/28/91	Revere Transducers, Inc.	Load Cell	5103-B10	III L	10,000	5K to 20K		Double Ended Shear Beam
	The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is the capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private level variation s. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.							
90-152P 11/02/90	Revere Transducers, Inc.	Load Cell	5423 B	III L	10,000	10,000-65,000 lb		Double-Ended Shear Beam
	The Model designation for th load cells is 5423-B10-XXK-YYYY where XXK represents the celol capacity in thousands of pounds (e.g., 10K) & YYYY represents variations that are not metrologically significant.							
90-152P.A1 03/28/91	Revere Transducers, Inc.	Load Cell	5423-B10	III L	10,000	10,000 - 65,000lb		Double-Ended Shear Beam
	5423-B10-10K-YYYY, 5423-B10-20K-YYYY, 5423-B10-30K-YYYY, 5423-B10-50K-YYYY & 5423-B10-65K-YYYY. The model designation for the load cells is 5423-B10-XXK-YYYY where XXK represents the cell capacity in thousands of pounds (e.g, 10K) and YYYY represents va riations that are not metrologically significant.							
91-001 01 24 91	Revere Transducers, Inc	Load Cell	792-B5	III L	4500	50k to 200k lb		Single Column compression can.

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Rice Lake Weighing Systems										
88-292	01/25/89	Rice Lake Weighing Systems	4430, 4432, 4442, 4446, 4452, 4454	Bench and Counter Scale	4400 Series	III	2,500			Digital Electronic
88-304	05/25/89	Rice Lake Weighing Systems	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000	Load Cell	RL20000	III	4500 S	50 to 10000 lb		Superceded by 88-304A1
88-304A1	04/26/90	Rice Lake Weighing Systems	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000	Load Cell	RL20000	III/III L	5k, 10k S	25 to 20,000 lb		Type "S"
88-304PA1	02/12/90	Rice Lake Weighing Systems	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000	Load Cell	RL20000	III/III L	5K,10K S	25 to 20,000 lb		Type "S" load cell
88-305	05/25/89	Rice Lake Weighing Systems	Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000	Load Cell	RL30002, 30000,30001	III/III L	5000 M	1000 to 10000 lb		Shear Beam
88-306	05/25/89	Rice Lake Weighing Systems	Capacities (lb): 5,000, 10,000, 20,000, 50,000	Load Cell	RL700000*-XX	III/III L	5000 M	5000 - 50000 lb		Double Ended Shear Beam
88-306.A1	04/18/91	Rice Lake Weighing Systems		Load Cell	RL70000-XX	III & IIIL	M-Cell 5000	5,000 - 50,000 lb		Double Ended Shear Beam
89-020	07/05/89	Rice Lake Weighing Systems	UMC 2000, -2002, -2004, -2006, -2008, -2010, -2012	Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Electronic
89-023	05/02/89	Rice Lake Weighing Systems	IQ 700 HB	Indicating Elements	IQ 600 HB	III/III L	10,000			Supersedes previous issues
89-117	10/24/89	Rice Lake Weighing Systems		Indicating Elements	UMC 555XXXX	III/III L	10,000			Digital Electronic
89-118	01/10/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000			Digital Electronic
89-118 Ammended	03/13/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-156	01/14/90	Rice Lake Weighing Systems	KB-102, ACS-105	Printer	KB-105					Printing Element
90-003	06/14/90	Rice Lake Weighing Systems	Optional Models: MS202HB-3/8 (for 3/8" rail), MS202HB-1/2 (for 1/2" rail).	Monorail Scale	MS200	III	1500	750 x 0.5 lb		Load Cell Electronic
90-022	02/06/90	Rice Lake Weighing Systems		Indicating Elements	WS 900					
90-158	04/18/91	Rice Lake Weighing Systems	Capacity: S-Cell, Class III: 5000 - S-Cells, Class III L: 10,000. The specific load cells covered by this certificate are identified by the cell capacities. The XXX of the model designation represents the load cell capacity.	Load Cell	RL20000A-XXX	III & IIIL	see below	25 - 50,000 lb		S-Beam Tension
90-158P	11/05/90	Rice Lake Weighing Systems		Load Cell	RL20000A-XXX	III		1,000 - 10,000		Shear Beam, Compression
90-159	01/03/91	Rice Lake Weighing Systems	RL30000A-XXX (Thread load hole), RL30001A-XXX (Counterr bored load hole), RL30002A-XXX (Through load hole).	Load Cell	RL30000A-XXX	III	3k S - 5k M	1,000 to 10,000		Shear Beam, Compression
90-159.A1	08/01/91	Rice Lake Weighing Systems	RL30000B-XXX	Load Cell	RL30000A-XXX	III	see below	1000 - 10,000		Shear Beam, Compression
91-038	03/06/91	Rice Lake Weighing Systems		Indicating Elements	IQ700HE	III/IIIL	10,000			Digital Electronic
91-039	03/06/91	Rice Lake Weighing Systems		Indicating Elements	IQ700SS	III/IIIL	10,000			Digital Electronic
91-040	03/06/91	Rice Lake Weighing Systems		Indicating Elements	555HE	III/III L	10,000			Digital Electronic
91-045P	06/11/91	Rice Lake Weighing Systems	Capacity: SC-3000/MC-5000	Load Cell	RL35023-XX-YY	III	see below	1000 - 10,000 lb		Single-Ended Shear Beam
91-045PA1	03/01/92	Rice Lake Weighing Systems	RL35023-XX-YY	Load Cell	RL35023A-XX-YY	III		1,000 - 10,000 lb		Single-Ended Shear Beam

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-046P 03/11/91	Rice Lake Weighing Systems	Load Cell	RL20001XX-YY	III/III L	see below	250 - 20,000 lb		Type "S" Tension
	SC-Class III, 5000/SC-Class III L, 10,000. RL20001-XX-250, RL20001-XX-300, RL20001-XX-500, RL20001-XX-750, RL20001-XX-1k, RL20001-XX-1.5k, RL20001-XX-2k, RL2000-XX-2.5k, RL20001-XX-3k, RL20001-XXX-5k, RL20001-XX-7.5k, RL20001-XX-10k, RL2001-XX-15k & RL20001-XX-20k.							
91-046PA1 03/25/92	Rice Lake Weighing Systems	Load Cell	RL210001 & RL20001A	III/III L	see below	25 - 30,000 lb		Tyep "S" Tension
	n-max: S/C;Class III: 5000 ; M/C;Class III L: 10000. RL20001A-XX-25; RL20001A-XX-50; RL20001A-XX-75; RL20001A-XX-100; RL20001A-150; RL20001-XX-250; RL20001A-250; RL20001-XX-300; RL20001A-XX-300; RL20001-XX-500; RL20001A-XX-500; RL20001-XX-750; RL-20001A-XX-750; RL20001-XX-1k; RL20001A-XX-1k; RL20001-XX-2k; RL20001A-XX-2k; RL20001-XX-2.5k; RL20001A-XX-2.5k; RL20001-XX-3k; RL20001A-XX-3k; RL20001-XX-5k; RL20001A-XX-5k; RL20001-XX-7.5k; RL20001A-XX-7.5k; RL20001-XX-10k; RL20001A-XX-10k; RL20001-XX-15k; RL20001A-XX-15k; RL20001-XX-20k; RL20001A-XX-20k; RL20001A-XX-25K & RL20001A-XX-30K							
91-064 04/24/91	Rice Lake Weighing Systems	Indicating Elements	UniWeigh					Personal Computer
	see certificate for specific specifications							
91-132 08/22/91	Rice Lake Weighing Systems	Indicating Elements	IQ + 310 - YY	III/III L	10,000			Electronic
91-138 05/05/92	Rice Lake Weighing Systems	Indicating Elements	FB-XXX	III	5,000	see below	see below	Flexure Lever, Load Cell
	FB2430-2K, FB3030-2K, FB3636-3K, FB4848-2K, FB3846-3K, FB3846-10K FB4848-5K, FB4848-10K, FB4848-20K, FB4860-5K, FB4860-10K, FB4860-20K, FB4872-5K, FB4872-10K, FB4872-20K, FB6060-5K, FB6060-10K, FB6060-20K, FB6072-10K, FB6072-20K, FB6084-10K & FB6084-20K. Capacities: 2,000 lb, 3,000 lb, 5,000 lb, 10,000 lb & 20,000 lb. Platform sizes: 24" x 24", 30" x 30", 36" x 36", 48" x48" 38"x 46", 48" x 48", 48" x 60", 48" x 72", 60" x 60", 60" x 72", 60" x 84".							
91-146 03/26/92	Rice Lake Weighing Systems	Bench and Counter Scale	CW40 Series	III	3000	5lb - 1000 lb	10"x10" - 24"x24"	Digital Electronic
	CW40-5; CW40-10; CW40-30; CW40-60; CW40-100; CW40-60A; CW40-100A; CW40-150; CW40-200; CW40-300; CW40-60B; CW40-100B; CW40-150A; CW40-200A; CW40-300A; CW40-500; CW40-1000; CW40-60C; CW40-100C; CW40-150B; CW40-200B; CW40-300B; CW40-500A & CW40-1000A.							
91-166	Rice Lake Weighing Systems	Load Cell	RL8C2P1	III L		50K - 200K lb		IN PROCESS
91-167 12/12/91	Rice Lake Weighing Systems	Load Cell	RL75223	III L	10,000 MC	50K, 65K, 100K		Double Ended Shear Beam
92-001 03/16/92	Rice Lake Weighing Systems	Bench and Counter Scale	XxXHP-YYK	III	5000	see below	see below	Low Profile-Load Cell Elect.
	2x2HP-2K; 2.5x2.5HP-2K; 3x3HP-2K; 4x4HP-5K; 4x4HP-10K; 4x5HP-5K; 4x5HP-10K; 4x6HP-5K; 4x6HP-10K; 5x5HP-5K; 5x5HP-10K; 5x6HP-5K; 5X6HP-10K; 5x7HP-5K & 5x7HP-10K. Capacity - 2000; 5000; 10000. Platform - 2x2'; 2.5x2.5'; 3x3'; 4x4'; 4x5'; 4x6'; 5x5'; 5x6'; 5x7'							
92-013 03/26/92	Rice Lake Weighing Systems	Indicating Elements	IQ+810-XY	III/III L	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-018	02/04/92	Rice Lake Weighing Systems		Load Cell	RL75040A-XXK	III L	10,000 MC	25K - 125K lb		Double Ended Shear Beam
92-097		Rice Lake Weighing Systems		Load Cell	RL70000B					IN PROCESS
RSB Engineers/Planners, Inc.										
88-290.A1	11/02/90	RSB Engineers/Planners, Inc.	SP 1011, SP 1012, SP 1013, SP 1014, SP 1015, SP 1016, SP 1017, SP 1003, SP 1004, SP 1005, SP 1006, SP 1007 & SP 1008.	Vehicle Scale	SP 1000 Series	III L	10,000	200,000 lb		Load Cell Electronic
88-290A1	08/21/90	RSB Engineers/Planners, Inc.	see certificate for specific models, capacities and platform sizes.	Indicating Elements	SP 1000 Series	III L	10,000	see below	see below	Load Cell Electronic
Rudda Meter Inc.										
88-177	02/15/89	Rudda Meter Inc		Taximeter	RM 1500			$999.99		Digital Electronic
Samson Scale Co. Inc.										
91-115	05/05/92	Samson Scale Co. Inc.		Crane Scale	SM 10000	IIIL	2,000	10,000 x 5 lb		Digital Electronic
Santa Rosa Scale Company										
90-063	04/18/90	Santa Rosa Scale Company	SR3, -4A, -5, -50, -6, -6A, -7, -7A, -7B, -8, -8A, -8B, -9, -9A, -9B, -10, -10A, -10B, -11, -11A, -12, -12A	Floor Scales	SR-XXX	III	4,000	2,000 - 20,000 lb	24"x30" - 60"x84"	Flexure Lever, Load Cell
Sanyo Business Systems Corp.										
86-020	11/04/86	Sanyo Business Systems Corp.	580-6B, 580-12B, 580-14B	Cash Register	580					Digital Electronic
90-102	11/02/90	Sanyo Business Systems Corp.		Cash Register	ECR-635					Stand Alone
90-102.A1	01/03/91	Sanyo Business Systems Corp.		Cash Register	ECR-635 & ECR-645					Stand Alone

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-120	09/17/90	Sanyo Business Systems Corp.		Cash Register	ECR 690					Digital Electronic
Sartorius Corporation										
88-119	09/09/88	Sartorius Corporation	L420S-*U2, L220S-*U2, L220S-XU2, L2200S-*U2, L2200S-XU2, L310-*U2, L310-XU2, L610-*U2, L610-XU2	Jewelers' Balance	L Series	II	42,400	424 g	5" dia.	Grain Test Scale
88-120	09/09/88	Sartorius Corporation	U6100-*U2, U6100-XU2, U6-*U2, U6-XU2, X1493-*U2, X1493-XU2, X1493-*U2.1, X1493-XU2.1	Jewelers' Balance	U and X Series	II	6,100	6,100 g	5" dia.	Digital Electronic
88-121	09/09/88	Sartorius Corporation	E4800S-*U2, I4800S-*U2, I1000S-*U2, E12000S-*U2, E12S-*U2, I12000-*U2, I12S-*U2, I6800-*U2, I6-*U2	Jewelers' Balance	E and I Series	II	48,400	4840 g	235 mm x 190 mm	Grain Test Scale
88-122	09/09/88	Sartorius Corporation	P500-*U2, P5-*U2	Jewelers' Balance	P Series	II	5,050	505 g	110 mm Diameter	Grain Test Scale
88-123	09/09/88	Sartorius Corporation	H51-*U2, H120-*U2, H310-*U2, G150D-*U2	Jewelers' Balance	H and G Series	II	31,000	31 g	63 mm Diameter	Grain Test Scale
88-124	09/09/88	Sartorius Corporation	I24-*U2, I16000-*U2	Bench and Counter Scale	I Series	II	24,200	24.2 kg	11.75 " x 9.25 "	Digital Electronic
88-125	09/09/88	Sartorius Corporation	Class II scales: F61S-*U2**B, F61S-XU2**B, F150S-*U2, F150S-XU2, F300S-*U2, F300S-XU2. Class III scales: F61S-*U3**B, F61S-XU3**B	Bench and Counter Scale	F Series	II/III	15,150	61 kg	23.5 " x 31.5 "	Digital Electronic
88-187	11/01/88	Sartorius Corporation		Jewelers' Balance	X1493-X	II	6,100	6,100 x 0.1g	5.9" x 4.6"	Explosion Proof Electronic
Scaime S.A.										
90-023P	03/14/90	Scaime S.A.		Load Cell	AE Series	III	3,000 S	10 to 100 kg		Single-point beam load cell
91-051P	04/18/91	Scaime S.A.	AG 5, AG 10, AG 15, AG 20, AG 30, AG 50, AG 75 & AG 100.	Load Cell	AG Series	III	S-Cell: 5000	5 kg - 100 kg		Single Point Flexion Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Scale Data Systems										
87-015	06/16/87	Scale Data Systems		Printer	4000					Inbound/outbound vehicle scale
Scales Unlimited Inc.										
91-013	03/12/92	Scales Unlimited Inc.	CLC: 48,000 lb, 2 sections	Vehicle Scale	AGES Series	III L	6000	72,000 lb	12.5"-40 x 10"	Load Cell Electronic
91-014	03/12/92	Scales Unlimited Inc.		Indicating Elements	AGES 3PL					Scale System Controller
92-017		Scales Unlimited Inc.		Vehicle Scale	AGES 10010					IN PROCESS
Schlumberger Technologies, Inc.										
89-140	08/21/90	Schlumberger Technologies, Inc.	Meter Size: 3/4 inch, 1 inch, 1-1/4 inch, 1 1/2 inch, 2 inch. Capacity: 2-1/2 to 14 gpm, 3-1/2 to 18, 5 to 30, 12 to 60, 20 to 100. Application: For use in measurement of LPG, For use with compatible indicator with NTEP CC. NOTE: Upgrade to full CC based on CA test on 1" and no comments on pre-NTEP CC.	LPG Liquid Meter	Red Seal Type 4D Com			See notes below		Mechanical
89-140PN	11/03/89	Schlumberger Technologies, Inc.		LPG Liquid Meter	4D					Mechanical
90-017	10/09/90	Schlumberger Technologies, Inc.		LPG Liquid Meter	83l & 833					Analog Indicating
90-017PN	01/30/90	Schlumberger Technologies, Inc.		LPG Liquid Meter	831 & 833					
90-041	04/25/90	Schlumberger Technologies, Inc.		Vehicle Tank & LPG Meter	Type 4					Analog Indicating
90-067	04/18/90	Schlumberger Technologies, Inc.		Service Station Consoles/ECR	MMX 3000					Point-of-Sale Terminal
90-067A1	03/31/92	Schlumberger Technologies, Inc.	Generic Name: Micro-Max 3000	Service Station Consoles/ECR	MMX 3000					Digital Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-148 10/18/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS R CT X X X XX		$9.999 U.P.	$999.99 Total $	999.99 Vol Units	Dig. Comp. RMFD
		EPS = Basic Model Number, R = Remote submersible pump, CT = Calcutrim, Blank = Standard Construction or V = Vapor Recovery, DS = Hoses on both sides or SS = Hoses on one side, 1 - 4 = Number of Products; 2,3,4 or 6 = Number of Hoses.							
90-148 11/02/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS R CT X X X XX			SEE BELOW		Digital Computing
		Generic Name: Calcutrim, Capacities: $999.99 total money, 999.99 volume units, $9.999 unit price							
90-149 10/18/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS RC I X X X XX		$9.999 UP	$999.99 Total $	999.99 Vol Units	Elec. Comp. RMFD
		Model designations and suffixes: EPS = Basic Model Number, RC = Remote Calcutron (submersible), I = Intermediate size, Blank = Standard Construction OR L = dispenser longer than 7 feet, 1, 2, or 8 = # hoses - 1 or 4 = # Products DS = Hoses on both side s or SS = Hoses on one side.							
90-149 11/02/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS RC I X X X XX			SEE BELOW		Electronic Computing
		Generic Name: Calcutron, Capacities: $999.99 total money, 999.99 volume units, $9.999 unit price.							
92-052	Schlumberger Technologies, Inc.		POS Scale	see below					IN PROCESS
		Chevron US06-17.1, Chevron CA-3000, Amoco 1.XX, Texaco 5.XX.							
Schmidt Electronic Laboratories									
86-003 06/13/86	Schmidt Electronic Laboratories		Taximeter	G2S		99999	$999.99		Digital Electronic
Scientech, Inc.									
88-027 03/24/88	Scientech, Inc.		Jewelers' Balance	5550	II	50,000	50 x 0.01 g	4.5 " Diameter	Digital Electronic
SCOOP Logic Group									
92-057 04/08/92	SCOOP Logic Group		NO DEVICE TYPE	A-21 S					Personal Computer
Seca Corporation									
91-022 03/07/91	Seca Corporation		Bench and Counter Scale	920C	III	880	440 x .5 lbs	12" x 12"	Digital Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Seedburo Equipment Company									
91-153 03/16/92	Seedburo Equipment Company	2500 (0-500g); 4000(0-2000g)	Grain Test Scale	8800A	III	see below	500x0.2/2000x0.5g	15cm x 12.5 cm	Digital Electronic
91-153A1 04/09/92	Seedburo Equipment Company	N-max: 2500(0-500g); 4000(0-2000g). Capacities: 500 x 0.2g/2000 x 0.5g	Grain Test Scale	8800A	III	see below	see below	15cm x 12.5cm	Digital Electronic
Seltec Corporation									
87-039 09/25/87	Seltec Corporation		Indicating Elements	AD500	III L	10,000			Superseded by 87-039A
87-039A 10/28/88	Seltec Corporation	BL 500, AB 500, CB 500	Indicating Elements	AD 500	III L	10,000			Digital Electronic
Sensortronics									
86-043 09/30/88	Sensortronics		Load Cell	60001A	III/III L	5K,10K S	750-7500 lb		Type S Load Cell
86-043 Amended 03/27/91	Sensortronics	Capacity: SC-Class III, 5000/SCells, Class III L, 10,000. 60001A25, 60001A50, 60001A75, 60001A100, 60001A150, 60001A200, 60001A300, 60001A500, 60001A750, 60001A1K, 60001A1.5K, 60001A2K, 60001A2.5K, 60001A3K, 60001A4K, 60001A5K, 60001A7.5K, 60001A10K, 60 001A15K, 60001A20K, 60001A25K & 60001A30K.	Load Cell	60001A-XX	III/III L	see below	25 - 20,000 lb		S-Beam Tension
86-043P 12/10/87	Sensortronics		Load Cell	60001A	III/IIIL	5K/10K S	250 -2500 lb		Superseded by 86-043
86-043PA1 05/25/89	Sensortronics	Capacities (lb): 250: 500: 10,000: 15,000: 20,000	Load Cell	60001A	III/III L	5000 S	250 to 20,000 lb		Superseded by 86-043
86-044 05/24/88	Sensortronics		Load Cell	65023A	III	5000 M	1000 to 10000 lb		Shear Beam Compression
86-044.A2	Sensortronics		Load Cell	65023A	III	3kS/5kM	1000 to 10000 lb		IN PROCESS
86-044A1 05/25/89	Sensortronics		Load Cell	65023A	III	3000 S	1000 - 10000 lb		Shear Beam, Compression

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-044P	12/10/87	Sensortronics		Load Cell	65023A	III	5,000 S	1k - 10k lb		Superseded by 88-044
86-045	05/24/88	Sensortronics		Load Cell	65040A	III L	10,000 M	25k-125k lb		Double Ended Shear Beam
86-045P	12/10/87	Sensortronics		Load Cell	65040A	IIIL	10,000 M	25k - 125k		Superseded by 86-045
86-046	02/10/89	Sensortronics	Capacities (lb): 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 90,000: 100,000: 125,000	Load Cell	65058A	III L	10,000 M	20,000-125,000 lb		Superseded by 86-046.A1
86-046.A1	07/01/91	Sensortronics		Load Cell	65058	III L	10,000 M	20k - 200k lb		Double Ended Shear Beam
86-046P	12/10/87	Sensortronics		Load Cell	65058A	III	10,000 M	20k - 125k		Superseded by 86-046
86-046PA	07/25/88	Sensortronics		Load Cell	65058A	III L	10,000 M	20k-125k lb		Superseded by 86-046
87-052P	12/10/87	Sensortronics	Capacities (lb): 100, 200, 400, 500, 1000	Load Cell	60048A	III	5,000 S	100 - 1k lb		Bending Beam
87-053	01/26/89	Sensortronics	Capacities (lb): 10,000: 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 100,000	Load Cell	65061A	III L	10,000 M	10k - 100k		Double Ended Shear Beam
87-053P	12/10/87	Sensortronics		Load Cell	65061A	III L	10000 M	10K to 100K lb		Superseded by 87-053
87-054P	12/10/87	Sensortronics	Capacities: 2500, 5000, 10000, 15000, 25000	Load Cell	65016A	III L	10,000 M	2.5k - 25k		Shear Beam Center Loaded Cell
88-298		Sensortronics	n=3,000 S/5,000 M	Load Cell	65023S	III	see below	1,000 - 10,000 lb		IN PROCESS
88-298P	01/26/89	Sensortronics	Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000	Load Cell	65023S	III	5000 M	1000 to 10000 lb		Superseded by 88-298PA1

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-298P.A2 02/21/91	Sensortronics	N-max: SC-3000, MC-5000.	Load Cell	65023S	III	see below	1000 - 10,000 lb		Shear Beam Compression
88-298PA1 06/16/89	Sensortronics	Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000	Load Cell	65023S	III	3K S, 5K M	1,000 - 10,000 lb		Shear Beam Compression
91-011 03/27/91	Sensortronics	Capacity: SC-Class III: 5000/SCells-Class III L: 10,000. 60001A250, 60001A300, 60001A500, 60001A750, 60001A1K, 60001A1.5K, 60001AK & 60001A2.5K.	Load Cell	60001A-XX-1166	III/III L	see below	250 - 2500 lb		S-Beam Tension
91-011P 01/11/91	Sensortronics		Load Cell	60001A-XX-1166					
Sharp Electronics Corporation									
92-070 05/06/92	Sharp Electronics Corporation	ER-3110 (The Model ER-3110 is identical to the ER-3250 but utilizes a flat keyboard).	Service Station Consoles/ECR	ER-3250					
92-071 05/06/92	Sharp Electronics Corporation		Service Station Consoles/ECR	ER-2595					
Shekel Electronic Scales									
89-133 A2 01/03/91	Shekel Electronic Scales	SC-150P; SC-15G	POS Scale	SC 150	III	3000	30 x 0.01 lb	14.25" X 10.5"	Digital Electronic
89-133P 01/30/90	Shekel Electronic Scales	Advance Retail Systems Inc. Model HT-1000	POS Scale	SC 150	III	3000	30 x 0.01 lb	14.25" x 10.5"	Superceded by 89-133PA1
89-133PA1 04/25/90	Shekel Electronic Scales	SC-150-P, POSISCALE 3030, Advance Retail Systems Inc. Model HT-1000	POS Scale	SC 150	III	3,000	30 x 0.01 lb	14.25" x 10.5"	Digital Electronic
91-071 05/15/91	Shekel Electronic Scales		POS Scale	SC250-Q	III	3000	30 x 0.01 lb	16.25" x 10"	Digital Electronic
Smith Meter Inc.									
89-013PN 05 01 89	Smith Meter Inc		Indicating Elements	AL-1-XU, AL-2-XU					Digital Electronic Wh.sl Meter

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-055 08/17/89	Smith Meter Inc.	Marketing Name: AccuLoad II	Wholesale Meter	ALII-XU0-STD-STD-034			99,999 gallons		Digital Electronic
89-055A1 10/02/89	Smith Meter Inc.		Wholesale Meter	ALII-XU-O-STD-034			99,999 gal		
89-098 10/12/89	Smith Meter Inc.	Generic Name: MiniLoad	Wholesale Meter	ML-X-XX-XXX-STD					Digital Electronic
91-134 08/28/91	Smith Meter Inc.		Indicating Elements	ACCULOAD II-SEQ					Digital Electronic
92-074 05/06/92	Smith Meter Inc.	Device Description: Positive Displacement Meter. Vehicle Tank or Stationary Mount. Product: Liquid Concrete Admixture	Wholesale Meter	I-75					Wholesale Measuring Element
Sooner Scale, Inc.									
90-050PN 04/25/90	Sooner Scale, Inc.		Livestock Scale	PS 18 x 7					
90-050PN Amend 06/14/90	Sooner Scale, Inc.	CLC: 6,750 lb	Livestock Scale	PLS 18 x 7	IIIL	2,000	10,000 lb	18" x 7";2 sect.	Portable Electronic
92-039 03/25/92	Sooner Scale, Inc.	CLC: 60,000	Vehicle Scale	701030-6	III L	6000	120K x 20 lb	70" x 10"	Load Cell Electronic
Southwest Pump Company									
88-085 04/29/88	Southwest Pump Company	ECS-1-800, -1A-800, -1-1200, -1A-1200, -1-1600, -1A-1600, -1-2000, -1A-2000, -1-2400, -1A-2400	Service Station Consoles/ECR	ECS Series					Digital Service Station Con.
88-086 05/04/88	Southwest Pump Company		Retail Motor Fuel Dispenser	2XX0-X-X-X series					Superseded by 88-086A
88-086A 02/10/89	Southwest Pump Company	2020-X-X-X, 2040-X-X-X	Retail Motor Fuel Dispenser	2XX0-X-X-X Series			999.999 gal		Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-125PN 01/30/90	Southwest Pump Company 640-S, 640-T-S, 640-MT-S	Retail Motor Fuel Dispenser	640 Series					Electronic Computing
89-161PN 01/30/90	Southwest Pump Company 660, 660-S, 661, 661-S, 661-REM, 661-T-REM, 662, 662-S, 662-REM, 662-S-REM	Retail Motor Fuel Dispenser	660 Series					Electronic Computing
90-013 02/14/90	Southwest Pump Company	Service Station Consoles/ECR	M268 REG., M268 BASE					Digital Electronic
91-133 08/07/91	Southwest Pump Company	Retail Motor Fuel Dispenser	4000 Series					
91-133A1 05/05/92	Southwest Pump Company See certificate for specific model numbers. Capacities: 999.999 Gallons/Liters, $9999.99 Total Sale, 9.999 Unit Price.	Retail Motor Fuel Dispenser	4000 Series			see below		Digital Electronic
Southwestern Scale Co., Inc.								
88-265P 10/28/88	Southwestern Scale Co., Inc. The model designation consists of the platform length and the scale capacity in tons followed by the series designation. Example: 3530-LPS where the scale is 35 feet long with a 30 ton capacity. Optional capacities: 60,000 lb, 100,000 lb, and 150,000 lb. Optional platform sizes: 35' x 10', 60' x 10', and 80' x 10'	Vehicle Scale	LPC and LPS Series	III L	60000	30 tons	70 ' x 10 '	Digital Electronic
88-273 08/21/90	Southwestern Scale Co., Inc. concentrated load capactiy: 45,000 lb	Vehicle Scale	6070-PV	III L		120k x 20 lb	70" x 10"	Portable Mechanical
88-273P 03/01/89	Southwestern Scale Co., Inc.	Vehicle Scale	6070-PV	III L		120,000x 20 lb	70 x 10'	Portable Electromechanical
SP Systems, Incorporated								
88-290 05/01/89	SP Systems, Incorporated SP 1011, -1012, -1013, -1014, -1015, -1016, -1017, -1003, -1004, -1005, -1006, -1007, -1008	Vehicle Scale	SP 1000 Series	III L	10000	200,000 lb	see certificate	Load Cell Electronic
Spectra Physics								
89-138 01/10/90	Spectra Physics	POS Scale	760SLS	III	3000	30 x 0.01 lb	17" x 11"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-147	01/10/90	Spectra Physics		POS Scale	760SLS-RD	III				Digital Electronic
Sponsler Company Inc.										
92-066		Sponsler Company Inc.		NO DEVICE TYPE	xxxxxx					IN PROCESS
Sterling Scale Company, Inc.										
86-027	11/12/86	Sterling Scale Company, Inc.		Indicating Elements	6000 Plus	III L	10000			
88-260	02/10/89	Sterling Scale Company, Inc.		Indicating Elements	DW650	III/III L	5K,10K			Digital indicating element
90-038	04/25/90	Sterling Scale Company, Inc.		Indicating Elements	DW750	III, III L	10,000			Digital Indicator
Stores Automated Systems, Inc.										
90-009	07/02/90	Stores Automated Systems, Inc.		Cash Register	SuperStar					CPU
90-009 Amended	11/08/90	Stores Automated Systems, Inc.		Cash Register	SuperStar					ECR interfaced with scales
		The SASI SuperStar cash register consists of: Model PR 1028 printer, Model KB 1028 keyboard, Model MN 1028 display.								
90-009, Amended	11/06/90	Stores Automated Systems, Inc.		Cash Register	SuperStar					ECR interfaced with scales
		Certificate supersedes 90-009.								
Stress-Tek, Incorporated										
88-264	01/26/89	Stress-Tek, Incorporated		Hanging Scale	ST-300	III	1,500	300 lb		Digital Electronic
Sun Electric Corporation										
89-159	05/04/90	Sun Electric Corporation		Cash Register	SM-960					Digital Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-159 Amended 06/04/90	Sun Electric Corporation		Cash Register	SM-960					Digital Electronic
89-160 12/20/89	Sun Electric Corporation	SR-896-1, SP-894, SS-895-1, SS-895, SS-890, SS-960	Service Station Consoles/ECR	SR, SP, SS					Digital Electronic
89-160 Amended 05/04/90	Sun Electric Corporation	System consists of these models: SR-896-1 Island Card Reader (ICR), SP-894 Island Receipt Printer (IRP), SS-895-1 Dual Stand (Island Pedestal), SS-895 Single Stand (Island Pedestal), SM-890 Electronic Cash Register & SM-960. Electric Cash Register (ECR	Service Station Consoles/ECR	see below					Digital Electronic
89-160 Amended 05/04/90	Sun Electric Corporation	SR-894 Island Receipt Printer (IRP), SS895-1 Dual Stand SS-895 Sigle Stand, SM-890 Electronic Cash Register, SM-960 Electric Cash Register (ECR).	Service Station Consoles/ECR	SR-896-1					Digital Electronic
Sun Refining and Marketing Company									
92-031PN 03/25/92	Sun Refining and Marketing Company		Retail Motor Fuel Dispenser	Series E-511					Electronic Computing
Sun Scale Inc.									
90-171P 01/04/91	Sun Scale Inc.		Load Cell	SHS Series	III	5000	1000 to 10,000 lb		Single-Ended Bending Beam
Suntronic Technology Group									
92-015	Suntronic Technology Group		Retail Motor Fuel Dispenser	SM996					IN PROCESS
Superior Load Cell									
88-018P 03/14/88	Superior Load Cell		Load Cell	AW900	III L	5000 M	20K to 100K lb		Superseded by 88-018PA
88-018P2 09/26/88	Superior Load Cell	AW 900 and DSB-20 Series	Load Cell	AW900	III L	5,000 M	20 k to 100 k lb		Superseded by 88-018PA
88-018PA 04/07/88	Superior Load Cell	The two model series are DSB-20 and AW900. The model designation will have a suffix reflecting the capacity of the load cell.	Load Cell	AW900	III L	10,000 M	20k- 100k lb		Superseded by 89-006P

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity / Platform size	Comments
88-034P 04/07/88	Superior Load Cell	Load Cell Capacity (lb): 2,500, 5,000, 10,000, 15,000, 20,000	LSB- and AW600-XXK	III L	5000 M	2500 to 20000 lb	Superseded by 88-034PA2
88-034PA2 02/23/90	Superior Load Cell	Load Cell	LSB & AW600 Series	III L	10,000 M	2.5 k -20 k lb	WITHDRAWN
88-068P 05/26/88	Superior Load Cell	Load Cell AW200, AW200A, SSB-1k, SSB-2.5k, SSB-5k	AW200 & SSB	III L	10,000 M	1k - 5k lb	Superseded by 88-068PA2
88-068PA2 08/02/89	Superior Load Cell	Load Cell AW200-1K, AW200-2.5K, AW200-5K, AW200A-1K, AW200A-2K, AW200A-2.5K, AW200A-4K, AW200A-5K, AW201A-1K, AW201A-2K, AW201A-2.5K, AW201A-4K, AW201A-5K, AW202-1K, AW202-2K, AW202-2.5K, AW202-4K, AW202-5K	AW200 & SSB	III L	10,000 M	1k - 5k lb	Single Ended Shear Beam
88-295P 01/25/89	Superior Load Cell	Load Cell Capacities (lb) 150, 200, 300, 500, 750, 1000, 1200	AW 1700	III	5,000 S	150 to 1,200 lb	Shear Beam
88-313	Superior Load Cell	Load Cell	AW400	III L	10,000 M	15k to 125k lb	IN PROCESS
88-313P 05/25/89	Superior Load Cell	Load Cell AW400-15K, -20K, -30K, -40K, -50K, -60K, -75K, -100K, -125K	AW400	III L	10,000 MC	15K to 125K lb	Double-Ended Shear Beam
89-006P 02/23/90	Superior Load Cell	Load Cell	AW900	III L	10,000 M	20k to 100k lbs	WITHDRAWN
89-052P 08/17/89	Superior Load Cell	Load Cell AW300-250, -500, -750, -1K, -1.5K	AW300	III	3000 S	250 to 1500 lb	Cantilever "S" Cell, Tension
89-142P 04/25/90	Superior Load Cell	Load Cell AW-200-1K, -200A-1K, -201A-1K, -202-1K, -203-1K, -200-2K, -200A-2K, -201A-2K, -202-2K, -203-2K, -200-2.5K, -200A-2.5K, -201A-2.5K, -202-2.5K, -203-2.5K, -200-4K, -200A-4K, -201A-4K, -202-4K, -203-4K, -200-5K, -200A-5K, -201A-5K, -202-5K, -203-5K	AW200 Family	III	4,000 M	1,000 - 5,000 lb	Shear Beam
89-142P.A1 03/07/91	Superior Load Cell	Load Cell AW-200-1K, AW-200A-1K, AW-201A-1K, AW-202-1K, AW-203-1K, AW-200-2K, AW-200A-2K, AW-201A-2K, AW-202-2K, AW-203-2K, AW-200-2.5K, AW-200A-2.5K, AW-201A-2.5K, AW-202-2.5K, AW-203-2.5K, AW-200-4K, AW-200A-4K, AW-201A-4K, AW202-4K, AW-203-4K, AW-200-5K, AW-200 A-5K, AW-201A-5K, AW-202-5K & AW-203-5K.	AW-200	III	MC: 4,000	1,000 to 5,000 lb	Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-052	03/27/90	Superior Load Cell	AW600B-2.5K, -5K, -10K, -15K, -20K. Capacities (lb): 2,500, 5,000, 10,000, 15,000, 20,000	Load Cell	AW600B Series	III	5,000 M	2,500 - 20,000 lb		Shear Beam, Tension
90-052.A1	03/07/91	Superior Load Cell	The model desgnation for the series is AW600B-XXK where XXK is the load cell capacity in thousands (K) pounds. Models: AW600B-2.5K, AW600B-5K, AW600B-10K, AW600B-15K & AW600B-20K.	Load Cell	AW600B Series	III	MC: 5,000	2500 to 20k lb		Shear Beam, Tension
90-090	06/12/90	Superior Load Cell	AW900B-20K, AW900B-25K, AW-900B-30K, AW900B-40K, AW900B-50K, AW901B-50K, AW900B-60K, AW900B-60KL, AW901B-65K, AW900B-75K, AW900B-75KL & AW900B-100K.	Load Cell	AW900B	III L	10,000	20k to 100k		Double-Ended Shear Beam

Syracuse Scale Co, Inc.

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-101	09/17/90	Syracuse Scale Co, Inc.	CLC: 80,000 lb	Vehicle Scale	ALVS-6080	IIIL	8,000	160k x 20 lb	60" x 10" 3 sect.	Load Cell Electronic
90-139	09/26/90	Syracuse Scale Co, Inc.	These load cells are marketed under the brand name "Atlas." The specific models covered by this certificate are: ALC850-2OK, ALC850-25K, ALC850-30K, ALC850-40K, ALC850-50K, ALC901B-50K, ALC850-60K, ALC850-60KL, ALC901B-65K, ALC850-75L, ALC850-75KL & ALC850-100K.	Load Cell	ALC850	III L	MC 10,000	20k to 100k		Double-Ended Shear Beam

Systems Associates, Incorporated

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-084	06/08/88	Systems Associates, Incorporated	NP1260, -2000, -2600	Railroad Track Scale	NP Series	III L	4,000	200,000 x 100 lb		Digital Railroad Scale
88-301	01/25/89	Systems Associates, Incorporated		Indicating Elements	525	III/III L	10,000			Digital Electronic

Tanita Corporation

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-023	03/07/91	Tanita Corporation		Bench and Counter Scale	BWB-620A	III	4,400	400 x 0.1 lbs	12.625" x 13.50"	Digital Electronic
91-023A1	05/05/92	Tanita Corporation	other capacity: 200 x 0.05 kg.	Bench and Counter Scale	BWB-620A	III	4,400	440 x 0.1 lb	12.625" x 13.50"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Tara Systems										
91-077	03/03/91	Tara Systems		Indicating Elements	TR-1	III/III L				
91-077.A2	03/16/92	Tara Systems	n-max: Class III: 5000; Class IIIL: 10000	Indicating Elements	TR-1	III/IIIL	see below			Digital Electronic
TARE Incorporated										
92-027	01/27/92	TARE Incorporated	SC-Class III: 5,000; SC-Class III L: 10,000. Other Models: S-60001A25, S60001A50, S-60001A75, S-60001A100, S-60001A150, S-60001A200, S-60001A250, S-60001A300, S-60001A500, S-60001A750, S-60001A1K, S-60001A1.5K, S-60001A2K, S-60001A2.5K, S-60001A3K, S-60001A4K, S-60001A5K, S-60001A7.5K, S-60001A10K, S-60001A15K, S-60001A20K, S-60001A25K & S-60001A30K.	Load Cell	S-60001A-XX	III & IIIL	see below	25 - 20,000 lb		S-Beam Tension
TEC America, Inc.										
87-030	07/14/87	TEC America, Inc.		Cash Register	MA-1190	N/A				Electronic Cash Register
87-043	09/14/87	TEC America, Inc.	SL-39-15L-N	Computing Scale	SL-39-30L-N	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-044	09/14/87	TEC America, Inc.		Computing Scale	SL-37-15L-N	III	1,500	15 x 0.01 lb		Digital Computing Scale
87-045	09/14/87	TEC America, Inc.		Cash Register	MA-290					Electronic Cash Register
87-046	09/14/87	TEC America, Inc.		Computing Scale	SL 59-30L	III	3000	30 x 0.01 lb	240 mm x 350 mm	Digital Electronic
87-047	09/14/87	TEC America, Inc.		Prepackaging Scale	SL 31-50R	III	5,000	50 x 0.01 lb	27x40 cm	Digital Prepackaging Scale
87-048	09/14/87	TEC America, Inc.		Computing Scale	SL 43-100	III	4,999	99.98x0.02lb	15-5/8" x 12"	Digital Weighing Element
87-049	09/14/87	TEC America, Inc.		Computing Scale	SL-66-30-L	III	3,000	30 x 0.01 lb	9.5" x 13.75"	Digital Computing Scale

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-049 Amended	11/05/90	TEC America, Inc.		Computing Scale	SL-60-30-L	III	3,000	30 x 0.01 lbs	9.5" x 13.75"	Digital Electronic
87-049A2	08/27/91	TEC America, Inc.	SL-6600-30-9	Computing Scale	SL-66-30-1	III	3,000	30 x 0.0l lbs	9.5"x 13.75"	Digital Electronic
87-122	02/17/88	TEC America, Inc.		Computing Scale	SL-57-30l-n	III	3,000	30 x 0.01 lb	240 mm x 350 mm	Digital Computing Scale
88-269	03/01/89	TEC America, Inc.		Cash Register	MA 1900					Digital Electronic
88-270	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-39-50-N	III	5,000	50 x .01 lb.	350 mm x 240 mm	Digital electronic
88-271	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-37-08L	III	1,500	7.5 x .005 lb.	300 mm x 230 mm	Digital Electronic
89-021	05/01/89	TEC America, Inc.	SL-47-30-L-N	POS Scale	SL-47-50-L-N	III	5,000	50 x 0.01 lb.	13-1/2" x 12"	Digital Electronic
89-099	08/21/89	TEC America, Inc.		Cash Register	FDS-50					Digital Electronic
90-062	04/18/90	TEC America, Inc.		Computing Scale	SL 5900-3(x)-C(X)-US	III	3,000	30 x 0.01 lbs	240 mm x 350 mm	Digital Electronic
90-062.A1	04/18/91	TEC America, Inc.		Computing Scale	SL 5900-3(X)-C(Y)-US	III	3,000	30 x 0.01 lb	240mm x 350 mm	Digital Electronic
91-025	02/05/91	TEC America, Inc.		Cash Register	MA-1600 & FDS-30					Stand Alone
91-096	03/12/92	TEC America, Inc.	SL-2200-15-US	Computing Scale	SL-2200-30-US	III	3000	30 x 0.01 lb	9.8" x 11.6"	Digital Electronic
91-142	04/10/91	TEC America, Inc.		Service Station Consoles/ECR	MA 1700					Stand Alone

CC No. / Date	Company Name / Other Models	Device Type / Model	Accuracy Class	n	Capacity / Platform size	Comments
Tech 21						
91-159 03/16/92	Tech 21	Retail Motor Fuel Register 715500 UDC-T/ UDC II				Solid State Electronic
92-005 03/16/92	Tech 21 Max Volume Display: 999.99; Max Unit Price Display: 9.999	Retail Motor Fuel Dispenser CARD LOCK 1000				Card Activated Fuel Cont. Sys
TechLink Control Sys., Inc.						
92-006	TechLink Control Sys., Inc.	Retail Motor Fuel System 1100				IN PROCESS
Tedea Inc.						
89-053 09/24/90	Tedea Inc. The load cells in this family are identified by the capacities of the cells. Single cell, Class III: 3,000 - Multiple cells, Class III: 5,000.	Load Cell 3410	III	see below	1000 lb - 10k lb	Shear Beam
89-053.A1 03/07/91	Tedea Inc. n-max: single cell, class III: 3,000; multiple cells, class III: 5,000.	Load Cell 3140	III	see below	1,000 to 10k lb	Shear Beam
89-053P 05/25/89	Tedea Inc. n-max: SC,Class III: 3,000; MC, Class III: 5,000; Class III L: 10,000. Capacities (lb): 1,000, 1,500, 2,500, 4,000	Load Cell 3410	III & IIIL	see below	1000 - 4000 lbs	Shear Beam
89-053P.A2 09/24/90	Tedea Inc. The load cells in this family are identified by the capacities of the cells. Multiple Cells, Class III L: 10,000.	Load Cell 3140	III L	see below	1000 lb - 10k lb	Shear Beam
89-053PA1 05/15/90	Tedea Inc. Single Cell, Class III: 3,000 - Multiple Cells, Class III: 5,000 - Class III L: 10,000.	Load Cell 3410	III & IIIL	3,000	1,000 - 10,000 lb	Shear Beam
89-054 09/24/90	Tedea Inc. The load cells in this family are identified by the capacities of the cells.	Load Cell 1250	III	3,000	100 kg - 1,000 kg	Single Point
89-054P 05/25/89	Tedea Inc. Capacities (kg): 100, 150, 200, 250, 300, 500, 635, 1,001	Load Cell 1250	III L	3,000 S	50 kg - 1,000 kg	Single Point

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-074	09/24/90	Tedea Inc.		Load Cell	1010	III	3,000	5 to 50 kg		Three Beam, Single Point
			The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.							
89-074P	07/05/89	Tedea Inc.	Capacities (kg): 5, 7, 10, 11.36, 15, 20, 30, 50	Load Cell	1010	III	3,000 S	5 to 50 kg		Three Beam, Single Point
89-075	09/24/90	Tedea Inc.		Load Cell	1040	III	3,000	5 to 100 kg		Three Beam, Single Point
			The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.							
89-075P	07/05/89	Tedea Inc.	Capacities (kg): 5, 7, 10, 15, 20, 30, 50, 75, 100	Load Cell	1040	III	3,000 S	5 to 100 kg		Three Beam, Single Point
Tektra International										
89-035	05/02/89	Tektra International		Computing Scale	AS-3001P	III	3,000	30 x .01 lb	11-1/4" x 13-1/4"	Digital Electronic
Tele-Weight, Inc.										
88-172	08/30/88	Tele-Weight, Inc.		Indicating Elements	F-4V	III/III L	10,000			Livestosk Scale Indicator
88-172 A1	11/02/90	Tele-Weight, Inc.		Indicating Elements	TW-1	II/III L	10,000			Livestock Scale Indicator
88-172 A2	11/02/90	Tele-Weight, Inc.		Indicating Elements	TW-1	III L	10,000			Digital Electronic
88-172.A3	04/17/92	Tele-Weight, Inc.		Indicating Elements	TW-1	III L	10,000			Digital Electronic
91-158	10/28/91	Tele-Weight, Inc.		Printer	TP-1					Dot Matrix
The A. H. Emery Company										
88-143PN	06/17/88	The A. H. Emery Company	22-2020, -2520, -2525, -3025, -3030, -4030, -4035, -5035	Vehicle Scale	Econoweigh 22 Series	III L		20 - 50 tons	20'- 35' x 10 '	Mechanical Vehicle Scale

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-144PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Econoweigh 24 Series	III L		50-80 ton	50'- 70' x 10'	Mechanical Vehicle Scale
	Other Models: 24-5050, -5060, -6050, -6060, -6070, -8060, -8070							
88-145PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Portaweigh 34 Series	III L		40-100 ton	40'-70' x 10'	Portable Mech. Vehicle Scale
	Other Models: 34-4040, -5040, -5050, -5060, -6050, -6060, -6070, -8060, -8070, -10060, -10070							
88-146PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Roadweigh 12 Series	III L		20 - 50 tons	8'-34' x 10'	Mechanical Vehicle Scale
	Other Models: 12-208, -2010, -308, -3010, -3012, -2524, -2534, -3024, -3034, -5034							
88-147PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Roadweigh 14 Series	III L		50-100 ton	45'-70'x 10'	Mechanical Vehicle Scale
	Other Models: 14-5045, -5050, -5060, -5070, -6050, -6060, -6070, -8060, -8070, -10060, -10070							
88-148PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Portaweigh 32 Series	III L		20-60 tons	8'-35' x 10'	Portable Mechanical V.S.
	Other Models: 32-208, -2010, -308, -3010, -3012, -2520, -3020, -3025, -3030, -4025, -4030, -4035, -5035, -6035							
88-239P 01/25/89	The A. H. Emery Company	Load Cell	136	III L	10,000 M	75,000		Hydraulic
The Scale People, Inc.								
92-026 03/18/92	The Scale People, Inc.	Hanging Scale	2805-S	III	640	20 lb x 0.5 oz	Pan/other attach.	Mechanical Dial
The Scale Store								
91-037 04/01/91	The Scale Store	Indicating Elements	MXP-9900	III-IIIL	10,000			Digital Electronic
92-058	The Scale Store	Load Cell	TSS					IN PROCESS
Thurman Scale Company								
87-080P 11/30/87	Thurman Scale Company	Vehicle Scale	8530	III L	6,000	120k x 20 lb	70' x 10'	Load Cell Electronic
	Other Models: 8510, 8520, 8530, 8540							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-036	04/08/88	Thurman Scale Company		Vehicle Scale	8130 SAM	III L	10,000	200k x 20 lb	70'x 10'	Mechanical Pipe Lever
			Optional Capacities: 120,000 x 20 lb - Gross (35 ton sec.), 200,000 x 20 lb - Gross (45 & 60 ton sec.). Optional Sizes: 40' x 10', 50' x 10', 60' x 10', 70' x 10', 80' x 10', 100' x 10'. Optional Model: 8140 Steel pitless with side rails.							
88-037	03/01/89	Thurman Scale Company		Vehicle Scale	8120	III L	10,000	200k x 20 lb	60 ' x 10 '	Mechanical Pipe-Lever System
			Optional Model: 8110 (concrete deck). Optional Capacities: 100,000 x 20 lb, 45 ton sections: 120,000 x 20 lb, 35 and 60 ton sections: 200,000 x 20 lb, 45 and 60 ton sections. Optional Sizes: 30' x 10', 35' x 10', 40' x 10', 50' x 10', 60' x 10', 70' x 10', 80' x 10', 50' x 12', 60' x 12', 70' x 12'							
88-037A.1		Thurman Scale Company		Vehicle Scale	8120					
88-140PN	07/25/88	Thurman Scale Company		Indicating Elements	320 and 325	III	1,200			Dial Indicator
88-141PN	07/25/88	Thurman Scale Company		Hopper Scale	TTS Series	III				Mecahnical Lever System
			TTS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14. Capacity range 1,000 to 100,000 lb							
88-142PN	07/25/88	Thurman Scale Company		Hopper Scale	TBS Series	III				Hopper and Tank Scales
			TBS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13							
88-258P	02/10/89	Thurman Scale Company		Floor Scales	3500	III	2500	5,000 lb	3' x 3' - 5' x 7'	Electronic Load Cell
			Capacities (lb): 1000, 2500, 5000							
89-016P	11/08/89	Thurman Scale Company		Vehicle Scale	8560	III L	10,000	200,000 x 20 lb	70'x10' (4)sec.	Load Cell Electronic
			CLC: 90,000 lb. Capacities (lb): 120,000 and 200,000							
89-089	11/07/89	Thurman Scale Company		Floor Scales	3500	III	5000	1000 lb	3' x 3'	Load Cell Electronic
90-109P	08/07/90	Thurman Scale Company		Vehicle Scale	8550	III L	10,000	200,000 x 20 lb	70" x 10"	Digital Electronic
			CLC: 90,000 lb							
91-007	02/12/91	Thurman Scale Company		Indicating Elements	430	III/IIIL	10,000			Digital Electronic
91-008	01/12/91	Thurman Scale Company		Indicating Elements	455	III/IIIL	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-009	02/12/91	Thurman Scale Company		Indicating Elements	465	III/IIIL	10,000			Digital Electronic
91-010	02/12/91	Thurman Scale Company		Indicating Elements	620					Digital Electronic
91-017	02/12/91	Thurman Scale Company		Indicating Elements	405	III	5,000			Digital Electronic
91-027	03/07/91	Thurman Scale Company		Printer	600					Dot Matrix
91-028PN	02/06/91	Thurman Scale Company		Floor Scales	TWH Series	III				
92-014	04/17/92	Thurman Scale Company	2000; 2002; 2300; 2302; 2400; 2500; 2502; 2510 & 2512	Floor Scales	2000 Series	III	5000	1k - 10k lb	30x30" x 6x8"	Digital Electronic
92-089		Thurman Scale Company		Load Cell	TSC700					IN PROCESS
92-090		Thurman Scale Company		Load Cell	TSC100					IN PROCESS
92-091		Thurman Scale Company		Load Cell	TSC800					IN PROCESS
92-092		Thurman Scale Company		Load Cell	TSC300					IN PROCESS

Tokheim Corporation

86-032	10/12/89	Tokheim Corporation	Option: Model 190 printer	Service Station Consoles/ECR	184, MEMS IV					Superseded by 86-032A1
86-032A1	10/24/89	Tokheim Corporation	184-X=- Standard Cash Console: 184M-X=- Master Console (when a satellite is used): 184S-X = Satellite Console (when a master is used) where X is the number of fueling sites	Service Station Consoles/ECR	184 Series (MEMS IV)			999.99 vol units		Digital Electronic
87-018A	01/11/89	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series			999.999 gal		Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-079	11/05/87	Tokheim Corporation	191	Service Station Consoles/ECR	185 Series (MEMS V)					Superseded by 87-079A1
87-079A1	10/24/89	Tokheim Corporation	185-X, 185M-X, 185S-X	Service Station Consoles/ECR	185 Series (MEMS V)					Digital Electronic
88-277	01/11/89	Tokheim Corporation	382, 385, 387	Service Station Consoles/ECR	ROC Series					Superseded by 88-277A1
88-277A1	02/09/90	Tokheim Corporation	390, 385, 387, 389	Service Station Consoles/ECR	ROC Series					
89-017	04/04/89	Tokheim Corporation		Retail Motor Fuel Dispenser	785-HV (high volume)		60 gpm	mx. 60; mn.12 gpm		Diesel Dispenser
89-033	05/01/89	Tokheim Corporation		Retail Motor Fuel Register	2020					Digital Electronic
89-034	05/01/89	Tokheim Corporation		Retail Motor Fuel Register	2010					Digital Electronic
89-115	04/25/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262 Series Unistar					Superceded by 89-115A1
89-115A1	04/18/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-X, 262A-X					Digital Electronic
90-014	01/22/90	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series					
90-014A1	05/05/92	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series			see below		Digital Electronic
311 or 311A, 312 or 312A, 322 or 322A, 324 or 324A, 413 or 413A, 426 or 426A, 614 or 614A & 628 or 628A. Capacities: 999.99 Dollars, 999.999 Volume Units.										
90-020	02/09/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-HV (High Volume)			60 gpm		Electronic Computing
90-144	11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	200 & 330 Series	999.999gal	$9.999/unit	$999.99 Money	9999.9 liters	Digital Comp. RMFD
Models: 220B, 222B, 330B, 33B. Suffixes: E-External fixed hose connection. V-External two hose connection for vapor recovery. VC-Coaxial hose fitting for vapor recovery. L-Lighted valance. U-Unlighted valance. SA-Stand Alone. K-Customer select cash credit. P-Customer select preset.										

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-145PN 11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	1100 & 1200 Series	$3.999 up	$99.99 Max$	999.9 gal	999.9 liters	Mech. Comp. RMFD
		Models: 1148T, 1150T, 1248, 1250. Suffixes: T, GP, SP, 1, 2, RCFC, AFC-1, PEH, SCS, HS, TPZ, PR, A, S, G, M, GM, VR, KC-4, KC-8, KC-16, WNC, TW, APC, APC-1, RHO, ESI, IBM, PR-SS, OC,							
90-151 04/18/91	Tokheim Corporation		Wholesale Meter	682-15-AF-L-X					Positive Displacement Meter
		Other name: Vehicle or Stationary-Mount. Other Model: 682-15-SS-L-X.							
90-151A2	Tokheim Corporation		Wholesale Meter	682-15-XX-X-X					IN PROCESS
92-012	Tokheim Corporation		Wholesale Meter	682-15-XX-X-X					IN PROCESS
92-021PN	Tokheim Corporation		Retail Motor Fuel Dispenser	162					IN PROCESS
Toledo Scale Corporation									
86-001 01/31/86	Toledo Scale Corporation		Floor Scales	4181-1001			1000 x 0.5 lb		Analog Mechanical
87-016 05/12/87	Toledo Scale Corporation		Indicating Elements	8146	III/III L	10,000			Digital Indicating Element
87-016A1 08/05/91	Toledo Scale Corporation		Indicating Elements	8146 & 8146D	III/III L	10,000			Digital Element
87-017 05/12/87	Toledo Scale Corporation		Computing Scale	8425	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-068 08/17/89	Toledo Scale Corporation		Computing Scale	8422	III	5000	50 x 0.01 lb	9.5" x 14.5"	Digital Electronic
87-069 04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	5,000	50 x 0.01 lb	12.5" x 14"	Digital Electronic
87-084 10/02/89	Toledo Scale Corporation		Load Cell	725	III	6,000 M	500 - 2k lb		Bending Beam Load Cell
		Specific load cells are identified by the load cell capacities. Capacities (lb): 500, 1000, 2000							
87-084.A1 02/26/91	Toledo Scale Corporation		Load Cell	725	III	6,000	500 - 2000 lb		Bending Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-084P	07/17/88	Toledo Scale Corporation	Capacities (lb): 500, 1000, 2000	Load Cell	725 family	III	6000 M	500 to 2000 lb		Superseded by 87-084
87-098	10/02/89	Toledo Scale Corporation	Capacities: 1000, 2500, 5000, 10000, 20000	Load Cell	742	III	6,000 M	1k - 20k lb		Shear Beam
87-098.A1	02/26/91	Toledo Scale Corporation	The specific load cells covered by this certificate, the accuracy classes, and number of divisions for each cell, are identified by the load cell capacity.	Load Cell	742	III	MC-6,000	1000 - 20,000 lb		Shear Beam
87-098P	07/17/88	Toledo Scale Corporation	Capacities (lb)- 1,000: 2,500: 5,000: 10,000: 20,000	Load Cell	742	III	6000 M	1000 to 20000 lb		Superseded by 87-098
87-100	08/17/89	Toledo Scale Corporation		Computing Scale	8421	III	5,000	50 x 0.01 lb	10.75" x 14.6"	Digital Electronic
87-101	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	8423	III	5000	50 x 0.01 lb		Bench Scale
87-102	04/12/88	Toledo Scale Corporation		Computing Scale	8430	III	600	6 x 0.01 lb	9" x 7"	Digital Computing Scale
87-103	03/25/88	Toledo Scale Corporation		Computing Scale	8431	III	3,000	30 x 0.01 lb	9.25" x 14.25"	Digital Computing Scale
87-103A	06/14/90	Toledo Scale Corporation		Computing Scale	8431	III	3000	30 x 0.01 lb	9.24" x 14.25"	Digital Electronic
87-104	08/21/90	Toledo Scale Corporation		Indicating Elements	8140	III/III L	10,000			Digital Indicating Element
87-105	07/25/88	Toledo Scale Corporation		Indicating Elements	M8141	III/III L	10,000			Digital Electronic
87-105.A1	07/22/91	Toledo Scale Corporation		Indicating Elements	M8141/8141	III/IIIL	10,000			Digital Electronic
87-106	04/07/88	Toledo Scale Corporation		Indicating Elements	8142	III/III L	10,000			Digital Indicating Element
87-107	10/02/89	Toledo Scale Corporation		Indicating Elements	M 5000	III	10000	2000 x 0.02 lb		Digital Indicating

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-108	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	2095	III	10000	400 x 0.5 lb	20" x 20"	Digital Electronic
87-109	06/16/89	Toledo Scale Corporation		Floor Scales	2185	III	8,000	1,600 X 0.2 lb	24 X 30 in	Load Cell Weighing Element
87-110	08/17/89	Toledo Scale Corporation		Floor Scales	2136	III	2000	1000 x 0.5 lb	19" x 28"	Lever System Load Cell
87-111	08/17/89	Toledo Scale Corporation		Floor Scales	2036	III	2500	250 x 0.1 lb	19" x 20"	Lever System Load Cell
87-112	08/17/89	Toledo Scale Corporation		Floor Scales	4182	III	2000	1000 x 0.5 lb		Portable Mechanical Beam Scale
87-116P	08/17/89	Toledo Scale Corporation		Vehicle Scale	7551	III/III L	6000	120000 x 20 lb	70'x10' 2 section	
87-124	08/17/89	Toledo Scale Corporation		Service Station Consoles/ECR	262	III				Digital Electronic
88-008	10/02/89	Toledo Scale Corporation		Load Cell	743	III/III L	5K,10K M	1k to 45k lb		
			Specific load cells are identified by the load cell capacity. Capacities: 1k, 3k, 5k, 10k, 20k, 45k							
88-008.A1	02/26/91	Toledo Scale Corporation		Load Cell	743	III & IIIL	see below	1000 - 45,000 lb		Shear Beam
			Capacity: Class III, MC-5000/Class III L MCells-10,000							
88-008A2	10/29/91	Toledo Scale Corporation		Load Cell	743	III/III L	see below	1,000 - 45,000 lb		Shear Beam
			Capacity: Class III, MC-5000/Class III L, MC-10,000							
88-008P	07/17/88	Toledo Scale Corporation		Load Cell	743	III/III L	5k,10k M	1k to 45k lb		Superseded by 88-008
88-009	03/09/91	Toledo Scale Corporation		Load Cell	752	III L	MC-10,000	50k to 100k		Compression
88-009P	11/14/88	Toledo Scale Corporation		Load Cell	752	III L	6000 M	50k to 100k lb		Superseded by 88-009PA1
88-009PA1	10/02/89	Toledo Scale Corporation		Load Cell	752	III L	10,000 M	50k-100k lb		Compression
			Capacities (lb): 50k, 100k							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-045	02/28/91	Toledo Scale Corporation		Vehicle Scale	Truckmate MV 1051	III L	10,000	100,000 x 20 lb	100' x 10'	Electronic Weighing Element
88-045P	06/02/88	Toledo Scale Corporation	Range of capacities from 60,000 to 200,000 lb. Range of platform sizes from 15' x 10' to 150' x 10'	Vehicle Scale	Truckmate MV 1051	III L	10,000	200,000 x 20 lb	100 ' x 10 '	Electronic Weighing Element
88-047	02/28/91	Toledo Scale Corporation	Other platform sizes: 12' x 10' to 70' x 10'. Other capacities: 60,000 to 200,000 lb. Other model: Model 7520 (steel deck). Other section capacity: 30 tons to 55 tons.	Vehicle Scale	7530	III L	10,000	200K x 20 lb	70' x 10'	Electronic Weighing Element
88-047P	07/17/88	Toledo Scale Corporation	Other platform sizes: 12' x 10' to 70' x 10'. Other capacities: 60,000 lb to 200,000 lb. Other model: Model 7520 (steel deck). Other section capacity: 30 tons to 55 tons	Vehicle Scale	7530	III L	10,000	200 k x 20 lb	70 ' x 10 '	Electronic Weighing Element
88-048	02/27/91	Toledo Scale Corporation	Platform sizes: 35" x 10 - 70" x 10" ; 4 sections	Vehicle Scale	7540	III L	6000	60-162k lb x 20lb	see below	Load Cell Electronic
88-048P	07/17/88	Toledo Scale Corporation	Range of capacities from 60,000 to 162,000 lb. Range of platform sizes from 35' x 10' to 70' x 10'. Maximum distance between sections 23'4". Other section capacity: 35 tons, 45 tons	Vehicle Scale	7540	III L	6,000	120,000 x 20 lb	70'x 10'	Electronic V.S. Weigh Element
88-049	02/27/91	Toledo Scale Corporation		Floor Scales	2255	III	5000	20,000 lb	5" x 7'	Load Cell Electronic
88-049P	07/17/88	Toledo Scale Corporation	Optional capacity: 10,000 lb. Optional platforms: 4' x 4', 5' x 5'	Floor Scales	2255	III	5,000	20,000 lb	5' x 7'	Eletronic Floor Scale
88-050	02/27/91	Toledo Scale Corporation	Toledo Model 742 (CC# 87-0989.A1)	Floor Scales	2295	III	5000	20,000 lb	5" x 6"	Load Cell Electronic
88-050P	07/17/88	Toledo Scale Corporation		Floor Scales	2295	III	5,000	20,000 lb	5' x 6'	Electronic Floor Scale
88-091	11/02/90	Toledo Scale Corporation		Load Cell	760	III L	10,000	22,5 to 45,000 kg		Column Compression
88-091P	06/02/88	Toledo Scale Corporation	Capacities (kg): 22,500, 45,000	Load Cell	760	III L	10,000 M	22.5 and 45 kg		Column Compression Load Cell

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-173	04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	5,000	100 x 0.02 lb	12.5" X 14"	Digital Electronic
88-191	10/28/88	Toledo Scale Corporation		Printer	350					Electronic Programmable Label
88-192	09/22/88	Toledo Scale Corporation		Printer	8804					Dot Matrix
88-193	10/28/88	Toledo Scale Corporation		Printer	8840-1					Dot Matrix
88-194	09/22/88	Toledo Scale Corporation		Printer	8860					Thermal Electronic
88-195	10/28/88	Toledo Scale Corporation		Printer	314T					Electronic Label Printer
88-196	09/22/88	Toledo Scale Corporation		Printer	8855					Dot Matrix Tape
88-197	09/22/88	Toledo Scale Corporation		Printer	MP 750					Electronic Dot Matrix Ticket
88-243A1	12/18/91	Toledo Scale Corporation		Vehicle Scale	7560	III L	10,000	60 - 100 t	117' max.	Load Cell Electronic
88-243P	01/25/89	Toledo Scale Corporation		Vehicle Scale	7560	III L	10,000	60, 100 Tons		Load Cell Electronic
		The model designation is identified by 7560 XX YYYY where the XX represents "CD" for concrete deck or "SD" for steel deck and the YYYY represents the platform length and width. Range of platform lengths 35' to 115'								
88-259	01/25/89	Toledo Scale Corporation		Indicating Elements	8530	III/III L	10K			Electronic
88-302	01/25/89	Toledo Scale Corporation		Printer	8842					Dot Matrix
89-001	03/27/90	Toledo Scale Corporation		Bulkweighing System	9150	III	10,000			Digital Electronic
89-008	07/05/89	Toledo Scale Corporation		Printer	963					9-Wire Dot Matrix Document

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-029	05/25/89	Toledo Scale Corporation		Prepackaging Scale	8305	III	5,000	50 X 0.01 lb		Weighing Element
89-046	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	6113	II	15000	75 x 0.005 lb	13.75" x 12.25"	Digital Load Cell
89-076P	08/17/89	Toledo Scale Corporation		Floor Scales	MG4425	III	5000	2500 x 0.5 lb	48" x 48"	Electronic Load Cell
89-078	08/17/89	Toledo Scale Corporation	Optional capacities: 30 x 0.0005 lb, 60 x 0.01 lb, 120 x 0.02 lb	Bench and Counter Scale	1985	III	6,000	60 X 0.01 lb	14 X 14 in	Electronic Weighing Element
89-079	08/17/89	Toledo Scale Corporation		Printer	315					Electronic Label Printer
89-080	08/17/89	Toledo Scale Corporation		Printer	8806					Dot Matrix Ticket Printer
89-081	10/12/89	Toledo Scale Corporation		POS Scale	310-DATACHECKER	III	2999	29.99 X 0.01 lb	11" X 15"	Digital Electronic
89-082	01/06/90	Toledo Scale Corporation		Indicating Elements	8520	III	10,000	100 X 0.01 lb		Digital Iindicator
89-082 Amended	10/21/91	Toledo Scale Corporation		Indicating Elements	8520A	III	10,000			Digital Electronic
89-083	01/06/90	Toledo Scale Corporation		Indicating Elements	8520A	II/III/3L	60,000	30 X 0.0005 kg		Digital Electronic
89-083 Amended	10/21/91	Toledo Scale Corporation		Indicating Elements	8520	see comts	10,000			Class: II, III, III L
89-094	09/12/89	Toledo Scale Corporation		Floor Scales	6213	II/III	15,000	150 x .01 kg	23 3/4" x 17 1/2"	Load Cell Electronic
89-095	04/25/90	Toledo Scale Corporation	Capacities (lb): 300 and 600	Floor Scales	6313	II/III	15,000	300 x .02 kg	31-1/2" x 23-1/2"	Load Cell Electronic
89-103	01/02/90	Toledo Scale Corporation		Floor Scales	MG4500	III	5,000		48"x48" - 60"x84"	

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-103P	10/02/89	Toledo Scale Corporation		Floor Scales	MG4500	III	5,000		40"x48" - 60"x84"	
89-104.A1	11/02/90	Toledo Scale Corporation		Floor Scales	2155	III	6,000	1000 to 5000 lb	3'x 3' to 5'x 5'	Electronic
89-104P	04/25/90	Toledo Scale Corporation	2155 0131, -0132, -0141, -0142, -0145, -0152, -0155	Floor Scales	2155 Series	III	6,000	1,000 to 5,000 lb	3' x 3' - 5' x 5'	Electronic
89-104PA1	11/02/90	Toledo Scale Corporation		Indicating Elements	2155	III	6,000	1,000 to 5,000 lb	3' x 3' - 5' x 5'	Electronic
89-137	01/10/90	Toledo Scale Corporation		POS Scale	8215	III	3000	30 x 0.01 lb	17" x 11"	Digital Electronic
89-145	03/27/90	Toledo Scale Corporation		Indicating Elements	8510	III/III L	10,000			Digital Electronic
89-145A1 Amend	03/07/91	Toledo Scale Corporation	n-max: 10,000(III/IIIL); 100,000 (II).	Indicating Elements	8510	see below	see below			Digital Electronic
89-146	01/10/90	Toledo Scale Corporation		Indicating Elements	263	III				
90-001	02/27/91	Toledo Scale Corporation	Section Capacity: 85 ton, 6 sections	Railroad Track Scale	7260	III L	6,800	340k x 50 lb	2 plat. 25x4'11ea	Digital Electronic
90-001P	02/16/90	Toledo Scale Corporation	One 12'6" weighing element, Two independent 12'6" weighing elements, One 25' weighing element, One 12'6" and one 25' weighing element, Two 25' weighing elements, One 37'6" weighing element	Railroad Track Scale	7260	III L	6,800	340,000 x 50 lb	25'x4'11" each(2)	Digital Electronic
90-002	02/27/91	Toledo Scale Corporation	Toledo Model 725(CC # 87-084.A1)	Floor Scales	2885	III	2,000	1,000 x 0.5lb	3" x 2.5"	Weighing Element-Load Cell Ele
90-002P	01/06/90	Toledo Scale Corporation		Floor Scales	2885	III	2,000	1000 X 0.5 lb	3' X 2.5'	Weighing Element
90-010	04 25 90	Toledo Scale Corporation	1938 2038, 2138	Weight Classifier	XX38 Series	III	5,000	25 - 1,000 lb		Load Cell Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-037	04/25/90	Toledo Scale Corporation		Computing Scale	8427	III	3,000	30 x 0.01 lb	15-1/2" x 9-3/4"	Digital Electronic
90-046	02/27/91	Toledo Scale Corporation	CLC=60,000lb	Vehicle Scale	7541	III L	10,000	200,000 lb	40x10" to 100x10"	Load Cell Electronic
90-046P	06/14/90	Toledo Scale Corporation		Vehicle Scale	7541	III L	10,000	20,000 lb	40x10" - 100x10"	
90-047	08/21/90	Toledo Scale Corporation	1997 & 2l97; e min: 0.005 lb; capacity 15 to 600 kg.	Bench and Counter Scale	2097	III	5000	25 to 1000 lb		Load Cell Electronic
90-073	08/21/90	Toledo Scale Corporation		Printer	307					Thermal Electronic
90-076	08/22/90	Toledo Scale Corporation		Printer	325					Thermal Electronic
90-085	08/21/90	Toledo Scale Corporation	Models: 1196; 2096; 2196	Bench and Counter Scale	XX96 Series	III	5000	25-1000lb		Load Cell Electronic
90-147	03/12/92	Toledo Scale Corporation	Capacity by division: 2000 x 1 lb; 5000 x 2 lb; 10000 x 5 lb & 20000 x 10 lb	Floor Scales	2157	III	2000/2500	see below		Digital Electronic
91-089		Toledo Scale Corporation	n=3,000 S/5,000 M	Load Cell	744	III	see below	500 to 5,000 lb		IN PROCESS
91-089P	06/06/91	Toledo Scale Corporation	SC-3,000. MC-5,000.	Load Cell	744	III	see below			Bending Beam
91-090		Toledo Scale Corporation	Class III, n=3,000 S/Class III L, n=10,000 S	Load Cell	736	III/III L	see below	50 to 5,000 lb		IN PROCESS
91-090P	06/06/91	Toledo Scale Corporation	SC-Class III: 3,000; SC-Class III L: 10,000.	Load Cell	736 Series	III/III L	see below	50 - 5,000 lb		Universal Beam ("S" Cell)
91-097	03/11/92	Toledo Scale Corporation		Floor Scales	2158	III	5,000	1,000 x 10000 lb	3x3" - 5x7"	Load Cell Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-107	03/12/92	Toledo Scale Corporation		Bench and Counter Scale	8213	III	1999	9.995 x 0.005 lb	12.5" x 14"	Digital Electronic
91-126	08/20/91	Toledo Scale Corporation	Other Capacity: 200 x 0.05 lb	Bench and Counter Scale	8213	III	5,000	100 x 0.02 kg	12.5" x 14"	Digital Electronic
91-128	03/12/92	Toledo Scale Corporation		Indicating Elements	8525	III	5000			Digital Electronic
92-023	03/26/92	Toledo Scale Corporation		Bench and Counter Scale	3026	III	3000	6 X 0.002 lb	9" x 9"	Over/Under Scale
92-036	04/16/92	Toledo Scale Corporation	CLC: 100000 & 120000 lb	Vehicle Scale	7565	III L	10,000	120k - 270k lb	see certificate	Electronic Weighing Element
92-054	04/02/92	Toledo Scale Corporation	capacities: 9 x 0.001 lb or 144 x 0.01 oz	POS Scale	PJ4000P/PJ4000GP	II	14,100	see below	7.24" x 9"	Digital Electronic
92-081		Toledo Scale Corporation		Bench and Counter Scale	3027					IN PROCESS
92-093		Toledo Scale Corporation		Computing Scale	8460					IN PROCESS
92-108		Toledo Scale Corporation	n=3,000 S/5,000 M	Load Cell	745	III	see below	1k to 20k		IN PROCESS

Totalcomp, Inc.

89-130	11/29/89	Totalcomp, Inc.	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000	Load Cell	Nikkei NS	III	4,500 S	25 to 10,000 lb		Type "S" Load Cell
89-130PA1	02/12/90	Totalcomp, Inc.	Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000	Load Cell	Nikkei NS	III/III L	5K,10K S	25 to 20,000 lb		Type "S" load cell
89-131	11/29/89	Totalcomp, Inc.	Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000	Load Cell	Nikkei NSB and NSBT	III/III L	5,000 M	1,000 - 10,000 lb		Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-131.A1	02/21/91	Totalcomp, Inc.		Load Cell	Nikkei NSB & NSBT	III & IIIL	MC-5000	1000 - 10,000 lb		Shear Beam
89-132	11/29/89	Totalcomp, Inc.	Capacities (lb): 5,000, 10,000, 20,000, 50,000	Load Cell	Nikkei NDE	III/III L	5,000 M	5,000 - 50,000 lb		Double Ended Shear Beam
89-132A1		Totalcomp, Inc.		Load Cell		III		3000		IN PROCESS
91-110	07/22/91	Totalcomp, Inc.		Indicating Elements	T-80	III	3000			Digital Electronic
92-028	01/29/92	Totalcomp, Inc.	SC-Class III: 5,000; SC-Class III L: 10,000. Optional Model Families: NBSS-XX-T & NBSS-XX-C.	Load Cell	NBSS-XX	III & IIIL	see below	1,000 - 10,000 lb		Shear Beam
Tri-Coastal Industries										
90-131	09/24/90	Tri-Coastal Industries	Capacities: 1,2500 x .5 lb, 2,500 x 1 lb, 5,000 x 2 lbs.	Hanging Scale	OKD-6	III	2,500	see below		Digital Electronic
Triangle Microsystems, Inc.										
90-163	03/07/91	Triangle Microsystems, Inc.	Capacities: $9,999.99 (total money), 999.999 (total gallons).	Service Station Consoles/ECR	MPC-8 & MPC-16			see below		Digital Electronic
Triner Scale & Manufacturing										
89-144	01/30/90	Triner Scale & Manufacturing		Indicating Elements	600 E	III	1,000			Digital Electronic
92-095		Triner Scale & Manufacturing		Floor Scales	600B					IN PROCESS
Triple A Scale										
92-040	03/25/92	Triple A Scale		Indicating Elements	600 E	III	1000			Digital Electronic
92-094		Triple A Scale		Floor Scales	600B					IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Tru-Test Distributors Ltd.										
90-103	09/11/90	Tru-Test Distributors Ltd.		Indicating Elements	AG 500-1	III/IIIL	3,000			Digital Electronic
Tuthill Corporation										
88-161	07/25/88	Tuthill Corporation	520 or 527-SP, 521 or 528-SP, 540 or 547-SP, 541 or 548-SP, 580 or 587-SP, 581 or 588-SP	Service Station Consoles/ECR	500 Series			9999.99 gal		Service Station Controller
92-076	05/07/92	Tuthill Corporation		Retail Motor Fuel Dispenser	FR712					Digital Ele. Vol. Only Display
Tyrel Corporation										
89-086	08/21/90	Tyrel Corporation	TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 S, TC-10 WS, TC-10 WSK, TC-10 B, TC-10 BK	Indicating Elements	TC-10	III/III L	10,000			Digital Electronic
89-086	03/28/90	Tyrel Corporation	TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 S, TC-10 WS, TC-10 WSK, TC-10 B, TC-10 BK	Indicating Elements	TC-10	III/III L	10,000			Digital Electronic
89-086 A1	01/03/91	Tyrel Corporation	TC-10A	Indicating Elements	TC-10	III/IIIL	10,000			Digital Electronic
91-033	04/18/91	Tyrel Corporation		Printer	TCP-10					Digital Electronic
91-063	02/06/92	Tyrel Corporation		Indicating Elements	UniWeigh					Personal Computer
UHL Scale Service, Inc.										
89-164	04/25/90	UHL Scale Service, Inc.		Vehicle Scale	3512, 2412, 2410	III L	6,000	30,000 lb	24'x10'-35'x12'	Load Cell Electronic
91-029	02/19/91	UHL Scale Service, Inc.	Series 40 - 4014, 4012 & 4010. Series 60 - 6014, 6012 & 6010. Series 70 - 7014, 7012 & 7010. Series 80 - 8012. Platform size(s): 40x10-14, 60x10-14, 70x10-14, 80x12.	Vehicle Scale	40,60,70 & 80 Series	IIIL	6000	60k - 120 lb	see below	Weighing Element

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-029A1		UHL Scale Service, Inc.		Vehicle Scale	70 Series					IN PROCESS
92-061		UHL Scale Service, Inc.		Floor Scales	XxXHP-YYK					IN PROCESS
Unibridge Scale Systems										
87-013P	06/17/87	Unibridge Scale Systems		Vehicle Scale	UBSR 1301040	III L	10,000	200,000 x 20 lb	130' x 10' 5 sect	Electronic Load Cell
88-030P	04/07/88	Unibridge Scale Systems		Vehicle Scale	UBSRH701040	III L	10,000	200k x 20 lb	70 ' x 10 '	Electronic Weighing Element
			UBXXH(R)YY40(CC) where XX may be PC, S, or C and where YY denotes length of scale and (R) and (CC) are options.							
88-242P	03/29/89	Unibridge Scale Systems		Vehicle Scale	UBUSR701045	III L	8,000	160,000 x 20 lb	70' x 10'	Pipe Lever
88-246	02/15/89	Unibridge Scale Systems		Floor Scales	UNBELSR0605	III	5,000	5,000 x 1 lb	6' x 5'4"	Electronic load cell
88-246.A1	02/12/91	Unibridge Scale Systems		Floor Scales	UBE SERIES	III	5000	25,000 x 5 lb	14' x 10"	Electronic, Load Cell
89-073P	07/05/89	Unibridge Scale Systems		Load Cell	UBDL8900	III L	8,000 M	50,0000-100,000lb		Double-Ended Shear Beam
			Capacities (lb): 50,000, 65,000, 100,000							
91-099	06/07/91	Unibridge Scale Systems		Load Cell	DL9000 Series	III L	MC-10,000	50k - 100k lb		Double Ended Shear Beam
			The load cells are offered as a DL 9000-10 for use in HB44 applications up to a maximum of 10,000 divisions and as a DL 9000-6 for applications up to 6000 divisions. Load cells of industrial grade (not for HB44 applications) carry the model designation of DL 9000-9.							
92-045		Unibridge Scale Systems		Vehicle Scale	UBSH121022					IN PROCESS
Universal Weight Systems of Santa Rosa										
92-068	05/06/92	Universal Weight Systems of Santa Rosa		Computing Scale	2830	III	3,000	30 x 0.01 lb	17.25" x 10.75"	Load Cell Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Universel Epsco, Inc.								
91-116 08/02/91	Universel Epsco, Inc. Part No. 9-30 & Part No. 9-32	Retail Motor Fuel Dispenser	4000M-XX-X					Series 4000 Retail Dispenser
91-117 08/02/91	Universel Epsco, Inc.	Retail Motor Fuel Dispenser	8000M-X-XX					Motor Fuel Dispenser
91-118	Universel Epsco, Inc.	Retail Motor Fuel Dispenser	7000					IN PROCESS
91-119	Universel Epsco, Inc.	Retail Motor Fuel Dispenser	3000					IN PROCESS
91-151 10/01/91	Universel Epsco, Inc.	NO DEVICE TYPE	7100M-X-XX					Moter Fuel Dispenser
Veeder-Root								
90-143PN 10/09/90	Veeder-Root Pre-NTEP CC based on OWM ROT 498 and 523 (issued to 2002E) and info from manufacturer. 2003 identical to 2002E except left money wheel goes from 0 - 14 instead of 0-9.	Retail Motor Fuel Register	2003					RMFD Mechanical Computer
Vertex Industries, Inc.								
86-015 06/25/86	Vertex Industries, Inc.	Grain Test Scale	DWM2-1SE	II	12000	120 x .01 g	4.4" x 3.2" scoop	Mechanical-Equal Arm
87-019 05/21/87	Vertex Industries, Inc.	Prescription Balance	DRX-3	III	6,000	60 x 0.01g	3" dia.	Mechanical Analog Balance
W.R. Grace & Co.								
86-034 01/08/87	W.R. Grace & Co.	Dry Measure	536			1 dry quart		Polystyrene Foam Berry Basket
87-091 03/10/88	W.R. Grace & Co.	Dry Measure	24P			1 dry pint		Polystyrene Foam Berry Basket

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Wayne Division									
86-031 01/08/87	Wayne Division	141U/K, 142U/K, 143U/K, 141-1U/K, 142-1U/K, 143-1U/K	Retail Motor Fuel Dispenser	141U-KP			999.9 x 0.1 gal		Electro-Mechanical Analog
87-035 09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/375-1L/19			999.999 gal		Supersedes by 87-035A
87-035A 06/16/89	Wayne Division	Model DS1/375-1L/19G (CC No. 87-035). For use in retail service stations.	Retail Motor Fuel Dispenser	DS1/585-1L/19EG			999.999 Gallons		Digital Electronic
87-036 09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/387-1L/19			999.999 gal		Digital retail dispenser
87-036A 06/16/89	Wayne Division	DS1/387/IL/19G (CC No. 87-036). For use in retail service stations.	Retail Motor Fuel Dispenser	DS1/387-1L/19EG			999.999 Gallons		Digital Electronic
88-262 01/26/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L Series			99.999 vol units		Superseded by 88-262A1
88-262.A1 Amend 04/18/91	Wayne Division	Capacity: $999.99 Total Price; 999.999 Volume Units; $9.999 Unit Price.	Retail Motor Fuel Dispenser	DDX-490-L SERIES			see below		Electronic Computing
88-262A1 05/01/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L-Series			999.999 vol units		Digital Electronic Multi-Pro
88-262A2 05/05/92	Wayne Division	Capacities: $999.99 Total Price, 99.999 Volume Units, 9.999 Unit Price.	Retail Motor Fuel Dispenser	DDX-490-1L Series			see below		Digital Electronic Multi-Pro.
88-263 11/01/88	Wayne Division		Service Station Consoles/ECR	WP/CT					Superseded by 88-263A1
88-263A1 03/13/90	Wayne Division		Service Station Consoles/ECR	WP/CT					Generic Names Wayne "Plus2 & 3
89-011 10/24/89	Wayne Division		Retail Motor Fuel Dispenser	DD1/590-23/G			999.999 total vol		Electronic Computing
89-036 08/17/89	Wayne Division		Retail Motor Fuel Dispenser	PLX-39-IL Series			99.999 vol units		Digital Electronic Multi-Pro.

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-036 amended 04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L SERIES			999.999 Gallons		Electronic Computing Multi-Pro
89-036A1 05/05/92	Wayne Division	Capacities: $999.99 Total Price, 99.999 Volume Units, 9.999 Unit Price.	Retail Motor Fuel Dispenser	DLX-390-1L Series			see below		Digital Electronic Multi-Pro.
89-076 10/24/89	Wayne Division		Retail Motor Fuel Dispenser	DL1/395-1L/19G			999.999 Total Vol		Electronic Computing Blending
89-149 01/10/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/35 Series					High Capacity Digital Comput.
89-149 Amended 04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DLX/35X Series					High Capacity Digital Comput
89-150PN 01/12/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/360,DLX/370 Sers			999.999 total vol		Digital Electronic Multi-Pro.
90-004 02/16/90	Wayne Division	V590DX	Retail Motor Fuel Dispenser	V590D Series			999.999 TOTAL VOL		Digital Electronic Computing
90-005 02/16/90	Wayne Division	V387DX	Retail Motor Fuel Dispenser	V38XD Series			999.999 Total Gal		Digital Electronic Computing
90-005.A1 04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V38XD Series		V38XD Series	999.999 Total Vol		Digital Electronic Computing
90-006 02/16/90	Wayne Division	V490DX	Retail Motor Fuel Dispenser	V490D Series			999.999 total vol		Digital Electronic Multi-Pro.
90-007 02/16/90	Wayne Division	V390DX	Retail Motor Fuel Dispenser	V39XD Series			99.999 Total Vol		Digital Electronic Multi-Pro.
90-007.A1 04/18/91	Wayne Division	Capacities: $999.99 Total Price, 999.999 Total Volume & $9.999 Total Unit Price.	Retail Motor Fuel Dispenser	V39XXX Series			see below		Digital Electronic Multi-Pro.
90-130 11/02/90	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L Series			$999.99 Total Vol		Digital Electronic Multi-Pro.

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-034	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V395D Series					Digital Electronic Computing
			Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.							
91-035	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V58XXX Series					Digital Electronic Computing
			Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.							
92-085		Wayne Division		Retail Motor Fuel Dispenser	xxxxxx					IN PROCESS
Webster Scale, Inc.										
88-300P	01/11/90	Webster Scale, Inc.		Vehicle Scale	MT, MTD Series	III L	7,500	80,000-200,000 lb	30x12' to 140x12'	Electromechanical
			MT 30402-12, MT 34403-12, MT 40403-10, MT 40403-12, MTD 40403-10, MT 60404-10, MT 60404-12, MTD 60404-10, MT 70404-10, MT 70404-12, MTD 70404-10, MT 70405-10, MT 70405-12, MT 80405-10, MT 80405-12, MTD 80405-10, MT 100407-10, MT 100406-12, MTD 100406-10 MT 120407-10, MT 120407-12, MT 140408-10, MT 140408-12							
88-312	05/15/90	Webster Scale, Inc.		Livestock Scale	LR Series	III L	10,000	50,000 lb	400 - 680 cu. ft.	Electromechanical
			LR 20402-20, 22402-20, 24402-20, 26402-20,2 8402-20, 30402-20, 32402-16, 34402-17, 34402-18, 34402-20, 28403-20, 30403-20, 34403-16, 34403-17, 34403-18, 34403-20, CLC = 34,000 lb.							
Weigh-Tronix, Inc.										
87-031	07/14/87	Weigh-Tronix, Inc.		Indicating Elements	5788	III/III L	10,000			Digital Indicating Element
87-038	09/01/87	Weigh-Tronix, Inc.	3401	Computing Scale	3400	III	3,000	30 x 0.01 lb	12"x12"	Digital Computing Scale
87-038A	09/22/88	Weigh-Tronix, Inc.	Model 3400-X, Model 3400 PLU	Computing Scale	3400	III	3,000	30 x 0.01 lb	12 " x 12 "	Digital Electronic
87-042	09/14/87	Weigh-Tronix, Inc.	5790R, 5790S	Indicating Elements	5790	III/III L	5,000			Digital Indicating Element
87-066	09/29/87	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/IIIL	6K,10K			Digital Indicating Element
87-066A	05/25/89	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/III L	6K,10K			Digital Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-090 08/30/88	Weigh-Tronix, Inc.	WBP-0.50K, -1.25K, -2.50K, -5.00K, -1000, -2000. Capacities: 500 - 2000 lb	Load Cell	WBP & WBR	III	5,000 M	500-5,000 lb		Bending Beam
87-090.A2 09/24/90	Weigh-Tronix, Inc.		Load Cell	WBP, WBR, WBL	III	5000	500 - 50,000 lb		Shear Beam
87-090.A3 03/07/91	Weigh-Tronix, Inc.	The only diffierence b/t the WBP, WBR, & WBL is in the end mounts. These differences are not considered to be metrologically significant. Models: WBP-.500K, WBP-1.25, WBP-2.50K, WBP-5.00K, WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K, WBR-1000, WBR-2000, WBL-500K, WBL-1.25K, WBL-2.50K & WBL-5.00K.	Load Cell	WBP, WBR, WBL	III	5,000	500 to 50,000 lb		Bending Beam
87-090A 07/25/88	Weigh-Tronix, Inc.	WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K: Capacities (lb): 10,000: 20,000: 25,000: 50,000	Load Cell	WBP	III	5000 M	10000 to 50000 lb		Bending Beam
87-090P 12/29/87	Weigh-Tronix, Inc.	WBP-0.50K, WBP-1.25K, WBP-2.50K, WBP-5.00K: Capacities (lb): 500, 1250, 2500, 5000	Load Cell	WBP	III	5000 M	500 to 5000 lb		Supersed by 87-090A
87-090PA 04/20/88	Weigh-Tronix, Inc.	WBR-1000, WBR-2000: Capacities (lb): 1000, 2000	Load Cell	WBR	III	5000 M	500 to 5000 lb		Superseded by 87-090A
87-093 12/30/87	Weigh-Tronix, Inc.	2520-1	Bench and Counter Scale	3835	III	5,000	250 x .05 lb	20" x 20"	Superseded by 87-093A1
87-093A1 02/16/90	Weigh-Tronix, Inc.		Floor Scales	3835	III	5,000	250 x 0.05 lb	20" x 20"	Digital Electronic
87-095 07/25/88	Weigh-Tronix, Inc.	WBP-.125K, WBP-.250K: Capacities (lb): 125, 250	Load Cell	WBP	III	5000 M	125 and 250 lb		Bending Beam
87-095.A1	Weigh-Tronix, Inc.		Load Cell	WBP					IN PROCESS
87-095P 01/11/88	Weigh-Tronix, Inc.	WBP-XXXX where XXXX is the code for the capacity of the load cell. Capacities (lb): 125, 250	Load Cell	WBP	III	5000 M	125 and 250 lb		Superseded by 87-095
87-119 06 25 89	Weigh-Tronix, Inc	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		Bending Beam

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-119A2 10/01/91	Weigh-Tronix, Inc.		Load Cell	WBT	III L				
87-119P 02/17/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-75.0 K: Capacities (lb): 37,500: 75,000	Load Cell	WBT	III L	10000 M	37500 to 75000 lb		Superseded by 87-119
87-119PA 07/25/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		Superseded by 87-119
87-120 07/25/88	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500	Load Cell	WBC	III L	6,000 S	250 to 2500 lb		Bending Beam
87-120P 02/17/88	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500: Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III L	10000 S	250 to 2500 lb		Superseded by 87-120
87-121 03/01/88	Weigh-Tronix, Inc.		POS Scale	4000-1	III	3,500	30 x 0.01 lb	12" x 14"	Superseded by 87-121A3
87-121.A4 06/13/91	Weigh-Tronix, Inc.	Load Cell Model: Mark III E or Mark XVI. Capacities: 9.995 x 0.005 lb, 15 x 0.005 lb, 29.99 x 0.01 lb, 30 x 0.01 lb, 50 x 0.02 lb, 99.95 x 0.05 lb, 100 x 0.05 lb.	Indicating Elements	4000-1 & IS-4100	III	3500	see below	12" x 14"	Digital Electronic
87-121A2 10/28/88	Weigh-Tronix, Inc.	Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 19.95 lb x 0.05 lb: 100 x 0.05 lb or 50 x 0.05 kg: 50 x 0.02 lb or 25 x 0.01 kg. Optional model 4010-1.	Weight Classifier	4000-1	III	5,000	100 x 0.1lb	12" x 14"	Superseded by 87-121A3
87-121A3 01/30/90	Weigh-Tronix, Inc.	Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 99.95 lb x 0.05 lb: 100 x 0.05 lb or 50 x 0.02 kg: 50 x 0.02 lb or 25 x 0.01 kg. Models 4000-1 and 4100 are identical and models 4110 a 4010-1 are identical	Weight Classifier	4000-1, 4100	III	5,000	100 x 0.1 lb	12" x 14"	Digital Elec. Wt. Classfier
88-020 03/01/88	Weigh-Tronix, Inc.		Indicating Elements	560	III/III L	10,000			Digital Indicating Element
88-025 03/01/88	Weigh-Tronix, Inc.		Computing Scale	1150; 1151; 3420	III				UPC Labeling System
88-026 03/01/88	Weigh-Tronix, Inc.	3401 (remote display)	Computing Scale	3420	III	3,000	30 x 0.01 lb	12 " x 12 "	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-039	09/26/88	Weigh-Tronix, Inc.	Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III	3,000 S	250 to 2500 lb		Bending Beam
88-039P	04/07/88	Weigh-Tronix, Inc.	Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III L	5,000 S	250 - 25k lb		Superseded by 88-039
88-046	08/30/88	Weigh-Tronix, Inc.	WBM-37.5K, WBM-50.0K, WBM-75.0K Capacities (lb): 37,500 - 75,000	Load Cell	WBM	III L	6,000 M	37,500 -50,000 lb		Bending Beam
88-080P	05/03/88	Weigh-Tronix, Inc.	FMTS 4010-60T, -7010-60T, -8010-60T, -4012-60T, -6012-60T, -7012-60T	Vehicle Scale	FMTS 6010-60T	III L	6,000	120,000 lb	60' x 10'	Load Cell Electronic
88-104	05/25/88	Weigh-Tronix, Inc.	BS 1414, BS 1818, BS 2424	Bench and Counter Scale	BS 2020	III	5,000	100 x .02 lb	20 "x 20 "	Elect. Bench Scale Weigh Ele.
88-104A1	01/25/89	Weigh-Tronix, Inc.	BS 2424	Bench and Counter Scale	BS 2020	III	5,000	See models field	See models field	Electronic Weighing Element
88-221	09/11/90	Weigh-Tronix, Inc.	Model Designation: DS XXXX-YY & DSFS-XXXX-YY where XXXX is platform size and XX is capacity in thousands of pounds. DS Series: capacity 500 to 20,000lb, platform: 24 x 24 to 144 x 108. DSFS Series: capacity 500 to 20,000lb, platform 24 x 24 to 84 x 60	Vehicle Scale	DS & DSFS	III	5,000	500 to 20,000 lb	see below	
88-222	11/09/89	Weigh-Tronix, Inc.	see certificate for specific models, capacities, & platform sizes.	Floor Scales	LP Series	III		see certificate	see certificate	Digital Electronic Low Profile
88-222PN	10/11/88	Weigh-Tronix, Inc.	LP 3636-02, -4848-05, -6060-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -7272-10, -7272-20, -8460-10, -8460-20, -9660-10, -9660-20, -9672-20, -9672-30, -10884-20, -10884-40, -108144-20. LPF 3636-02, -4848-05, -6060-10, -6060-20, -724 8-05, -7248-10, -7260-10, -7260-20, -8460-10, -8460-20. LPFS 3636-02, -4848-05, -6060-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -8460-10, -8460-20	Floor Scales	LP Series	III		see certificate	see certificate	Digital Electronic Low Profile
88-223	01/27/92	Weigh-Tronix, Inc.	MRS-24-01, MRS-24-02, MRS-48-01 & MRS-48-02. Capacities: 1,000x0.5 lb, 2,000x1.0 lb.	Monorail Scale	MRS Series	III	2000	See below		Digital Electronic
88-223PN	10/11/88	Weigh-Tronix, Inc.	MRS-24-01, -24-02, -48-01, -48-02	Monorail Scale	MRS Series	III	2,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-230	09/12/88	Weigh-Tronix, Inc.	DS 3030A-01, capacity 1000 lbs	Bench and Counter Scale	DS 2424A-005	III	5,000	500 lbs	2' x 2'	Electronic Load Cell
88-232	10/28/88	Weigh-Tronix, Inc.	-4848-5, -4848-10, -4860-5, -4872-10, -6060-5, -6060-10, -6060-20, -6072-10, -6084-10, -6084-20, -6084-30	Floor Scales	STE and SLE	III	5,000	5K, 10K, 20K, 30K	see certificate	Electronic Load Cell
88-232A	04/19/89	Weigh-Tronix, Inc.	-4848-5, -4848-10, -4860-5, -4860-10, -4872-5, -4872-10, -6060-5, -6060-10, -6060-20, -6072-10, -6084-10, -6084-20, -6084-30	Floor Scales	STE and SLE	III	5,000	5k to 30k lb	48"x48" - 60"x84"	Electronic Load Cell
88-235	09/12/88	Weigh-Tronix, Inc.		Indicating Elements	WI-120	III/III L	10,000			Digital Electronic
88-235A	04/04/89	Weigh-Tronix, Inc	WP 230 WP 231	Indicating Elements	WI-120	III/III L	10,000			Digital Electronic
88-236	09/22/88	Weigh-Tronix, Inc	575R, 575S	Indicating Elements	575	III/III L	5,000			Digital Electronic
88-252	10/28/88	Weigh-Tronix, Inc.	Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg	Bench and Counter Scale	3825	III	5,000	100 x.02 lbs	12" x 14"	Digital Electronic
88-268	10/28/88	Weigh-Tronix, Inc.	Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg	Bench and Counter Scale	3815	III	5,000		12" x 14"	Digital Electronic
88-291	01/25/89	Weigh-Tronix, Inc.		Floor Scales	DFE and FLE Series	III	3k-5k	500 to 20000 lb	24x24 - 96x120 in	Superseded by 88-291A1
88-291A1	10/02/89	Weigh-Tronix, Inc.	The model designation consists of the series name (i.e. DFE or FLE) followed by the platform size and the scale capacity in thousands of pounds. Example: DFE-2424-.5, where the platform size is 24" x 24" and the scale capacity is 500 lb. Range of capacities 500 lb to 20,000 lb	Floor Scales	DFE and FLE Series	III		500 to 20,000 lb	24x24 - 96x120 in	
88-291A2	05/31/91	Weigh-Tronix, Inc.	XXX-2424-.5, XXX-2424-1, XXX-3030-1, XXX-3030-2, XXX-3030-5, XXX-3636-2, XXX-3636-5, XXX-4848-2, XXX-4848-5, XXX-4848-10, XXX-4860-2, XXX-4860-5, XXX-4860-10, XXX-6060-2, XXX-6060-5, XXX-6060-10, XXX-4872-2, XXX-4872-5, XXX-4872-10, XXXX-4872-20, XXX-6072-2, XXX-6072-5, XXX-6072-10, XXX-6072-20, XXX-6084-5, XXX-6084-10, XXX-6084-20, XXX-96120-20 & XXX-96120-20.	Floor Scales	DFE & FLE Series	III	5000	500 to 20,000 lb	24x24 - 60x72	Load Cell Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-299	05/25/89	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500. Capacities (lb): 250, 500, 1000, 2500	Load Cell	CK-100 Series	III L	6000	250 to 2500 lb		Conversion Kit
88-307	01/25/89	Weigh-Tronix, Inc.	FMTS 4010-70T, -6010-100T, -8010-100T, -10010-100T, -4012-70T, -4710-70T, -4712-70T, -6012-100T, -7012-100T, -8012-100T	Vehicle Scale	FMTS 7010-100T	III L	10,000	200,000 lb	70 x 10 ft	Load cell Electronic
88-307.A1	08/05/91	Weigh-Tronix, Inc.	FMTS 4010-70T, FMTS 4710-70T, FMTS 6010-100 T, FMTS 8010-100T, FMTS 9310-100T, FMTS 9310-100T, FMTS 10010-100 T, FMTS 4011-70 T, FMTS 4711-70T, FMTS 6011-100T, FMTS 7011-100T, FMTS 8011-100T, FMTS 9311-100T, FMTS 4012-70T, FMTS 4712-70T, FMTS 6012-100T, FMTS 7012-100T, FMTS 8012-100T, FMTS 6010-100THD, FMTS 8010-100THD, FMTS 9310-100THD, FMTS 10010-100THD, FMTS 6011-100THD, FMTS 7011-100THD, FMTS 8011-100THD, FMTS 9311-100THD, FMTS 6012-100THD, FMTS 7012-100THD & FMTS 8012-100 THD. Capacities:140,00 lb - 200,000 lb. Platform: 40 x 10ft, 47 x 10ft, 60 x 10ft, 80 x 10ft, 93 x 10ft, 100 x 10ft, 40 x 11ft, 60-80 x 11ft, 93 x 11ft, 40 x 12 ft, 47 x 12ft, 60-80 x 12 ft. CLC: 70,000 lb - 80,000 LB.	Load Cell Electronic	FMTS Series	III L	10,000	see below	see below	Load Cell Electronic
88-309	01/25/89	Weigh-Tronix, Inc	Capacities (lb) 10, 50, 100	Bench and Counter Scale	2200-1	III	5,000	25 x .005 lbs	12" x 13"	Digital Electronic
88-310	01/25/89	Weigh-Tronix, Inc.		Printer	WP-240					Dot matrix
89-002	02/10/89	Weigh-Tronix, Inc.	MTS 3010-30T, MTS 7010-60T, MTS 7012-60T. Capacities (lb): 60,000 and 120,000	Vehicle Scale	MTS 6010-60T	III L	6,000	120,000 x 20 lbs	60 x 10 ft	Load Cell; Electronic
89-105	10/02/89	Weigh-Tronix, Inc.		Floor Scales	SC-100	III	1000	500 x 0.5 lb	27 x 28.5 in	Digital Electronic Platform SC
89-106	10/06/89	Weigh-Tronix, Inc.		Hanging Scale	HSDC 200	III	1995	195 x .1 lb		Digital Electronic
89-123	12/20/89	Weigh-Tronix, Inc.	3401 (remote display), 3400-X, 3400 PLU	Computing Scale	3400	III	3,000	30 x 0.01 lbs	12" x 14"	Digital Electronic
89-124	12/20/89	Weigh-Tronix, Inc.	Other capacities (lb): 15, 50, 100	Computing Scale	3450	III	3,000	30 x .01 lb	12" x 14"	Digital Electronic
90-029	02/14/90	Weigh-Tronix, Inc.	3401 (remote display)	Hanging Scale	PCSR 3400	III	5000	2000 x 1 lb		Digital Electronic
90-030	02/14/90	Weigh-Tronix, Inc.		Indicating Elements	WI-171	III	5000			Electronic, Price Computing

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-079 03/07/91	Weigh-Tronix, Inc.	Vehicle Scale	FTMSC-XXXX-XXXseries	III L	10,000	7k to 140k lb	10-47 x YY ft	Digital Electronic
		CLC: 70,000lb; Load Cell: Weigh-Tronix Model WBT 50.0K.						
90-082 09/11/90	Weigh-Tronix, Inc.	Vehicle Scale	MCTM-7310-100T3	III L	10,000	200,000 x 20 lb	73' x 10'	Digital Electronic
		Other Capacities: The scale consists of three individual weighing devices, each with a separate indicator. The system is equipped with a fourth indicator that totalizes the weights from the three scales. CLC: 70,000 lb						
90-082.A1 04/27/91	Weigh-Tronix, Inc.	Vehicle Scale	MCTM-7310-100T3	III L	10,000	200,000 x 20 lb	73' x 10'	Digital Electronic
		MCTM-71XX-100T3X, MCTM-73XX-100T3X, MCTM-74XX-100T3X, MCTM-76XX-100T3X, MCTM-78XX-100T3X, MCTM-80XX-100T3X, MCTM-81XX-100T3X & MCTM-84XX-100T3X.						
90-107 08/21/90	Weigh-Tronix, Inc.	Floor Scales	SC-2227-300	III	3,000	300 lbs (150kg)	22" X 27"	Digital Electronic
		SC-2227-500, SC-2229-300, SC-2229-500, SC-2730-300 & SC-2730-500.						
90-107.A1 07/10/91	Weigh-Tronix, Inc.	Bench and Counter Scale	SC-XXXX-YYY	III	3,000	500 lbs-300 lbs	see below	Digital Electronic
		Platform dimensions are not to exceed 810 square inches.						
90-108 09/24/90	Weigh-Tronix, Inc.	Vehicle Scale	FCTSXXXX-YYY	III L	10,000	140K - 200K lb	see certificate	Low Profile - Load Cell Elect.
		The specific designations covered by FCTXXXX-YYY meaning XXXX is the platform dimensions in feet range from 40 to 100 ft. and YYY represents the capacity in tons which range from 70T to 100T.						
90-108.A1 08/06/91	Weigh-Tronix, Inc.	Vehicle Scale	FCTSXXXX-YYY	III L	10,000	70k, 140k - 200lb	see below	Low Profile-Load cell Electron
		FCTS1010-35T, FCTS1011-35T, FCTS1012-35T, FCTS1210-35T, FCTS1211-35T, FCTS1212-35T, FCTS2010-35T, FCTS2011-35T, FCTS2012-35T, FCTS2310-35T, FCTS2311-35T, FCTS2312-35T, FCTS4010-70T, FCTS4710-70T, FCTS4710-70T, FCTS4711-70T, FCTS6010-100T, FCTS6011-100T FCTS7010-100T, FCTS7011-100T, FCTS8010-100T, FCTS8011-100T, FTS9310-100T, FCTS10010-100T, FCTS4012-70T, FCTS4712-70T, FCTS6012-100T, FCTS7012-100T & FCTS8012-100T. Platform sizes: 10 x 10-12 ft, 12 x 10-12 ft, 20 x 10-12 ft, 40 x 10-11 ft, 47 x 10-11 f t, 60 s 10-11 ft, 70 x 10-11 ft, 80 x 10-11 ft, 93 x 10-11 ft, 100 x 10 ft, 40 x 12 ft, 47 x 12 ft, 60-80 x 12 ft.						
90-112 11/02/90	Weigh-Tronix, Inc.	Indicating Elements	3270M	III/IIIL	10,000			Digital Electronic
90-113 11/02/90	Weigh-Tronix, Inc.	Indicating Elements	WI-160	III/IIIL	10,000			Digital Electronic
90-114 11/02/90	Weigh-Tronix, Inc.	Bench and Counter Scale	3270S	III	3000	6 x 0.0002 lb	9" x 9"	Load Cell Electronic

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-132 09/24/90	Weigh-Tronix, Inc.	Bench and Counter Scale	DSLXXXX-YY	III	5,000	2,000 - 10,000	see below	Low Profile-Load Cell Elect.
		platform: 30 x 30 to 96 x 72.						
90-132.A1 08/09/91	Weigh-Tronix, Inc.	Bench and Counter Scale	DSLXXXX-YY	III	5,000	2 K, 5 K, 10,000K	see below	Low Profile-Load Cell Elec.
		DSL3030-02, DSL-3030-05, DSL3636-02, DSL3636-05, DSL4848-02, DSL4848-05, DSL4848-10, DSL6048-02, DSL6048-10, DSL6060-02, DSL6060-05, DSL6060-10, DSL7248-02, DSL7248-05, DSL7248-10, DSL7260-02, DSL7260-05, DSL7260-10, DSL8460-05, DSL8460-10,DSL8472-05, DS L8472-10, DSL9672-05 & DSL9672-10.						
90-134 10/02/90	Weigh-Tronix, Inc.	Indicating Elements	Motion Stabilzer	III/IIIL				Digital Filter Package
		Description: The "Digital Motion Stabilzer" package is a digital filter software package for electronic digital indicators.						
90-135 03/07/91	Weigh-Tronix, Inc.	Weight Classifier	A120-TA	III	see below	see below	12" x 13"	Digital Electronic Computing
		n-max: 320 (0-2 lb); 2240 (2-70 lb). capacities: 0-2 lb x 0.1 oz / 2-70 lb x 0.5 oz.						
90-137 10/02/90	Weigh-Tronix, Inc.	Hanging Scale	HS-100	III	1950	195 x .1 lb		Load Cell Electronic
91-024 02/01/91	Weigh-Tronix, Inc.	Indicating Elements	WI-190M	III	5000			Indicator Electronics
		The Model WI-190M is the main electronics module that contains the analog to digital converter, microprocessor controller, and calibration storage.						
91-062 04/15/91	Weigh-Tronix, Inc.	Indicating Elements	WI-114	III/III L	10,000			Digital Electronic
		The WI-114 is a weight display that sums the weight values from up to 3 separate Model WI-110 weight indicating elements. It is intended to be used on a vehicle scale with up to 3 individual weighing elements to provide axle-load weights plus the gross weight of the vehicle to comprise a single weighing system.						
91-124.A1 08/12/91	Weigh-Tronix, Inc.	Bench and Counter Scale	SC300P or T	III		50 - 250 lb		
92-051 03/26/92	Weigh-Tronix, Inc.	POS Scale	47XX	III	3000	see below	10" x 14"	Digital Electronic
		capacities: 30.00 x 0.01 lb/29.99 x 0.01 lb. Trademark Name: NCI.						

Weldotron Corporation

91-018 01/31/91	Weldotron Corporation	Prepackaging Scale	9000 Series	III	3,000	30 x 0.01 lb	13-1/4" x 11-1/4"	Prepackaging Scale
		Includes Models 9602, 9603, 9605, 9609, 9610, 9612. CC based on CC 88-174.A1 issued to NBI, Inc. & information provided by mfg. Corresponding models for all but 9612/ 9612 included based on mfg. information. CC based on CC 88-174.A1 issued to NBI, Inc. & info provided by mfg. information.						

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Weldtec Scales								
89-135PN 11/02/89	Weldtec Scales	Vehicle Scale	50-60T	III L	6,000	120,000 lb	50' x 10'	
Western Scale Company Limited								
87-029 07/14/87	Western Scale Company Limited	Indicating Elements	DF 2000	III/III L	5,000			Digital Indicating Element
87-117 03/10/88	Western Scale Company Limited	Indicating Elements	DF-1000	III/III L	10,000			Digital Indicating Element
William M. Wilson's Sons, Inc.								
86-005 05/06/86	William M. Wilson's Sons, Inc.	Service Station Consoles/ECR	2000S-CFN-SC					Digital Electronic
86-006 05/06/86	William M. Wilson's Sons, Inc.	Indicating Elements	2001, 2002					Digital Electronic
88-279 01/25/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel Dispenser	Gasboy 8800 Series			see below		Superseded by 88-279A1
	8852, 8853. Capacities: $999.99 Total Money, 999.999 Total Volume, $9.999 Total Value							
88-279A1 05/25/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel Dispenser	Gasboy 8800			see below		Electronic Computing
	8852, 8853. Capacities: $999.99 Total Money, 999.999 Total Volume, 9.999 Total Unit Price							
88-281 01/25/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel Dispenser	Gasboy 8000 Series			999.9 total vl		superseded by 88-281A1
	8052, 8053, 8652, 8653, 8752, 8753							
88-281A1 05/25/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel Dispenser	Gasboy 8000			999.9		
	8052, 8053, 8652, 8653, 8752, 8753							
88-282 01/25/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel Dispenser	Gasboy Submersible			999.9 total vol		Mechanical; Volume Only
	53 RDX, 2150 RDX, 8553 RDX, 8553 RDX TW							
88-283 01/25/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel Dispenser	Gasboy Self-Con Vol			999.9 total vol		Mechanical; Volume Only
	52, 5200, 53, 5300, 8552, 8552TW, 8553, 8553TW							

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-284 01/25/89	William M. Wilson's Sons, Inc. 150, 85150, 1500 RDX (Dispenser Only)	Retail Motor Fuel Dispenser	Gasboy Sup-Sd Vol			999.9 total vol		Volume Only
88-285 01/25/89	William M. Wilson's Sons, Inc. System Model 2000S: Card readers are CTR-4, CTR-8, CTR-12 and CTR-16 which interface with logic control unit models CTC-4, CTC-8, CTC-12, and CTC-16.	Retail Motor Fuel System	System 2000S					Magnetic or Optical Reader
89-056 05/25/89	William M. Wilson's Sons, Inc. 9152, 9153	Retail Motor Fuel Dispenser	9100			999.9		Mechanical: Volume Only
89-064 07/05/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel Dispenser	425			5 gal delivery		Gallon Stroke Pump
91-019 01/31/91	William M. Wilson's Sons, Inc. For use in applications in which a volume only dispenser is considered suitable. The 9140 Super Speed model is to be used for diesel fuel only.	Retail Motor Fuel Dispenser	9100 Series					RMFD Volume Only
91-020 02/06/91	William M. Wilson's Sons, Inc. Models: 8852-, 8853-, 8840-Suffix, See CC for suffixes. Standard, Super, & Highspeed, Model 8840 for use with diesel only.	Service Station Consoles/ECR	8800 Series		$9.999/vol	$999.99 total $ 999.999 total vol		Elec. Comp. RMFD
91-021 02/04/91	William M. Wilson's Sons, Inc. VeederRoot Registers: VR-10: $999.99, 999.9 vol, $9.999/vol. 2002E: $99.99, 999.9, $3.999/vol. VR-10 register must be used for applications in which total sales will exceed $99.99, Models: 8052-, 8053-, 8652-, 8653-, 8740, 8752-, 8753-Suffix. See C C for suffixes.	Retail Motor Fuel Dispenser	8000 Series					Mechanical Computing RMFD
91-057 04/05/91	William M. Wilson's Sons, Inc. 2000S-CFN-DET, 2000S-CFN-PPCII, 2000S-CFN-PCU, 2000S-CFN-SCII, 2000S-CFN-L & 2000S-CFN-CRP.	Retail Motor Fuel Dispenser	2000 Series					Gasboy Cash Flow Network II

Winslow Scale Company

88-149PN 07/17/88	Winslow Scale Company TR 10, TRA-50	Weighbeam	TR Series	III/III L		51k & 120k lb		Type Registering Weighbeam
89-014 PA1 04/24/91	Winslow Scale Company 93-6040, 94-10050, 94-10060, 94-10070, 95-10080, 98-100100, 93-6040-12, 94-8060, 94-8080-12, 94-10080-12, 94-10070-12, 94-10060-12, 94-10080-12. CLC (lb) - 48,000 & 58,000	Vehicle Scale	94-80709	III L	8,000	160k x 20 lb	70' x 20'	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-014P	04/04/89	Winslow Scale Company		Vehicle Scale	94-8070	IIIL	8,000	160,000 lb	70' x 10 '	Digital Weighing Element
89-085P	04/24/91	Winslow Scale Company		Vehicle Scale	84-8070	III L	8000	160k x 20 lb	70' x 10	Digital Electronic
			CLC: 48,000 lb. 83-4040, 84-6050, 84-6060, 84-6070, 84-6080, 84-60100, 84-8050, 84-8060, 84-8070, 85-8080, 85-10060, 84-10070, 84-10080 & 86-100100.							
92-035		Winslow Scale Company		Indicating Elements	Type Series 7					IN PROCESS
92-086		Winslow Scale Company		Vehicle Scale	42, 43 & 44 Series					IN PROCESS

Wisconsin Electrical Mfgr. Co., Inc

88-099	06/28/88	Wisconsin Electrical Mfgr Co . Inc	HMB 3000	Indicating Elements	HML-3000	III L	10,000			Digital Electronic
91-160	03/23/92	Wisconsin Electrical Mfgr Co., Inc	HI 2151 WC-(XX)	Indicating Elements	HI 2150 WC-(XX)	III/III L	10,000			Digital Electronic

LISTING BY DEVICE TYPE

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Belt Conveyor Scale								
92-032 02/03/92	Ramsey Technology Inc. 10-14A-3; 10-14A-4. Scale Capacity: Min-108 tph; Max-10,800 tph.	Belt Conveyor Scale	10-14A SERIES					Load Cell Electronic
Bench and Counter Scale								
87-041 09/29/87	A&D Engineering, Inc. FV-30KA2, FV-60KA2, FV-150KA1	Bench and Counter Scale	FV-60KA1	III	3100	60 x .02 kg	15.4" x 20.8"	Superseded by 87-041A
87-041A 04/19/89	A&D Engineering, Inc. FV-30KA2, FV-60KA2, FV-150KA1	Bench and Counter Scale	FV-60KA1	III	3,100	60 x .02 kg		Digital Bench Scale
90-061.A1 01/24/91	A&D Engineering, Inc. Platform: 15.4" x 20.8" (KA1); 12.8" x 16.5" (KA2)	Bench and Counter Scale	FW Series	III	10,000	300 lbs	see below	Superseded by 90-061.A2
90-061.A2 02/12/91	A&D Engineering, Inc. Platform: 12.8" x 16.5"(KA2), capacities - 12, 60, 120, 200 & 300 lbs.	Bench and Counter Scale	FW SERIES	III	10,000	see below	15.4"x20.8" (KA1)	Digital Electronic
90-061.A2 AMEND 08/14/91	A&D Engineering, Inc. Platform: 15.4" x 20.8"(KA1)-12.8" x 16.5"(KA2).	Bench and Counter Scale	FW Series	III	10,000	see certificate	see below	Digital Electronic
90-064 08/21/90	A&D Engineering, Inc. FV-30KA2, FV-60KA2, FV-150KA1. Other capacities: 60 x .02 kg, 1920 x 1 oz	Bench and Counter Scale	FV-60KA1	III	3,100	120 x .05 lb	15.4" x 20.8"	Digital Electronic
90-096 08/21/90	A&D Engineering, Inc. FV-60KAS2 60 x 0.2kg, 150 x 0.5 lb, 2400 x 1 oz, 12.8" x 16.5"	Bench and Counter Scale	FV-60KAS1	III	3,000	60 x .02 kg	15.4" x 20.8"	Digital Electronic
90-140	Airway Scale and Mfg Co., Inc.	Bench and Counter Scale	XX XL YY	III				IN PROCESS
87-071 12/30/87	Avery Weighing Technology Optional capacity: 30 x 0.01 lb	Bench and Counter Scale	3359	III	3,000	60 x .02 lb	350mm x 350mm	Digital Bench Scale
87-071A 09/22/88	Avery Weighing Technology Optional capacities: 30 x 0.01 lb, 60 x 0.02 lb	Bench and Counter Scale	3359	III	2,000	100 x 0.05 lb	350 mm x 350 mm	Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-007 05/28/86	Baader North America Corp. 10XX.10, 10XX.20, 10XX.30, 10XX.40	Bench and Counter Scale	1020.30.73	III	3000	300 kg (600 lb)	24" x 19 1/2"	
88-181 08/30/88	Berkel Incorporated 680 CW MKII	Bench and Counter Scale	680 MKII	III	3,000	30 x 0.01 lb	384 mm x 280 mm	Digital Electronic
90-095 08/21/90	Berkel Incorporated RS-300: 300 x 0.1 lb	Bench and Counter Scale	RS-150	III	3,500	150 x 0.05 lb	13.9" x 19.7"	Digital Electronic
91-165 03/12/92	Berkel Incorporated CX9 - Capacity- 50 x 0.01 lb	Bench and Counter Scale	CX10	III	5000	50 x 0.01 lb	11" x 13 1/2"	Digital Electronic
87-028A1 01/06/90	Cardinal/Detecto Scale Mfgr Co AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 X 9.91 lb	6.75 x 5.25 "	Digital Bench Scale
87-034A1 01/06/90	Cardinal/Detecto Scale Mfgr. Co. AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 x 9.91 lb	6.75" x 5.25"	Digital Bench Scale
88-106A1 08/21/90	Cardinal/Detecto Scale Mfgr. Co. 500 - 1000 lb; 200 - 500 kg	Bench and Counter Scale	854P	III	2,000	see below	19" x 28"	Full Mechanical
88-130 03/12/92	Cardinal/Detecto Scale Mfgr. Co. XTD-4638; XTD-4848; XTD-6048; XTD-6060; XTD-7248; XTD-7260; XTD-7654; XTD-8460 & XTD-9672	Bench and Counter Scale	XTD & ETD SERIES	III		6500	see certificate	Dormant Mechanical
88-131 03/12/92	Cardinal/Detecto Scale Mfgr. Co. XD-4638; XD-4848; XD-6048; XD-6060; XD-7248; XD-7260; XD-7654; XD-8460 & XD-9672	Bench and Counter Scale	XD Series	III		6500	see certificate	Dormant Mechanical
88-248 10/11/88	Cardinal/Detecto Scale Mfgr. Co. AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3,999	3999 x 1 g	6.75" x 5.25"	Superseded by 88-248A1
88-248A1 01/06/90	Cardinal/Detecto Scale Mfgr. Co. AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3999	3999 X 1 g	6.75"x 5.25"	
88-249A1 01/06/90	Cardinal/Detecto Scale Mfgr. Co. AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4k	III	3999	3999 X 1g	6.75 X 5.25 "	Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-030 01/10/90	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	102 SERIES	III	4,000	100 x 0.05 lb	14" x 14"	Load Cell Electronic
89-030.A2 01/29/92	Cardinal/Detecto Scale Mfgr. Co. 102; 105; 122; 125; 1010; 1020; 1210; 1220; 1240; 1250; 1440; 1450; 12100 & 14100.	Bench and Counter Scale	see certificate	III	4000	2 lb - 100 lb		Load Cell Electronic
89-030A1 03/27/90	Cardinal/Detecto Scale Mfgr. Co. 102, 105, 1010, 1020, 1440, 1450, 14100	Bench and Counter Scale	102W	III	4,000	2 lbs to 100 lbs		Load Cell Electronic
89-032 01/10/90	Cardinal/Detecto Scale Mfgr. Co. 1100 DB, 1102 DE, 1102 EDX, 1105 DG, 1106 DK, 1105 DGK, 1100 DBK, 1102 EDK, 1106 DKK	Bench and Counter Scale	1100 SERIES	III	1000	50 - 300 lb	13-3/4" x 18-1/2"	Mechanical Dial
89-032A1 08/21/90	Cardinal/Detecto Scale Mfgr. Co. Models: Levertronic- 5110, 7011. Dial- 1100 DB, 1102 DE, 1102 EDX, 1105 EG, 1106 DK, 1105 DGK, 1100 DBK, 1102 EDK, 1106 DKK & 1105 DGK.	Bench and Counter Scale	1100 Series	III	1000	50 to 300 lbs	13-3/4" x 18-1/2"	Mechanical Dial
89-032A2 04/09/92	Cardinal/Detecto Scale Mfgr. Co. Capacities: 50lb x 1 oz; 100lb x 2 oz; 100lb x 0.1lb; 200lb x 4 oz; 300lb x 8oz; 400lb x 0.2lb; 25kg x 25g; 50kg x 50g; 150kg x 250g; 100kg x 100g	Bench and Counter Scale	5110,7011 & 1100	III	1000	see below	13-3/4 x 18-1/2"	Mechanical Dial & Levertronic
89-102 08/21/89	Cardinal/Detecto Scale Mfgr. Co. 6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80, 6900-100, 6901-100	Bench and Counter Scale	6900	III	5000	4 lb - 100 lb		
90-008 02/14/90	Cardinal/Detecto Scale Mfgr. Co. PCS 200 MR, PCS 200 M, PCS 200, PCS-RCM, PCS-AS-150	Bench and Counter Scale	PCS 200 M	III	3200	99lb 15.5 x 0.5oz	18" x 18"	
90-065 04/18/90	Cardinal/Detecto Scale Mfgr. Co. EF-100: 100 lb x .05 lb, 18 x 18 / EF-218: 200 lb x .1 lb, 18 x 18 / EF-224l 200 lb x .1 lb, 24 x 24 / EF-524: 500 lb x .2 lb, 24 x 24 & EF-528: 500 lb x .2 lb, 28 x 28.	Bench and Counter Scale	EF Series	III	2500	100 - 1,000 lbs		Load Cell Electronic
91-162 03/26/92	Cardinal/Detecto Scale Mfgr. Co. 441; 442; 443; 444; 445; 446 & 4420 (short column)	Bench and Counter Scale	440	III	1400	350 x 1/4 lb	13-3/4" x 18-1/2"	Full Mech., Beam Indicator
87-033 07/16/87	Cardinal/Detecto Scale Mfgr. Co. 6600-2, 6600-5, 6600-10, 6600-50, 6600-100	Bench and Counter Scale	6600 Series	III	5,000	100 x 0.02lb	8.25" x 14.5"	Digital Bench Scale
87-034 07 16 87	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	AP-20	III	1,999	19.99 x 0.01 lb	6.75" x 5.25"	Superseded by 87-034A1

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-112 06/09/88	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4 x 0.001 lb	8 " Diameter	Digital Bench Scale
	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80							
88-249 10/11/88	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	AP-4K	III	3,999	3999 x 1 g	6.75" x 5.25"	Superseded by 88-249A1
	AP-6, AP-8, AP-10							
87-027 07/16/87	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	6600 Series	III	5,000	100x0.02 lb	8.25" x 14.5"	Digital Bench Scale
	6600-2, 6600-5, 6600-10, 6600-50, 6600-100							
87-028 07/13/87	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	AP-20	III	1,999	19.99x0.01	6.75" x 5.25"	Supersedes by 87-028A1
88-113 06/09/88	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4lb - 80lb	8" Diameter	Digital Bench Scale
	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80							
88-134PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	2200 Series	III		50 - 125 lb	18" x 20"	Mechanical Dial Bench Scale
	2200 DB, 2200 AB, 2201 DD, 2201 AD, 2202 DE, 2202 AE, 2202 DEDX, 2202 AEDX, 2203 DF, 2203 AF, 2203 ADFDX, 2203 AFDX, 2205 DJ							
90-125 09/17/90	CAS Corporation	Bench and Counter Scale	3D	III	3,000	6 lb	13.5" x 8.5"	Load Cell Electronic
	6D & 15D							
89-127.A1 04/18/91	Certified Scale Co.	Bench and Counter Scale	2010	III	5,000	1,000 - 5,000 lb	24 x 24 - 60 x 60	Low Profile-Load Cell Electr.
90-091 08/07/90	Digi Matex, Inc.	Bench and Counter Scale	DS-410	III	3,000	300 x 0.1 lb		Digital Electronic
	Optional Capacities: 150 x 0.05 lb, 600 x 0.2 lb. Optional Platform Sizes: 15.5" x 15.5", 27" x 22".							
92-003	Digi Matex, Inc.	Bench and Counter Scale	Series S	III				IN PROCESS
90-156	Digi Postal Corporation	Bench and Counter Scale	DP70S	III				IN PROCESS
89-111 04/25/90	Doran Scales, Inc.	Bench and Counter Scale	DSP1000 Series	III	3,000	5 to 30 lb	8" x 10"	Load Cell Electronic
	DSP1005, DSP1015, DSP1030							

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-112 04/25/90	Doran Scales, Inc.	Bench and Counter Scale DSP2015, -2030, -2060, -2100, -2150, -2200, -3060, -3100, -3150, -3200, -3300	DSP2000 & DSP3000	III	2,000	15 to 300 lb	12"x16", 18"x18"	Load Cell Electronic
89-112A1 04/06/92	Doran Scales, Inc.	Bench and Counter Scale DSP2010; DSP2015; DSP2020; DSP2030; DSP2050; DSP2060; DSP2100; DSP2150; DSP2200; DSP3050; DSP3060; DSP3100; DSP3150; DSP3200; DSP3250; DSP3300.	DSP2000/3000 Series	III	3,000	10 - 300 lb	12x16" - 18x18"	Load Cell Electronic
89-113 04/25/90	Doran Scales, Inc.	Bench and Counter Scale DSP5060/1824, -5100/1824, -5150/1824, -5200/1824, -5300/1824, -5500/1824, -51000/1824, -5060/2424, -5100/2424, -5150/2424, -5200/2424, -5300/2424, -5500/2424, -51000/2424	DSP5000 Series	III	2,000	60 to 1,000 lb	18"x24", 24"x24"	Load Cell Electronic
89-113A1 04/06/92	Doran Scales, Inc.	Bench and Counter Scale DSP5050/1824; DSP5060/1824; DSP5100/1824; DSP5150/1824; DSP5200/1824; DSP5200/1824; DSP5300/1824; DSP5599/1824; DSP5750/1824; DSP51000/1824; DSP5050/2424; DSP5060/2424; DSP5100/2424; DSP5150/2424; DSP5200/2424; DSP5250/2424; DSP5300/2424; DSP5500/2424; D SP5750/2424; DSP5100/2424	DSP5000 Series	III	3,000	50 - 1000 lb	18x24" - 24x24"	Load Cell Electronic
90-074 07/29/91	Doran Scales, Inc.	Bench and Counter Scale 7005-P, 7015-P, 7030-P, 7060-P & 7100-P.	7000-P Series	III	3000	5 - 100 lb	10"x10" & 12"x12"	Load Cell Electronic
90-074P 05/11/90	Doran Scales, Inc.	Bench and Counter Scale 7005-P: 5 lb, 2500, 0.002 lb, 10" x 10" / 7015-P: 15 lb, 3000, 0.005 lb, 10" x 10" / 7030-P: 30 lb, 3000, 0.01 lb, 10" x 10" / 7060-P: 60 lb, 3000, 0.02 lb, 12" x 12" & 7100-P: 100 lb, 2000, 0.05 lb, 12" x 12".	7000-P Series	III	3000	5 to 100 lb	10" x 10"	Load Cell Electronic
91-032 04/18/91	Edlund Company, Inc.	Bench and Counter Scale	E2000	III	3200	320 x 0.1 oz	9" x 9"	Digital Electronic
90-155 01/24/91	Epelsa International, Inc.	Bench and Counter Scale SP12-1813, SP12-2413 & SP12-3013	SP12 Series	III	3000	300 lb		Load Cell Electronic
86-009 06/04/86	Fairbanks Scales	Bench and Counter Scale H70-4710-1, H70-4710-2, H70-4714-1, H70-4714-5, H70-4718-1	H70-4710-1	III	6000	12 x .002 lb	10" x 10"	
88-074 09/12/88	Fairbanks Scales	Bench and Counter Scale H70-4000-2, -4050-2, -4100A, -4100B	H70-4XXX	III	5,000	40 - 200 lb		Bench Scale weighing element
88-075 09/22/88	Fairbanks Scales	Bench and Counter Scale 70-4170, capacity 600 x 0.2 lb, 1000 x 0.5 lb	70-4070	III	2,000	200 x 0.1 lb	17 " x 22 "	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-127	08/30/90	Fairbanks Scales		Bench and Counter Scale	70-490X-XXX FAM	III				
91-148	09/09/91	Fairbanks Scales	70-2443, 70-2443ABR	Bench and Counter Scale	23-2443	III	4,000	200 x 0.05 lb	14" x 14"	Load Cell Electronic
91-109	08/12/91	FIRST-Weigh	DP10-1003, DP10-1006 & DP10-10. Capacities: 30 lb x 0.01, 60 lb x 0.02 & 100 lb x 0.02. N-max: 3,000 & 5,000.	Bench and Counter Scale	DP10	III	see below	30 lb - 100 lb	12" x 14"	Digital Electronic
89-043	08/17/89	General Electronic Systems, Inc.	4412, 4414, 4418, 4424	Bench and Counter Scale	4400 & 4500 Series	III	3k-6k	10 lb to 600 lb	12"x12" - 24"x24"	Load Cell Electronic
90-167	01/03/91	General Electronic Systems, Inc.	402-12, 402-14, 402-18 & 402-24	Bench and Counter Scale	UBS 402 Series	III	3000 or 5000	20 to 500		Digital Electronic
91-114A1	04/06/92	General Electronic Systems, Inc.		Bench and Counter Scale	4550SS/4560SS	III	see cert.	10 - 600 lb		Load Cell Electronic
91-114A2	03/26/92	General Electronic Systems, Inc.		Bench and Counter Scale	4600SS	III	see cert.	10 - 600 lb		Load Cell Electronic
91-164		General Electronic Systems, Inc.		Bench and Counter Scale	4500 & 4560 Series	III				IN PROCESS
88-109A1	03/26/92	GSE, Inc.	4430; 4432; 4434; 4442; 4444; 4446; 4450; 4452; 4454	Bench and Counter Scale	4400 Series	III	3000	20 - 1000 lb	12"x12" - 24"x24"	Digital Electronic
88-189	01/25/89	GSE, Inc.		Bench and Counter Scale	622	III	5,000	10 to 100 lb		Digital Electronic
88-190	12/20/88	GSE, Inc.	4430, 4432, 4434, 4442, 4444, 4446, 4450, 4452, 4454	Bench and Counter Scale	4400 Series	III	2,500	20 lb to 1,000 lb	12-18" to 24-24"	Digital Electronic
89-126	10/24/89	Hobart Corporation	HOB 15-1, HOB 15-2, HOB 15-3, HOB 15-4, HOB 15-5	Bench and Counter Scale	HOB 15-X	III	800	50 - 100 lb	13.5" x 19"	Mechanical Lever Spring Dial
92-062	05/06/92	Hobart Corporation	1840S, 1840M, 1840F, 1840B, 1800 & 1800V (1800 models are not computing devices).	Bench and Counter Scale	1840	III	3,000	30 x 0.01 lb	12" x 14"	Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-021A 01/25/89	Ishida Scales Mfg. Co., Ltd. MT-150 Capacity 150 x 0.05 lbs. MT-60 Capacity 60 x 0.02 lbs	Bench and Counter Scale	MT-300	III	3,000	300 x 0.1 lb	550 mm x 400 mm	Digital Electronic
88-251 10/13/88	Ishida Scales Mfg. Co., Ltd. MT-30S, MT-15S	Bench and Counter Scale	MT-60S	III	3,000	60 x 0.02 lb	329 mm x 309 mm	Digital Electronic
89-143 04/25/90	Ishida Scales Mfg. Co., Ltd.	Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Checkweighing Scale
90-031 03/13/90	Ishida Scales Mfg. Co., Ltd. Optional capacity: 2.5 kg x 0.001 kg	Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Digital Checkweighing Elect.
91-121 03/27/92	Ishida Scales Mfg. Co., Ltd.	Bench and Counter Scale	MG-3000	III	3000	6 x 0.002kg	200 x 250 mm	Digital Checkweighting Elect.
88-096 11/03/88	John Chatillon & Sons, Inc	Bench and Counter Scale	13/A	III		130lb x 4oz	13.5 " x 19 "	Mechanical Lever-Spring Dial
88-096A1 10/24/89	John Chatillon & Sons, Inc. Type 15	Bench and Counter Scale	13/A	III	520	520 x 1 lb	13.5" x 19"	Mechanical Lever Spring Dial
88-150 03/13/90	John Chatillon & Sons, Inc. PBB 135, PBB 52, PBB 52kg, PBB 26kg	Bench and Counter Scale	PBB Series	III	See Below	135 lb - 35 kg	12" x 17"	Superseded by 88-150 5/4/90
88-150 Amended 05/04/90	John Chatillon & Sons, Inc. PBB 135 135 lb, PBB 52 52 lb, PBB 52KG 52kg, PBB 26KG 26, kg	Bench and Counter Scale	PBB Series	III		26 kg - 135 lb	12" x 17"	Mechanical Lever System
88-150PN 06/28/88	John Chatillon & Sons, Inc.	Bench and Counter Scale	PBB Series	III		135lb - 52kg	12 " x 17 "	Superseded by 88-150
88-186 08/30/88	John Chatillon & Sons, Inc. DPA150, capacity 150 x 0.05 lb. DPA600, capacity 600 x 0.2 lb	Bench and Counter Scale	DPA300	III	3,000	300 x 0.1 lb	15.5 " x 15.5 "	Digital Electronic
90-078 05/15/90	John Chatillon & Sons, Inc. PDT-50: 65 lb x 2 oz, PDT-200: 260 lb x 8 oz, PDT-25K: 25 x .05 kg, PDT-50K: 50 x .1 kg & PDT-100K: 100 x .2 kg.	Bench and Counter Scale	PDT-100	III	520	130 lb x 4 oz	12 x 17 inch	Mechanical Spring Dial
90-104 09/17/90	John Chatillon & Sons, Inc.	Bench and Counter Scale	PBB300-1	III	4816	301 lb x 1 oz	21.75" x 16.25"	Mechanical Lever System

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-019 06/28/88	Kubota Corporation		Bench and Counter Scale	KA-10-HB	III	3,500	150 x 0.05lb	13.9" x 19.7"	Digital Electronic
87-097 01/11/88	Metro Equipment Corporation	BD-25M-XXX, BD-50D-XXX, BD-50M-XXX, BD-125PK-XXX, BD-100M-XXX, BD-250-XXX	Bench and Counter Scale	BD-125PK-XXX	III	560	125 lb x 4oz	13 1/2" x 20 1/2"	Mechanical Dial Bench Scale
91-080PN 05/13/91	Metro Equipment Corporation	Model 50 TK Beams: 49 x 1 kg, 1 kg x 10 g. Model 150 TK beams: 140 x 10 kg, 10 x 0.1 kg. Model 126 TAD Beams: 120 x 5 lb, 5 lb x 1 oz, 1 x 0.1 lb.	Bench and Counter Scale	301TAD	III	4800	301 lb x 1 oz		Fully Mechanical
88-289 02/10/89	Mettler Instrument Corporation		Bench and Counter Scale	Mettler Multirange	II/III L	15000			Superseded by 88-289A
88-289A 03/01/89	Mettler Instrument Corporation	Class III Scales: KA15, KB60, KC120, KC240. Class II Scales: KA15, KB60, KC120	Bench and Counter Scale	Mettler Multirange	II/III	15,000	see certificate	see certificate	Digital Electronic
88-296 03/01/89	Mettler Instrument Corporation	SM3000/49, SM6000/49, SM1220/49, SM12/49, SM1520/49, SM15000/49, SM15/49	Bench and Counter Scale	SM/49 Series	II	15,000	2K to 15k g	322 x 232 mm	Digital Electronic
90-165 01/24/91	Micro General	Other Models: 1084, 1064, 1052, 1085, 1065 & 1053.	Bench and Counter Scale	10XX	III	3168	99 lb. x .5oz.		Digital Electronic
88-272 11/14/88	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	5000	15 lb - 100 lb	8"x8", 12"x16.5"	Superseded by 88-272A
88-272A 04/19/89	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	5,000	15 lb to 100 lb	8"x8", 12"x16.5"	Load Cell, Electronic
88-311 01/25/89	NCI Weigh-Tronix Inc.	3800 R (remote indicator)	Bench and Counter Scale	3875	III	2240	5-70 lb x .5 oz	13-1/2" x 12"	Postal Weight Classifier
86-014 06/25/86	New Brunswick International, Inc.	Optional capacities: 150 x .05 lb, 600 x .2 lb	Bench and Counter Scale	DS-410		3000	300 x 0.1 lb	15.5" x 15.5"	Digital Electronic
86-014A 11/01/88	New Brunswick International, Inc.	Optional capacities: 150 x 0.05 lb, 600 x 0.2 lb	Bench and Counter Scale	DS-410	III	3,000	300 x 0.1 lb		Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-113 01/11/88	New Brunswick International, Inc. DS-260, DS-261	Bench and Counter Scale	DS-260	III	3,000	300 x 0.1 lb	700 x 600 mm	Digital Bench Scale
88-203 09/13/88	Ohaus Corporation LB30, LB60, LB100, LB150. Capacities (lb): 30 - 150	Bench and Counter Scale	LB100	III	5,000	100 x 0.02 lb	14" x 17"	Load Cell Electronic
88-204 09/22/88	Ohaus Corporation WB10, WB25. Capacities (lb): 10 and 25	Bench and Counter Scale	WB50	III	5,000	50 x 0.01 lb	12" x 12"	Load Cell Electronic
88-205 09/13/88	Ohaus Corporation WBS 10 and WBS 25. Capacities (lb): 10 and 25	Bench and Counter Scale	WBS50	III	2,500	50 x 0.02 lb	12" x 12"	Load Cell Electronic
88-228 09/13/88	Ohaus Corporation PL30, PL60, PL100, PL150	Bench and Counter Scale	PL Series	III	5,000	30 to 150 lb	18" x 18"	Load Cell Electronic
87-072 03/10/88	Pelouze Scale Company	Bench and Counter Scale	PS75LR	III	750	75 x 0.1 lb	18'x 13"	Superceded by 87-072A2
87-072.A2 Amend 09/11/90	Pelouze Scale Company PS75LR: 75 x 0.1 lb or 34 x 0.05 kg, PS75LRX: 75 x 0.1 lb or 34 x 0.05 kg, PS75LR1: 75 x 0.05 lb, PS75L: 75 x 0.01 lb, PS75L1: 75 x 0.05 lb.	Bench and Counter Scale	PS75L	III	1,500	See other models	18" x 13"	Shipping Scale
87-072A 09/11/90	Pelouze Scale Company PS75LR, 75 x 0.1 lb: PS75LRX, 75 x 0.1 lb: PS75LR1, 75 x 0.05 lb: PS75L, 75 x 0.1 lb: PS75L1, 75 x 0.05 lb	Bench and Counter Scale	PS75L Series	III	1500	75 x 0.1 lb	18'x 13"	Superceded by 87-072A2
87-072A2 04/25/90	Pelouze Scale Company	Bench and Counter Scale	PS75LRX	III	1500	75 x 0.05 lb	18" x 13"	Shipping Scale
89-057 08/17/89	Pelouze Scale Company	Bench and Counter Scale	PS-6LI	III	1200	6 x 0.005 lb	6.75 x 9.5 in	Digital Electronic
89-119 01/06/90	Pelouze Scale Company	Bench and Counter Scale	PS6LR1	III	1200	6 X 0.005 lb	7 7/8 X 5 1/8 "	Digital Electronic
91-149 02/07/92	Pennsylvania Scale Company Capacities: 10 x 0.002 lb; 25 x 0.005 lb; 50 x 0.01 lb; 100 x 0.02 lb. Models : 7000; 7100; 7200; 7300; 7400; 7400M.	Bench and Counter Scale	7X00 Series	III	5,000	see below	12" x 14"	Electronic
89-049 01/10/90	Pitney Bowes	Bench and Counter Scale	A 510	III	3200	10 lb x 0.1 oz	8 7/8" x 8"	

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-050	08/21/90	Pitney Bowes	A570, A530	Bench and Counter Scale	A610	III	3168	0-2 x 0.1 lb	14 3/8" x 9 1/4"	Postal Weight Classifier
89-121	01/06/90	Pitney Bowes		Bench and Counter Scale	A 603	III	960	3 lb x 0.1 oz	8 7/8" x 5 5/8"	Digital Electronic Computing
92-009		Powell All-Steel Scales		Bench and Counter Scale	XXYYECZ					IN PROCESS
91-101	03/12/92	R&W Specialty Mfg. Corp.	SCLFT065; Capacity: 65 lb x 2 oz	Bench and Counter Scale	SCLFT130	III	520	130 lb x 4 oz	12 x 17"	Mechanical Spring Dial
88-292	01/25/89	Rice Lake Weighing Systems	4430, 4432, 4442, 4446, 4452, 4454	Bench and Counter Scale	4400 Series	III	2,500			Digital Electronic
91-146	03/26/92	Rice Lake Weighing Systems	CW40-5; CW40-10; CW40-30; CW40-60; CW40-100; CW40-60A; CW40-100A; CW40-150; CW40-200; CW40-300; CW40-60B; CW40-100B; CW40-150A; CW40-200A; CW40-300A; CW40-500; CW40-1000; CW40-60C; CW40-100C; CW40-150B; CW40-200B; CW40-300B; CW40-500A & CW40-1000A.	Bench and Counter Scale	CW40 Series	III	3000	5lb - 1000 lb	10"x10" - 24"x24"	Digital Electronic
92-001	03/16/92	Rice Lake Weighing Systems	2x2HP-2K; 2.5x2.5HP-2K; 3x3HP-2K; 4x4HP-5K; 4x4HP-10K; 4x5HP-5K; 4x5HP-10K; 4x6HP-5K; 4x6HP-10K; 5x5HP-5K; 5x5HP-10K; 5x6HP-5K; 5X6HP-10K; 5x7HP-5K & 5x7HP-10K. Capacity - 2000; 5000; 10000. Platform - 2x2'; 2.5x2.5'; 3x3'; 4x4'; 4x5'; 4x6'; 5x5'; 5x6'; 5x7'	Bench and Counter Scale	XxXHP-YYK	III	5000	see below	see below	Low Profile-Load Cell Elect.
88-124	09/09/88	Sartorius Corporation	I24-*U2, I16000-*U2	Bench and Counter Scale	I Series	II	24,200	24.2 kg	11.75 " x 9.25 "	Digital Electronic
88-125	09/09/88	Sartorius Corporation	Class II scales: F61S-*U2**B, F61S-XU2**B, F150S-*U2, F150S-XU2, F300S-*U2, F300S-XU2. Class III scales: F61S-*U3**B, F61S-XU3**B	Bench and Counter Scale	F Series	II/III	15,150	61 kg	23.5 " x 31.5 "	Digital Electronic
91-022	03/07/91	Seca Corporation		Bench and Counter Scale	920C	III	880	440 x .5 lbs	12" x 12"	Digital Electronic
91-023	03/07/91	Tanita Corporation		Bench and Counter Scale	BWB-620A	III	4,400	400 x 0.1 lbs	12.625" x 13.50"	Digital Electronic
91-023A1	05/05/92	Tanita Corporation	other capacity: 200 x 0.05 kg.	Bench and Counter Scale	BWB-620A	III	4,400	440 x 0.1 lb	12.625" x 13.50"	Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-270 03/01/89	TEC America, Inc.	Bench and Counter Scale	SL-39-50-N	III	5,000	50 x .01 lb.	350 mm x 240 mm	Digital electronic
88-271 03/01/89	TEC America, Inc.	Bench and Counter Scale	SL-37-08L	III	1,500	7.5 x .005 lb.	300 mm x 230 mm	Digital Electronic
87-069 04/19/89	Toledo Scale Corporation	Bench and Counter Scale	8213	III	5,000	50 x 0.01 lb	12.5" x 14"	Digital Electronic
89-046 08/17/89	Toledo Scale Corporation	Bench and Counter Scale	6113	II	15000	75 x 0.005 lb	13.75" x 12.25"	Digital Load Cell
90-047 08/21/90	Toledo Scale Corporation 1997 & 2l97; e min: 0.005 lb; capacity 15 to 600 kg.	Bench and Counter Scale	2097	III	5000	25 to 1000 lb		Load Cell Electronic
90-085 08/21/90	Toledo Scale Corporation Models: 1196; 2096; 2196	Bench and Counter Scale	XX96 Series	III	5000	25-1000lb		Load Cell Electronic
91-107 03/12/92	Toledo Scale Corporation	Bench and Counter Scale	8213	III	1999	9.995 x 0.005 lb	12.5" x 14"	Digital Electronic
91-126 08/20/91	Toledo Scale Corporation Other Capacity: 200 x 0.05 lb	Bench and Counter Scale	8213	III	5,000	100 x 0.02 kg	12.5" x 14"	Digital Electronic
92-023 03/26/92	Toledo Scale Corporation	Bench and Counter Scale	3026	III	3000	6 X 0.002 lb	9" x 9"	Over/Under Scale
92-081	Toledo Scale Corporation	Bench and Counter Scale	3027					IN PROCESS
87-101 08/17/89	Toledo Scale Corporation	Bench and Counter Scale	8423	III	5000	50 x 0.01 lb		Bench Scale
87-108 08/17/89	Toledo Scale Corporation	Bench and Counter Scale	2095	III	10000	400 x 0.5 lb	20" x 20"	Digital Electronic
88-173 04/19/89	Toledo Scale Corporation	Bench and Counter Scale	8213	III	5,000	100 x 0.02 lb	12.5" X 14"	Digital Electronic
89-078 08/17/89	Toledo Scale Corporation Optional capacities: 30 x 0.0005 lb, 60 x 0.01 lb, 120 x 0.02 lb	Bench and Counter Scale	1985	III	6,000	60 X 0.01 lb	14 X 14 in	Electronic Weighing Element

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-104A1 01/25/89	Weigh-Tronix, Inc.	Bench and Counter Scale BS 2424	BS 2020	III	5,000	See models field	See models field	Electronic Weighing Element
88-309 01/25/89	Weigh-Tronix, Inc.	Bench and Counter Scale Capacities (lb): 10, 50, 100	2200-1	III	5,000	25 x .005 lbs	12" x 13"	Digital Electronic
90-107.A1 07/10/91	Weigh-Tronix, Inc.	Bench and Counter Scale Platform dimensions are not to exceed 810 square inches.	SC-XXXX-YYY	III	3,000	500 lbs-300 lbs	see below	Digital Electronic
90-114 11/02/90	Weigh-Tronix, Inc.	Bench and Counter Scale	3270S	III	3000	6 x 0.0002 lb	9" x 9"	Load Cell Electronic
90-132 09/24/90	Weigh-Tronix, Inc.	Bench and Counter Scale platform 30 x 30 to 96 x 72.	DSLXXXX-YY	III	5,000	2,000 - 10,000	see below	Low Profile-Load Cell Elect.
90-132.A1 08/09/91	Weigh-Tronix, Inc.	Bench and Counter Scale DSL3030-02, DSL-3030-05, DSL3636-02, DSL3636-05, DSL4848-02, DSL4848-05, DSL4848-10, DSL6048-02, DSL6048-10, DSL6060-02, DSL6060-05, DSL6060-10, DSL7248-02, DSL7248-05, DSL7248-10, DSL7260-02, DSL7260-05, DSL7260-10, DSL8460-05, DSL8460-10,DSL8472-05, DSL8472-10, DSL9672-05 & DSL9672-10.	DSLXXXX-YY	III	5,000	2 K, 5 K, 10,000K	see below	Low Profile-Load Cell Elec.
91-124.A1 08/12/91	Weigh-Tronix, Inc.	Bench and Counter Scale	SC300P or T	III		50 - 250 lb		
87-093 12/30/87	Weigh-Tronix, Inc.	Bench and Counter Scale 2520-1	3835	III	5,000	250 x .05 lb	20" x 20"	Superseded by 87-093A1
88-104 05/25/88	Weigh-Tronix, Inc.	Bench and Counter Scale BS 1414, BS 1818, BS 2424	BS 2020	III	5,000	100 x .02 lb	20 "x 20 "	Elect. Bench Scale Weigh Ele.
88-230 09/12/88	Weigh-Tronix, Inc.	Bench and Counter Scale DS 3030A-01, capacity 1000 lbs	DS 2424A-005	III	5,000	500 lbs	2' x 2'	Electronic Load Cell
88-252 10/28/88	Weigh-Tronix, Inc.	Bench and Counter Scale Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg	3825	III	5,000	100 x.02 lbs	12" x 14"	Digital Electronic
88-268 10/28/88	Weigh-Tronix, Inc.	Bench and Counter Scale Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg	3815	III	5,000		12" x 14"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Bulkweighing System										
90-150	10/27/90	Advanced Systems Interfacing, Inc.		Bulkweighing System	Bulk II	III	10,000			Digital Electronic
92-064	05/07/92	Agri-Electronic Systems, Inc.		Bulkweighing System	AES 2001		10,000			Controller/Computer Interface
89-005	01/06/90	Cardinal/Detecto Scale Mfgr. Co.		Bulkweighing System	738CBW	III/III L	10,000			
88-185	11/14/88	CompuWeigh		Bulkweighing System	Compudraft Ser 2000	III				
88-185A1		CompuWeigh		Bulkweighing System	Compudraft Ser 2000	III				IN PROCESS
88-294	02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV-A	III	10,000			Digital Electronic
90-021	02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV	III	10,000			
92-043	03/26/92	InterSystems, Inc.		Bulkweighing System	Masterweigh V	III/III L	10,000			Controller/Computer Interface
90-150A1	01/10/92	Pertech	See certificate for specific specifications	Bulkweighing System	Bulk II					Digital Electronic
89-001	03/27/90	Toledo Scale Corporation		Bulkweighing System	9150	III	10,000			Digital Electronic
Cash Register										
90-166	03/07/91	CASIO, INC.	SA-2040KY, SA-2141KY, SA-2060D, SA-2013RJ, SA-2014RJ, SA-2070S & SA-2010SP OR SA-2012 SP.	Cash Register	SA 2000 & SA 2100					Stand Alone
86-019	09/02/86	Gilbarco, Inc.	Marketing name is TCR-G Series	Cash Register	PAO180 0000 100					Cash Register/Console

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-002.A1 07/06/90	Gilbarco, Inc.		Cash Register	TCR-15 Systems					Digital Electronic
		includes: T-15 Console PA0189; C-15 Controller Model PA0190 & C-2 Controller Model PA0211							
89-065 10/12/89	Gilbarco, Inc.		Cash Register	Q11891-XX, Q11640-XX					Electronic
89-091A1 09/17/90	Hobart Corporation		Cash Register	GT 6000					Digital Electronic
89-091A2 01/24/91	Hobart Corporation		Cash Register	GT6000					Digital Electronic
86-004 04/18/86	Hugin Sweda, Inc.	Model 2835	Cash Register	2845					Digital Electronic
88-163 07/25/88	Hugin Sweda, Inc.	5430	Cash Register	5420					Electronic Stand Alone
88-164 07/25/88	Hugin Sweda, Inc.		Cash Register	6700					Electronic Stand Alone or CPU
		The 6700 cash register consists of: Model 6731 printer, Model 6710 keyboard, Model 6711 paging keyboard with programmable "paging" keys							
86-002.A1 03/08/91	IBM Corporation		Cash Register	4683 Series					Electronic Cash Register
89-026 01/30/90	ICL, Inc.		Cash Register	6000 Series		2999	29.99 lb		Digital Electronic
		M6545, M6546, M6000 Printer Module, M6000 Keyboard Display							
92-020 02/07/92	ICL, Inc.		Cash Register	300	III	3,000	30 x 0.01 lb	14.2" x 12.7"	Digital Register
86-022.A1 01/03/91	Liquid Controls Corporation		Cash Register	EC2000					Electronic Registering Meter
		The EC2000 systems consists of an E2600 series remote electronic counter assembly and an E2520-2 Supervisory Console.							
90-121 11/02/90	Micros Systems, Inc.		Cash Register	Type 2000					Digital Electronic
87-123 05/03/88	National Semiconductor		Cash Register	300	III	3,000	30 x 0.01 lb	14.2" x 12.7"	Digital Cash Register

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-067	05/03/88	National Semiconductor		Cash Register	545		3,000	30 x 0.01 lb		Digital Cash Register
87-024	02/10/89	NCR Corporation	Class 2157, Model 0104: Class 2157, Model 0109	Cash Register	2157					Digital Electronic
88-005	03/10/88	NCR Corporation		Cash Register	2061-54XX					Stand Alone ECR
88-006	03/10/88	NCR Corporation		Cash Register	2157-30XX					Digitial Cash Register
88-280	02/10/89	NCR Corporation		Cash Register	2760 FSS					Digital Electronic
89-007	07/05/89	NCR Corporation		Cash Register	2123-XXXX					Electric Stand Alone
91-086	06/04/91	NCR Corporation		Cash Register	2760					Digital Electronic
87-050	09/29/87	Omron Systems of America	RS 8510	Cash Register	RS 8500					Stand Alone Cash Register
88-105	05/24/88	Omron Systems of America		Cash Register	RS 5510					Superseded by 88-105A
88-105A	09/22/88	Omron Systems of America	RS 5515	Cash Register	RS 5510 & RS 5541					Stand Alone
88-250	09/22/88	Omron Systems of America	RS 81-00, RS 81-30	Cash Register	RS 81-31					Stand Alone
88-267	10/28/88	Omron Systems of America	RS 4041	Cash Register	RS 4030					Stand Alone
89-018	04/19/89	Omron Systems of America		Cash Register	RS5510					Superseded by 89-018A1 4/18/90
89-018A1	08/21/89	Omron Systems of America		Cash Register	RS5510, 5550, 5560F					Superceded by 89-018A1 4/18/90

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-018A1 04/18/90	Omron Systems of America	Cash Register	RS5510, 5550, 5560F					
89-152 04/25/90	Omron Systems of America	Cash Register	RS3510					Stand Alone
89-153 04/25/90	Omron Systems of America	Cash Register	RS4043					Stand Alone
89-154 04/25/90	Omron Systems of America	Cash Register	RS5550					Stand Alone
90-044 02/28/90	Omron Systems of America	Cash Register	RS5500 Series					ECR
89-122 11/08/89	PAR Microsystems NTA 510, NXA 590-XX, NCX 591-XX, NXA XXX	Cash Register	NTA & NXA Series					Digital Electronic
86-020 11/04/86	Sanyo Business Systems Corp. 580-6B, 580-12B, 580-14B	Cash Register	580					Digital Electronic
90-102 11/02/90	Sanyo Business Systems Corp.	Cash Register	ECR-635					Stand Alone
90-102.A1 01/03/91	Sanyo Business Systems Corp.	Cash Register	ECR-635 & ECR-645					Stand Alone
90-120 09/17/90	Sanyo Business Systems Corp.	Cash Register	ECR 690					Digital Electronic
90-009 07/02/90	Stores Automated Systems, Inc.	Cash Register	SuperStar					CPU
90-009 Amended 11/08/90	Stores Automated Systems, Inc. The SASI SuperStar cash register consists of: Model PR 1028 printer, Model KB 1028 keyboard, Model MN 1028 display.	Cash Register	SuperStar					ECR interfaced with scales
90-009, Amended 11/06/90	Stores Automated Systems, Inc. Certificate supersedes 90-009.	Cash Register	SuperStar					ECR interfaced with scales
89-159 05/04/90	Sun Electric Corporation	Cash Register	SM-960					Digital Electronic

CC No. Date	Company Name Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-159 Amended 06/04/90	Sun Electric Corporation	Cash Register	SM-960					Digital Electronic
87-030 07/14/87	TEC America, Inc.	Cash Register	MA-1190	N/A				Electronic Cash Register
87-045 09/14/87	TEC America, Inc.	Cash Register	MA-290					Electronic Cash Register
88-269 03/01/89	TEC America, Inc.	Cash Register	MA 1900					Digital Electronic
89-099 08/21/89	TEC America, Inc.	Cash Register	FDS-50					Digital Electronic
91-025 02/05/91	TEC America, Inc.	Cash Register	MA-1600 & FDS-30					Stand Alone
Computing Scale								
87-067 10/14/87	Antonson/Meto, Inc.	Computing Scale	823	III	3,000	30 x 0.01 lb	12" x 14.5"	Digital Computing Scale
88-001 03/01/88	Avery Weighing Technology	Computing Scale	A600	III	1,500	15 x .01 lb	13.75" x 8.75"	Superseded by 88-001A1
88-001A1	Avery Weighing Technology	Computing Scale	A600	III	3000	15 & 30 x 0.01 lb	13.75" x 8.75"	IN PROCESS
88-170 09/22/88	Avery Weighing Technology	Computing Scale	A100E	III	3,000	30 x 0.01 lb	13.5 " x 11 "	Digital Electronic
88-179 09/22/88	Avery Weighing Technology 8638, 8636	Computing Scale	1770	III	3,000	30 x 0.01 lb	9.5 " x 11.5 "	Digital Electronic
88-180 09/23/88	Avery Weighing Technology 1791A, 1791C, 1791E	Computing Scale	1791	III	3,000	30 x 0.01 lb	344 mm x 280 mm	Digital Electronic
88-255 11/01/88	Avery Weighing Technology	Computing Scale	A100	III	3,000	30 lb	13.5" x 11"	Digital Electronic
88-171 08/30/88	Berkel Incorporated	Computing Scale	688LS	III	3,000	30 x 0.01 lb	13.5 " x 11 "	Digital Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-179.A1 03/07/91	Berkel Incorporated		Computing Scale	1770	III	3,000	30 x 0.01 lb	9.5" x 11.5"	Digital Computing
90-154 01/03/91	Berkel Incorporated	624LS Capacity 30 x 0.01lb - Same as the Model 623LS except the operator's display is alphanumeric.	Computing Scale	623LS	III	3,000	30 x 0.01 lb	400 x 252 mm	Digital Electronic
92-037 03/25/92	Berkel Incorporated		Computing Scale	A100E	III	3000	30 lb	13.5" x 11"	Digital Electronic
92-038 03/25/92	Berkel Incorporated		Computing Scale	A600	III	3000	15x0.01/30x0.01lb	13.75" x 8.75"	Digital Electronic
92-065	Berkel Incorporated		Computing Scale	CX20, CX30					IN PROCESS
86-023 09/29/86	Bizerba United States, Inc.		Computing Scale	Pro 7000	III	3000	30 x 0.01 lb	15" x 10.25"	
86-028 10/14/86	Bizerba United States, Inc.	Pro 7400. Other capacity: 15-30 lb x 0.01 lb	Computing Scale	Pro 7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
86-028A 11/05/87	Bizerba United States, Inc.	Other capacity 15-30 lb x 0.01 lb: 30 lb x 0.01 lb	Computing Scale	PRO7400, PRO7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
89-009 08/02/89	Bizerba United States, Inc.		Computing Scale	PRO 6000	III	3,000	30 X 0.01 lb	15" x 10.5 "	Superseded by 89-009A1
89-009A1 10/12/89	Bizerba United States, Inc.	PRO 6400 hanging scale	Computing Scale	PRO 6000	III	3000	30 x 0.01 lb	15" x 10.5"	
90-053 06/14/90	Bizerba United States, Inc.	This series consists of the Models PRO9100, PRO9400, PRO9700, PRO9600 & PRO9800.	Computing Scale	PRO9000 Series	III	3,000	30 x 0.01 lb	10.4" x 15"	Digital Electronic
92-101	Bizerba United States, Inc.		Computing Scale	SW/BW/EW Series					IN PROCESS
88-028A1 08/21/90	Cardinal/Detecto Scale Mfgr. Co.		Computing Scale	PC-30A	III	3,000	30 x 0.01 lbs	13" x 8"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-028A2	05/05/92	Cardinal/Detecto Scale Mfgr. Co.	PC-10A, PC-10kg A, PC-11A, PC-11kg A, PC-20A, PC-20kg A, PC-21A, PC-21kg A, PC-30A, PC-30kg A, PC-31A, PC-31kg A. Capacities: 6 x 0.002 lb, 3 x 0.001 kg, 15 x 0.005 lb, 30 x 0.01 kg.	Computing Scale	PC Series	III	3,000	see below	13" x 8"	Digital Electronic
88-028	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	PC-10, -10 kg, -11, -11 kg, -20, -20 kg, -21, -21 kg, -30 kg, -31, -31 kg	Computing Scale	PC-30	III	3,000	30 x 0.01 lb	13 " x 8 "	Digital Computing Scale
90-126	09/17/90	CAS Corporation		Computing Scale	15 M	III	3,000	30 x .01 lb	17.25" x 10.75"	Load Cell Electronic
91-141		CAS Corporation		Computing Scale	S2000					IN PROCESS
90-071	07/12/90	Digi Postal Corporation	DP-100X, DP-100R, DP-100F, DP-100M	Computing Scale	DP-100*	III	3199	99lb 15.5oz X 0.5	15.75 ' X 10.75"	Postal Weight Classifier
87-022	05/20/87	Electronic Scales International	JK901aa, JK903aa, JK951aa, JK953aa	Computing Scale	JK900 Series	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-102	07/25/88	Electronic Scales International	JK701aa, -702aa, -703aa, -704aa, -705aa, -706aa	Computing Scale	JK700	III	3,000	30x .01 lb	10 " x 16 "	Digital Electronic
86-017	09/17/86	Esselte Meto		Computing Scale	CC494	III	1500	7.5 x .005 lb	7.5" x 11.5"	
88-035	03/23/88	Esselte Meto		Computing Scale	BLP 804	III	3,000	30 x 0.01 lb	255 mm x 355 mm	Digital Electronic
88-062	04/27/88	Esselte Meto		Computing Scale	CB493	III	1,500	15 x 0.01 lb	8 " x 12.5 "	Digital Computing Scale
88-064	04/27/88	Esselte Meto		Computing Scale	CP 501	III	3,000	30 x 0.01 lb	13.75" x 9.5"	Digital Computing Scale
88-065	04/20/88	Esselte Meto		Computing Scale	CS 491-1	III	3,000	30 x 0.01 lb	13.75 " x 9.5 "	Digital Computing Scale
90-039	04/25/90	Esselte Meto		Computing Scale	CS 512	III	3,000	30 x 0.01 lb	14.25" x 9.75"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-040	04/25/90	Esselte Meto		Computing Scale	ES 1010	III	2,000	10 x 0.005 lb	11.75" x 8.5"	Digital Electronic
89-107	01/10/90	Exact Equipment Corporation	921-30, 921-50, 921R-30, 921R-50	Computing Scale	921, 921R	III	3,000	30 x 0.01 lb	30 x 0.01 lb	Digital Electronic
91-091	06/07/91	FIRST-Weigh		Computing Scale	RS10	III	2000	10 x 0.005 lb	11.75" x 8.5"	Digital Electronic
91-102	08/12/91	FIRST-Weigh		Computing Scale	see certificate	III	5,000	2,000 lb-5,000 lb	5" x 5" - 3" x 3"	Load Cell Electronic
91-104	07/01/91	FIRST-Weigh		Computing Scale	RS20	III	3000	30 x 0.01 lb	14.25" x 9.75"	Digital Electronic
90-099	08/21/90	Global Scale Imports, Inc.		Computing Scale	Concentrator 220A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-100	08/21/90	Global Scale Imports, Inc.		Computing Scale	Ishida LIBRA 300	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
88-051	04/27/88	Hobart Corporation		Computing Scale	1841	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-053	04/27/88	Hobart Corporation	1871	Computing Scale	1870	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-293	01/26/89	Hobart Corporation	SP80	Computing Scale	SP1500	III	3,000	30 x 0.01 lb		Superseded by 88-293A1
88-293A1	03/13/90	Hobart Corporation	SP80, SP2 1500 System	Computing Scale	SP1500	III	3000	30 X 0.01 lb		Digital Electronic
90-019	03/13/90	International Mailing Systems, Inc.	MPS 100N, MPS 100RN	Computing Scale	3000N	III	3200	100 lb X 0.5 oz	13 X 10.5 in	Computing Postal Scale
90-019.A1	02/06/91	International Mailing Systems, Inc.		Computing Scale	3000N	III	3200	100 lb x 0.5 oz	13 x 10.5 "	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-070	12/29/87	Ishida Scales Mfg. Co., Ltd.	NOVA-300L	Computing Scale	NOVA-150L	III	3,000	15 x .005 lb	285mm x 223mm	Digital Computing Scale
91-053	04/04/91	Ishida Scales Mfg. Co., Ltd.		Computing Scale	AC-2000	III	3000	30 x 0.01 lb	15.7" x 9.8"	Digital Electronic
91-054	04/04/91	Ishida Scales Mfg. Co., Ltd.		Computing Scale	Libra II	III	3000	30 x 0.01 lb	10" x 15"	Digital Electronic
90-099A1	11/26/91	Ishida U.S.A. Inc.		Computing Scale	Ishida Alpha-Cosmic	III	3,000	30 x 0.01 lb	10" x 16"	Digital Eletronic
89-004	02/10/89	K-Scale, Inc.	9010 N, 9010 P, 9020, 9020 N, 9020 N-1 thru 4, 9020 P, 9020 P-1 thru 4, 9030, 9030 U-1 thru 4, 9030 U-10	Computing Scale	9010	III	3,000	30 x 0.01 lbs		Digital Electronic
88-029	04/07/88	K-Tron	9010, 9010 N, 9010 P, 9020, 9020 N, 9020 P, 9030, 9030 U	Computing Scale	9010	III	3,000	30 x 0.01 lb		Digital Computing Scale
86-042	01/08/87	Kubota Corporation		Computing Scale	FP-900	III	3000	30 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A1	02/12/90	Kubota Corporation	Other capacity: 30 x 0.01 lb	Computing Scale	FP-900 SERIES	III	5,000	50 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A2	01/24/91	Kubota Corporation	capacities: 30 x 0.01 lb & 50 x 0.01 lb. Model designations: Model FP-900, Model FP-910, Model FP-950 & Model FP-960.	Computing Scale	FP-900 Series	III	5,000	see below	400 x 252 mm	Digital Electronic
87-008	04/14/87	Kubota Corporation		Computing Scale	LA 230	III	3,000	30 x 0.01 lb	27x37cm	Digital Computing Scale
87-081	11/25/87	Kubota Corporation		Computing Scale	LA-ONE	III	3,000	30 x 0.01 lb	14.6" x 10.8"	Digital Computing Scale
87-081A1	10/13/89	Kubota Corporation	LA-ONE, capacity 30 x .01 lb n:3000	Computing Scale	LA-150	III	5000	50 x .01 lb	14.6" x 10.8"	Digital Electronic
88-054	03/24/88	Kubota Corporation		Computing Scale	LA-320	III	3,000	15 x O.01 lb	294 mm x 205 mm	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-054A1	06/14/90	Kubota Corporation	Model LA-315	Computing Scale	LA-320	III	3000	20 x .01 lb	294 x 205 mm	Digital Electronic
88-055	03/24/88	Kubota Corporation		Computing Scale	LA-250	III	5,000	50 x .01 lb	270 mm x 370mm	Digital Electronic
88-058	04/07/88	MOBBA	LX, LS, LP1000, LD1000, LCB1000	Computing Scale	LD1000	III	3,000	30 x 0.01 lb	15.5" x 10.5"	Digital Computing Scale
87-064	09/29/87	NCI Weigh-Tronix Inc.	3451	Computing Scale	3450	III	3000	30 x 0.01 lb	12" x 14"	Digital Electronic
87-064A	09/22/88	NCI Weigh-Tronix Inc.		Computing Scale	3450	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-244	11/01/88	NCR Corporation	4522-K010	Computing Scale	4522	III	3,000	30 x 0.01 lb	12" x 14"	Digital Electonic
88-245	11/01/88	NCR Corporation	4526-K001, 4524	Computing Scale	4526-0102	III	3,000	30 x 0.01 lb	12" x 12"	Digital Electronic
86-026	10/15/86	New Brunswick International, Inc.		Computing Scale	DS 430	III	3,000	30 x 0.01 lb	11" x 12.5"	Digital Electronic
87-006	03/19/87	New Brunswick International, Inc.		Computing Scale	SM-15	III	3,000	30 x 0.01 lb	10.5" x 14.5"	Digital Computing Scale
87-065	09/29/87	New Brunswick International, Inc.	SM-60A	Computing Scale	SM-60	III	3,000	30 x 0.01 lb	11" x 15.5"	Digital Computing Scale
87-114	01/11/88	New Brunswick International, Inc.		Computing Scale	DS-380	III	3,000	30 x 0.01 lb	8" x 12.25"	Digital Computing Scale
92-107		New Brunswick International, Inc.		Computing Scale	SM-40					IN PROCESS
92-067	05/06/92	Orion Scale		Computing Scale	2830	III	3,000	30 X 0.01 lb	17.25" x 10.75"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-010A1	01/10/92	Pertech		Computing Scale	Microway II					Digital Electronic
			Software Model: TK II. See certificate for specific specifications.							
87-043	09/14/87	TEC America, Inc.	SL-39-15L-N	Computing Scale	SL-39-30L-N	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-044	09/14/87	TEC America, Inc.		Computing Scale	SL-37-15L-N	III	1,500	15 x 0.01 lb		Digital Computing Scale
87-048	09/14/87	TEC America, Inc.		Computing Scale	SL 43-100	III	4,999	99.98x0.02lb	15-5/8" x 12"	Digital Weighing Element
87-049	09/14/87	TEC America, Inc.		Computing Scale	SL-66-30-L	III	3,000	30 x 0.01 lb	9.5" x 13.75"	Digital Computing Scale
87-049 Amended	11/05/90	TEC America, Inc.		Computing Scale	SL-60-30-L	III	3,000	30 x 0.01 lbs	9.5" x 13.75"	Digital Electronic
87-049A2	08/27/91	TEC America, Inc.	SL-6600-30-9	Computing Scale	SL-66-30-1	III	3,000	30 x 0.0l lbs	9.5"x 13.75"	Digital Electronic
87-122	02/17/88	TEC America, Inc.		Computing Scale	SL-57-30l-n	III	3,000	30 x 0.01 lb	240 mm x 350 mm	Digital Computing Scale
90-062	04/18/90	TEC America, Inc.		Computing Scale	SL 5900-3(x)-C(X)-US	III	3,000	30 x 0.01 lbs	240 mm x 350 mm	Digital Electronic
90-062.A1	04/18/91	TEC America, Inc.		Computing Scale	SL 5900-3(X)-C(Y)-US	III	3,000	30 x 0.01 lb	240mm x 350 mm	Digital Electronic
91-096	03/12/92	TEC America, Inc.	SL-2200-15-US	Computing Scale	SL-2200-30-US	III	3000	30 x 0.01 lb	9.8" x 11.6"	Digital Electronic
87-046	09/14/87	TEC America, Inc.		Computing Scale	SL 59-30L	III	3000	30 x 0.01 lb	240 mm x 350 mm	Digital Electronic
89-035	05/02/89	Tektra International		Computing Scale	AS-3001P	III	3,000	30 x .01 lb	11-1/4" x 13-1/4"	Digital Electronic
87 103A	06 14 90	Toledo Scale Corporation		Computing Scale	8431	III	3000	30 x 0.01 lb	9.24" x 14.25"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-037	04/25/90	Toledo Scale Corporation		Computing Scale	8427	III	3,000	30 x 0.01 lb	15-1/2" x 9-3/4"	Digital Electronic
92-093		Toledo Scale Corporation		Computing Scale	8460					IN PROCESS
87-017	05/12/87	Toledo Scale Corporation		Computing Scale	8425	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-068	08/17/89	Toledo Scale Corporation		Computing Scale	8422	III	5000	50 x 0.01 lb	9.5" x 14.5"	Digital Electronic
87-100	08/17/89	Toledo Scale Corporation		Computing Scale	8421	III	5,000	50 x 0.01 lb	10.75" x 14.6"	Digital Electronic
87-102	04/12/88	Toledo Scale Corporation		Computing Scale	8430	III	600	6 x 0.01 lb	9" x 7"	Digital Computing Scale
87-103	03/25/88	Toledo Scale Corporation		Computing Scale	8431	III	3,000	30 x 0.01 lb	9.25" x 14.25"	Digital Computing Scale
92-068	05/06/92	Universal Weight Systems of Santa Rosa		Computing Scale	2830	III	3,000	30 x 0.01 lb	17.25" x 10.75"	Load Cell Electronic
89-123	12/20/89	Weigh-Tronix, Inc.	3401 (remote display), 3400-X, 3400 PLU	Computing Scale	3400	III	3,000	30 x 0.01 lbs	12" x 14"	Digital Electronic
89-124	12/20/89	Weigh-Tronix, Inc.	Other capacities (lb): 15, 50, 100	Computing Scale	3450	III	3,000	30 x .01 lb	12" x 14"	Digital Electronic
87-038	09/01/87	Weigh-Tronix, Inc.	3401	Computing Scale	3400	III	3,000	30 x 0.01 lb	12"x12"	Digital Computing Scale
88-025	03/01/88	Weigh-Tronix, Inc.		Computing Scale	1150; 1151; 3420	III				UPC Labeling System
88-026	03/01/88	Weigh-Tronix, Inc.	3401 (remote display)	Computing Scale	3420	III	3,000	30 x 0.01 lb	12 " x 12 "	Digital Electronic
87-038A	09/22/88	Weigh-Tronix, Inc.	Model 3400-X, Model 3400 PLU	Computing Scale	3400	III	3,000	30 x 0.01 lb	12 " x 12 "	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Crane Scale										
88-098	07/17/88	Measurement Systems International		Crane Scale	MSI-4260-01	III L	5000	50,000 x 10 lb		Superseded by 88-098A
88-098A	04/19/89	Measurement Systems International	Range of capacities: 5k to 70k lb	Crane Scale	MSI-4260-01	III L	5,000	50,000 x 10 lbs		Digital Crane Scale
89-027	04/04/89	Measurement Systems International	Capacities (lb): 10,000, 20,000, 30,000, 50,000, 70,000	Crane Scale	MSI-6260	III L	5,000	5,000 x 1 lb		Digital Electronic
91-115	05/05/92	Samson Scale Co. Inc.		Crane Scale	SM 10000	IIIL	2,000	10,000 x 5 lb		Digital Electronic
Data Processing Systems										
89-040	05/03/89	Industrial Data Systems, Inc.		Data Processing Systems	DT 210					Electronic/Programmable
91-122	06/25/91	Parcom Technologies		Data Processing Systems	PAR 3000					Manifest System, PC Computer
91-136	05/02/91	PC Synergy		Data Processing Systems	PCS 2000					Manifest System, PC Computer
Dry Measure										
89-012	07/05/89	Ivex Corporation		Dry Measure	3871			1 dry quart		Plastic Berry Basket
92-046	04/06/92	Livingston Seed Company		Dry Measure	A & B			1/32 & 1/8 dry pt		
86-034	01/08/87	W.R. Grace & Co.		Dry Measure	536			1 dry quart		Polystyrene Foam Berry Basket
87-091	03/10/88	W.R. Grace & Co.		Dry Measure	24P			1 dry pint		Polystyrene Foam Berry Basket

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Floor Scales									
90-061 04/18/90	A&D Engineering, Inc.		Floor Scales	FW-150KA1	III	7,500	300 x .1 lb	15.4" x 20.8"	Digital Electronic
92-042 03/23/92	Abacus Scales	2x2HP-2K; 2.5x2.5HP-2K; 3x3HP-2K; 4x4HP-5K; 4x4HP-10K; 4x5HP-5K; 4x5HP-10K; 4x6HP-5K; 4x6HP-10K; 5x5HP-5K; 5x5HP-10K; 5x6HP-5K; 5x6HP-10K; 5x7HP-5K & 5x7HP-10K	Floor Scales	XxXHP-YYK	III	5,000	see certificate	see certificate	Low Profile-Ld Cell Electronic
87-026 08/25/87	Baader North America Corp.		Floor Scales	3020.10.02	III	3,000	300 kg	36"x36"	Elec. Load Cell Weighing Elem.
90-069 05/11/90	Cardinal/Detecto Scale Mfgr. Co.	FH 522-II, FH 533-II, FH 544-II, FH 553-II, FH 554-II, FH 555-II, FH 563-II, FH 564-II, FH 565-II, FH 566-II, FH 575-II, FH 1044-II, FH 1053-II, FH 1054-II, FH 1055-II, FJ 1063-II, FJ 1064-II, FH 1065-II, FH 1066-II, FH 1075-II, FH 1086-II, FH 1097-II & FH 10106-II.	Floor Scales	FH-XXYY-II	III	5,000	5,000 - 10,000 lb	2 x 2 - 10 x 6	Low Profile-Load Electronic
88-010PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	56BSR, 58BSR, 59BSR, 5SBSR, 108BSR, 109BSR, 10SBSR, 15SBSR, 20SBSR, 30SBSR	Floor Scales	BSR and BSRL	III		5-150 TON	VARIOUS	Dormant Industrial Scale
88-014PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	OLP-505F, -505, -404F, -404	Floor Scales	OLP Series	III		4,000	60 " x 60 "	Overhead Mech. Plat. Scale
88-106 06/09/88	Cardinal/Detecto Scale Mfgr. Co.	854F-50P, -50K, -50PK, -100P, -100PK	Floor Scales	854F-100P	III	2,000	1,000 lb	19 " x 28 "	Mechanical Lever Floor Scale
88-108 06/09/88	Cardinal/Detecto Scale Mfgr. Co.	954F-100P, -50K, -100PK	Floor Scales	954F-100P	III	4,000	2,000lb	28 " x 28 "	Mechanical Lever Floor Scale
88-108A1 08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Levertronic: 8950F, 5950F - Full Mechanical: 954F-100P, 954F-500K, 954F-100PK	Floor Scales	954F	III	4,000	2000 lb	28"x28"	Mechanical portable floor scal
88-130PN 08/31/88	Cardinal/Detecto Scale Mfgr. Co.	XTD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	Floor Scales	XTD and ETD Series	III		6500 lb		Dormant Mechanical
88-131PN 08/31/88	Cardinal/Detecto Scale Mfgr. Co.	XD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	Floor Scales	XD Series	III		6500 lb		Dormant Mechanical

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-132PN	08/31/88	Cardinal/Detecto Scale Mfgr. Co.	SCD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672, -10884, -12096	Floor Scales	SCD and SCDF Series	III		12,500 lb		Dormant Mechanical
88-107	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	854F-50P, -50K, -50PK, -100P, -100PK	Floor Scales	854F-100P	III	2,000	1,000 lb	19 " x 28 "	Mechanical Lever Floor Scale
88-109	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	954F-100P, -50K, -100PK	Floor Scales	954F-100P	III	4,000	2,000 lb	28 " x 28 "	Mechanical Lever Floor Scale
89-127	02/09/90	Certified Scale Co.		Floor Scales	2010	III	5,000	1,000 - 5,000 lb	24 x 24 - 60 x 60	Low Profile-Load Cell Electr.
90-055	04/25/90	Certified Scale Co.		Floor Scales	2010	III	5,000	5,000 lb	48" x 60"	Load Cell Electronic
92-063		Digi Matex, Inc.		Floor Scales	Digi-Grand					IN PROCESS
91-087	06/04/91	Division Scale	DLP-2K44, DLP-5K44, DLP-5K45, DLP-10K45, DLP-5K46, DLP-10K46, DLP-5K55, DLP-10K55, DLP-5K57 & DLP-10K57. Capacities: 2000 lb, 5,000 lb & 10,000 lb. Platform Size: 48" x 48", 48" x 60", 48" x 72", 60" x 60" & 60" x 84".	Floor Scales	DLP Series	III	5,000	see below	see below	Load Cell Electronic
91-112		Division Scale		Floor Scales	DSP1000 Series	III				IN PROCESS
86-010	06/04/86	Fairbanks Scales		Floor Scales	1124D	III	2000	1000 x 0.5 lb		Digital, Load Cell, & Levers
88-071	08/30/88	Fairbanks Scales	23-2500A, H23-2500A, 23-2502A, H23-2502A, 23-2503A, H23-2503A	Floor Scales	23-25XXA Series	III	5,000	5000-10000lb		Load Cell Electronic
88-072	08/30/88	Fairbanks Scales		Floor Scales	23-2554A	III	2,500	2500 x 1 lb	4' x 5'	Load Cell Electronic
88-072A1	09/24/90	Fairbanks Scales	23-2554A; 23-2554B; 23-2554C	Floor Scales	23-2554	III	5,000	1,000 to 5,000		Load Cell Electronic
88-077	10/21/88	Fairbanks Scales		Floor Scales	1125D	III	5,000	1000 x 0.2lb	23.5" x 17.75 "	Lever system, load cell

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-156PN 06/17/88	Fairbanks Scales	41-3132, -3132-A02, -3132-A03, -3132-A21	Floor Scales	41-3132 Series	III	2000	1,000lb	18" x 27"	Portable Mech Floor Scale
88-159PN 06/17/88	Fairbanks Scales	14-2000, -2001, -2003, -2004, -2005	Floor Scales	14-2000 Series	III	8,000	8,000lb		Weighing Element
88-266 10/21/88	Fairbanks Scales		Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
88-266.A1 03/07/91	Fairbanks Scales	PB9000; PB9000-1 & 1124-1	Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
89-015 10/12/89	Fairbanks Scales	21-2102, 21-2104	Floor Scales	21-2101	III	5,000	2,500 x 0.5 lb	3' x 3'	Loadcell Electronic
89-093 10/12/89	Fairbanks Scales	H23-2512, 23-2512	Floor Scales	H23-2512	III	2000	1000 lb	30" x 30"	Load Cell Electronic
89-136 01/31/90	Fairbanks Scales	23-2558	Floor Scales	23-2557	III	5,000	10,000 lb	5' x 7'	Load Cell Electronic
90-057 11/02/90	Fairbanks Scales	EL9000	Floor Scales	1126D	III	5000	1000 x 0.2 lb	23.5 x 17.75"	Lever System, Load Cell
91-061 04/10/91	Fairbanks Scales	See certificate for specific models.	Floor Scales	23-6200 Series	III	5,000	1000 - 20,000 lb	30"x30" - 6"x8"	Digital Electronic
92-004 01/07/92	Fairbanks Scales		Floor Scales	HS100	III	3,000	600 lb	12" x15"	Digital Electronic
92-022 03/26/92	Fairbanks Scales	HS120; HS120WW; 1135D; 1135K; HS125 & HS125WW	Floor Scales	1135L	III	3000	600 x 0.2 lb	11" x 16"	Digital Electronic
88-100 06/28/88	Flex-Weigh Corporation	FLB2424-.5K, -2424-1K, -3030-.5K, -3030-1K, -3030-1.5K, -3030-2K, -3636-1K, -3636-2K, -3636-5K, -3846-1K, -3846-2K, -3846-5K, -3846-10K, -4848-1K, -4848-2K, -4848-5K, -4848-10K, -4860-1K, -4860-2K, -4860-5K, -4860-10K, -4872-1K, -4872-2K, -4872-5K, -4872-10K, -6060-1K, -6060-2K, -6060-5K, -6060-10K, -6072-5K, -6072-10K	Floor Scales	FLB	III	5,000	500 - 10k lb		Flexure Lever, Load Cell

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-288P.A1		General Electrodynamics Corporation		Floor Scales	Pro-Weigh 84-A					
88-288P	02/10/89	General Electronic Systems, Inc.	Platform Sizes (W" x L"): 36 x 36, 48 x 48, 48 x 60, 48 x 72, 60 x 60, 60 x 72, 60 x 84	Floor Scales	Pro-Weigh 84-A	III	5,000	1,000 -20,000 lb	36x36 to 60x84"	Load Cell Electronic
91-147	03/26/92	General Electronic Systems, Inc.	PT-820; PT-821; PT-822; PT-825; PT-826; PT-820X; PT-820X-4; PT-830SS; PT-831SS; PT-830SS/X; PT-800; PT-801; PT-802; PT-805; PT-806; PT-800X; PT-800X-4; PT-810 SS; PT-811SS;P PT-810SS/X	Floor Scales	Porta-Tronic 800 Srs	III	2500	500 - 1500 lb		Weighing Element
92-087		General Electronic Systems, Inc.		Floor Scales	ABS-4000					IN PROCESS
91-100	06/21/91	GSE, Inc.		Floor Scales	Weigh Deck	III	5000	1000 - 20,000 lb		Load Cell Electronic
91-093	03/26/92	Holtgreven Scale & Electronics Corporation		Floor Scales	135-XXYY-Z	III/IIIL	3000	2000-30,000 lb	2"x 2" - 8"x 10"	Digital Electronic
91-093A1	05/06/92	Holtgreven Scale & Electronics Corporation	see certificate for specific models and capacities.	Floor Scales	135-XXYY-Z	III/III L	5,000	2000 - 30,000 lb	2'x 2' - 8' x 10'	Digital Electronic
91-082	03/19/92	Honeyville Metal, Inc.		Floor Scales	864 Weigh Buggy	III	1000	1000 x 1 lb	22" x 34"	Mechanical Beam
88-021	03/07/88	Ishida Scales Mfg. Co., Ltd.	MT-150, MT-60	Floor Scales	MT-300	III	3000	300 x 0.1 lb	550 mm x 400 mm	Digital Electronic
91-059	04/02/91	Ishida Scales Mfg. Co., Ltd.	MS-7003, 7006, 7012, 7030, 7060	Floor Scales	MS70XX	III	3,000	see certificate	see below	Digital Electronic
92-024	01/29/92	Jacobs Scale Co.		Floor Scales	J1827	IIIL	2000	1000 x 0.5 lb	18" x 27"	Mechanical Lever System
92-016	01/17/92	JB Scale Mfg.		Floor Scales	HP XY	III	4,000	20,000 x 5 lb	5' x 7'	Load Cell Electronic
88-151	08/07/91	John Chatillon & Sons, Inc.		Floor Scales	HB-1000-BA	III L	2000	1000 x 0.5 lb	18" x 27"	Mechanical Lever System

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-151PN 06/28/88	John Chatillon & Sons, Inc. HB-1000-BM, Capacity 500 kg x 0.2 kg	Floor Scales	HB-1000-BA	III	2,000	1k x 0.5 lb	18 " x 27 "	Portable Mechnical Lever Sys.
88-182 08/30/88	Ohio Valley Scale & Equipment Corp	Floor Scales	PLP-3026-1.2	III	2,400	1200 x 0.5lb	30" x 38.6"	Portable Electro-mechanical
88-103 05/24/88	Pacific Scale Co., Inc. TNL 3636-2K, Capacity 2,000 x .5 lbs	Floor Scales	TNL 4848-2K	III	4,000	2000 x 0.5 lb	48 " x 48 "	Full Electronic
91-002 01/24/91	Pacific Scale Co., Inc. 2, 5 or 10 capacity in thousands pounds, 36 to 48, platform length in inches for 2,000 lb weighing element, 36 to 84 platform width in inches.	Floor Scales	TNL SERIES		5,000	see below	see below	Load Cell Electronic
90-097 08/21/90	Pennsylvania Scale Company 24X24-1K, 24X24-2K, 24X24-5K, 30X30-1K, 30X30-2K, 30X30-5K, 36X36-1K, 36X36-2K, 36X36-5K, 36X36-10K, 48X48-1K, 48X48-2K, 48X48-5K, 48X48-10K, 48X60-5K, 48X60-10K, 48X72-5K, 48X72-10K, 48X84-5K, 48X84-10K, 60X60-5K, 60X60-10K, 60X72-5K, 60X72-10K, 60X84-10K	Floor Scales	6600 Series	III	5,000	1,000 - 10,000	12 x 24 - 60 x 84	Load Cell Electronic
90-088 06/14/90	Pitney Bowes	Floor Scales	A219	III	1200	600 x 0.5 lb	30" x 30"	Load Cell Electronic
88-217 05/28/91	Powell All-Steel Scales 5651WS, 6751WS, 6851WS, 68101WS, 68201WS, 610201WS, & 610301WS. Capacities: 7,000 lb, 20,000 lb, 27,000 lb & 40,000 lb. Platforms: 6' x 5', 6' x 7', 6' x 8',& 6' x 10'.	Floor Scales	IWS Series	III/III L		see below	see below	Mechanical
88-217PN 11/21/89	Powell All-Steel Scales 5651WS, 6751WS, 6851WS, 68101WS, 68201WS, 610201WS, 610301WS	Floor Scales	IWS Series	III				Mech. Industrial Warehouse
90-063 04/18/90	Santa Rosa Scale Company SR3, -4A, -5, -50, -6, -6A, -7, -7A, -7B, -8, -8A, -8B, -9, -9A, -9B, -10, -10A, -10B, -11, -11A, -12, -12A	Floor Scales	SR-XXX	III	4,000	2,000 - 20,000 lb	24"x30" - 60"x84"	Flexure Lever, Load Cell
88-258P 02/10/89	Thurman Scale Company Capacities (lb): 1000, 2500, 5000	Floor Scales	3500	III	2500	5,000 lb	3' x 3' - 5' x 7'	Electronic Load Cell
89-089 11/07/89	Thurman Scale Company	Floor Scales	3500	III	5000	1000 lb	3' x 3'	Load Cell Electronic
91-028PN 02/06/91	Thurman Scale Company	Floor Scales	TWH Series	III				

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-014	04/17/92	Thurman Scale Company	2000; 2002; 2300; 2302; 2400; 2500; 2502; 2510 & 2512	Floor Scales	2000 Series	III	5000	1k - 10k lb	30x30" x 6x8"	Digital Electronic
86-001	01/31/86	Toledo Scale Corporation		Floor Scales	4181-1001			1000 x 0.5 lb		Analog Mechanical
88-049	02/27/91	Toledo Scale Corporation		Floor Scales	2255	III	5000	20,000 lb	5" x 7'	Load Cell Electronic
88-050	02/27/91	Toledo Scale Corporation	Toledo Model 742 (CC# 87-0989.A1)	Floor Scales	2295	III	5000	20,000 lb	5" x 6"	Load Cell Electronic
89-076P	08/17/89	Toledo Scale Corporation		Floor Scales	MG4425	III	5000	2500 x 0.5 lb	48" x 48"	Electronic Load Cell
89-094	09/12/89	Toledo Scale Corporation		Floor Scales	6213	II/III	15,000	150 x .01 kg	23 3/4" x 17 1/2"	Load Cell Electronic
89-095	04/25/90	Toledo Scale Corporation	Capacities (lb): 300 and 600	Floor Scales	6313	II/III	15,000	300 x .02 kg	31-1/2" x 23-1/2"	Load Cell Electronic
89-103	01/02/90	Toledo Scale Corporation		Floor Scales	MG4500	III	5,000		48"x48" - 60"x84"	
89-103P	10/02/89	Toledo Scale Corporation		Floor Scales	MG4500	III	5,000		40"x48" - 60"x84"	
89-104.A1	11/02/90	Toledo Scale Corporation		Floor Scales	2155	III	6,000	1000 to 5000 lb	3'x 3' to 5'x 5'	Electronic
89-104P	04/25/90	Toledo Scale Corporation	2155 0131, -0132, -0141, -0142, -0145, -0152, -0155	Floor Scales	2155 Series	III	6,000	1,000 to 5,000 lb	3' x 3' - 5' x 5'	Electronic
90-002	02/27/91	Toledo Scale Corporation	Toledo Model 725(CC # 87-084.A1)	Floor Scales	2885	III	2,000	1,000 x 0.5lb	3" x 2.5"	Weighing Element-Load Cell Ele
90-002P	01/06/90	Toledo Scale Corporation		Floor Scales	2885	III	2,000	1000 X 0.5 lb	3' X 2.5'	Weighing Element

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-147	03/12/92	Toledo Scale Corporation		Floor Scales	2157	III	2000/2500	see below		Digital Electronic
			Capacity by division: 2000 x 1 lb; 5000 x 2 lb; 10000 x 5 lb & 20000 x 10 lb							
91-097	03/11/92	Toledo Scale Corporation		Floor Scales	2158	III	5,000	1,000 x 10000 lb	3x3" - 5x7"	Load Cell Electronic
87-109	06/16/89	Toledo Scale Corporation		Floor Scales	2185	III	8,000	1,600 X 0.2 lb	24 X 30 in	Load Cell Weighing Element
87-110	08/17/89	Toledo Scale Corporation		Floor Scales	2136	III	2000	1000 x 0.5 lb	19" x 28"	Lever System Load Cell
87-111	08/17/89	Toledo Scale Corporation		Floor Scales	2036	III	2500	250 x 0.1 lb	19" x 20"	Lever System Load Cell
87-112	08/17/89	Toledo Scale Corporation		Floor Scales	4182	III	2000	1000 x 0.5 lb		Portable Mechanical Beam Scale
88-049P	07/17/88	Toledo Scale Corporation		Floor Scales	2255	III	5,000	20,000 lb	5' x 7'	Eletronic Floor Scale
			Optional capacity: 10,000 lb. Optional platforms: 4' x 4', 5' x 5'							
88-050P	07/17/88	Toledo Scale Corporation		Floor Scales	2295	III	5,000	20,000 lb	5' x 6'	Electronic Floor Scale
92-095		Triner Scale & Manufacturing		Floor Scales	600B					IN PROCESS
92-094		Triple A Scale		Floor Scales	600B					IN PROCESS
92-061		UHL Scale Service, Inc.		Floor Scales	XxXHP-YYK					IN PROCESS
88-246	02/15/89	Unibridge Scale Systems		Floor Scales	UNBELSR0605	III	5,000	5,000 x 1 lb	6' x 5'4"	Electronic load cell
88-246.A1	02/12/91	Unibridge Scale Systems		Floor Scales	UBE SERIES	III	5000	25,000 x 5 lb	14' x 10"	Electronic, Load Cell
87-093A1	02/16/90	Weigh-Tronix, Inc.		Floor Scales	3835	III	5,000	250 x 0.05 lb	20" x 20"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-222	11/09/89	Weigh-Tronix, Inc.	see certificate for specific models, capacities, & platform sizes.	Floor Scales	LP Series	III		see certificate	see certificate	Digital Electronic Low Profile
88-232	10/28/88	Weigh-Tronix, Inc.	-4848-5, -4848-10, -4860-5, -4872-10, -6060-5, -6060-10, -6060-20, -6072-10, -6084-10, -6084-20, -6084-30	Floor Scales	STE and SLE	III	5,000	5K, 10K, 20K, 30K	see certificate	Electronic Load Cell
88-291	01/25/89	Weigh-Tronix, Inc.		Floor Scales	DFE and FLE Series	III	3k-5k	500 to 20000 lb	24x24 - 96x120 in	Superseded by 88-291A1
88-291A1	10/02/89	Weigh-Tronix, Inc.	The model designation consists of the series name (i.e. DFE or FLE) followed by the platform size and the scale capacity in thousands of pounds. Example: DFE-2424-.5, where the platform size is 24" x 24" and the scale capacity is 500 lb. Range of capacities 500 lb to 20,000 lb	Floor Scales	DFE and FLE Series	III		500 to 20,000 lb	24x24 - 96x120 in	
88-291A2	05/31/91	Weigh-Tronix, Inc.	XXX-2424-.5, XXX-2424-1, XXX-3030-1, XXX-3030-2, XXX-3030-5, XXX-3636-2, XXX-3636-5, XXX-4848-2, XXX-4848-5, XXX-4848-10, XXX-4860-2, XXX-4860-5, XXX-4860-10, XXX-6060-2, XXX-6060-5, XXX-6060-10, XXX-4872-2, XXX-4872-5, XXX-4872-10, XXXX-4872-20, XXX-6072-2-2, XXX-6072-5, XXX-6072-10, XXX-6072-20, XXX-6084-5, XXX-6084-10, XXX-6084-20, XXX-96120-20 & XXX-96120-20.	Floor Scales	DFE & FLE Series	III	5000	500 to 20,000 lb	24x24 - 60x72	Load Cell Electronic
89-105	10/02/89	Weigh-Tronix, Inc.		Floor Scales	SC-100	III	1000	500 x 0.5 lb	27 x 28.5 in	Digital Electronic Platform SC
90-107	08/21/90	Weigh-Tronix, Inc.	SC-2227-500, SC-2229-300, SC-2229-500, SC-2730-300 & SC-2730-500.	Floor Scales	SC-2227-300	III	3,000	300 lbs (150kg)	22" X 27"	Digital Electronic
88-222PN	10/11/88	Weigh-Tronix, Inc.	LP 3636-02, -4848-05, -6060-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -7272-10, -7272-20, -8460-10, -8460-20, -9660-10, -9660-20, -9672-20, -9672-30, -10884-20, -10884-40, -108144-20. LPF 3636-02, -4848-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -8460-10, -8460-20. LPFS 3636-02, -4848-05, -6060-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -8460-10, -8460-20	Floor Scales	LP Series	III		see certificate	see certificate	Digital Electronic Low Profile
88-232A	04/19/89	Weigh-Tronix, Inc.	-4848-5, -4848-10, -4860-5, -4860-10, -4872-5, -4872-10, -6060-5, -6060-10, -6060-20, -6072-10, -6084-10, -6084-20, -6084-30	Floor Scales	STE and SLE	III	5,000	5k to 30k lb	48"x48" - 60"x84"	Electronic Load Cell

Grain Test Scale

88-202	10 04 88	Mettler Instrument Corporation		Grain Test Scale	PM 2200-1/49	II	21,000	0 - 200 x 0.01 g	13cm diameter	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-103	12/13/91	Ohaus Corporation	Capacities: 0-400 x 0.01 g, 400-4,000 x 0.1 g	Grain Test Scale	GT 4400-G	II	40,000	see below	6.5 " diameter	Digital Electronic
91-153	03/16/92	Seedburo Equipment Company	2500 (0-500g); 4000(0-2000g)	Grain Test Scale	8800A	III	see below	500x0.2/2000x0.5g	15cm x 12.5 cm	Digital Electronic
91-153A1	04/09/92	Seedburo Equipment Company	N-max: 2500(0-500g); 4000(0-2000g). Capacities: 500 x 0.2g/2000 x 0.5g	Grain Test Scale	8800A	III	see below	see below	15cm x 12.5cm	Digital Electronic
86-015	06/25/86	Vertex Industries, Inc.		Grain Test Scale	DWM2-1SE	II	12000	120 x .01 g	4.4" x 3.2" scoop	Mechanical-Equal Arm
Hanging Scale										
88-110	06/09/88	Cardinal/Detecto Scale Mfgr. Co.		Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
88-111	06/09/88	Cardinal/Detecto Scale Mfgr. Co.		Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
86-030	12/04/86	John Chatillon & Sons, Inc.	0723TG, 0723TAS, 0720T	Hanging Scale	Type 027	III	640	20 lb x 1/2 oz	Scoop	Superseded by 86-030A
86-030A	06/02/88	John Chatillon & Sons, Inc.		Hanging Scale	027/A	III	640	20lb x 1/2oz	Pan ETC	Mechanical Hanging Dial Scale
87-092	05/03/88	John Chatillon & Sons, Inc.		Hanging Scale	0024/A	III	960	30lb x 1/2 oz	Pan	Mechanical Hanging Scale
88-032	03/01/88	John Chatillon & Sons, Inc.	7280 XHTR	Hanging Scale	7280XHT	III	600	150 x 1/4 lb		Dial hanging scale
88-060	05/03/88	John Chatillon & Sons, Inc.	Optional Capacities: 60 lb x 1 oz, 30 lb x 1/2 oz, 15 kg x 0.02 kg. Other Distributor: Hobart Corporation, Models: PR30-1, -30-2, -30-3	Hanging Scale	0028/A	III	960	30lb x 1/2oz	Pan	Mechanical Dial
89-028	06/16/89	John Chatillon & Sons, Inc.	DHA 15K, capacity 15 x 0.005 kg	Hanging Scale	DHA 30	III	3000	30 x 0.01 lb		Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-018	02/16/90	John Chatillon & Sons, Inc.	DHB 150K, DHB 100, DHB 50K	Hanging Scale	DHB 300	III	3000	300 x 0.1 lb		Digital Electronic
86-021	09/09/86	Measurement Systems International		Hanging Scale	3260	III	2500	250 x 0.1 lb		Digital Electronic
89-090	11/21/89	Measurement Systems International		Hanging Scale	4260	III	2000	2000 lb		Load Cell Electronic
89-044	05/25/89	Metro Equipment Corporation	A-251 (SS Round Pan), A-264 (SS Large Round Pan)	Hanging Scale	HDS-820	III	640	20 lb x 1/2 oz	Model A-250	Mechanical Dial
91-049	03/20/91	New Brunswick International, Inc.		Hanging Scale	LCB-1000H	III	3000	30 x .01 lb	13" diameter	Digital Electronic
91-145		New Brunswick International, Inc.		Hanging Scale	DS580					IN PROCESS
88-264	01/26/89	Stress-Tek, Incorporated		Hanging Scale	ST-300	III	1,500	300 lb		Digital Electronic
92-026	03/18/92	The Scale People, Inc.		Hanging Scale	2805-S	III	640	20 lb x 0.5 oz	Pan/other attach.	Mechanical Dial
90-131	09/24/90	Tri-Coastal Industries	Capacities: 1,2500 x .5 lb, 2,500 x 1 lb, 5,000 x 2 lbs.	Hanging Scale	OKD-6	III	2,500	see below		Digital Electronic
89-106	10/06/89	Weigh-Tronix, Inc.		Hanging Scale	HSDC 200	III	1995	195 x .1 lb		Digital Electronic
90-029	02/14/90	Weigh-Tronix, Inc.	3401 (remote display)	Hanging Scale	PCSR 3400	III	5000	2000 x 1 lb		Digital Electronic
90-137	10/02/90	Weigh-Tronix, Inc.		Hanging Scale	HS-100	III	1950	195 x .1 lb		Load Cell Electronic
Hopper Scale										
91-047	04/18/91	Alcoa Recycling Machinery Services	Dimensions: 3 ft x 3 ft	Hopper Scale	WH27	III	3,000	300 x 0.1 lb		Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-037P	09/14/87	Astec Industries		Hopper Scale	SEB	III L	3,750	75 x 0.02 ton		Portable Hopper Scale
89-128	10/24/89	Astec Industries		Hopper Scale	WB		1,000	20,000 lb		Superceded by 89-128A1
89-128A1	04/18/90	Astec Industries		Hopper Scale	WB, WB-A, AC, DA	III L	6,000	1,000 - 20,000 lb		Digital Electronic
88-011PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	FS-1F, -2F, -2.5F, -3F, -4, -5, -6, -7, -8, -9, -10, -11	Hopper Scale	FS Series	III/III L		5000 - 300000 LB		Floor Tank & Hopper Mech. lev.
88-016PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	SH-1, -2, -3, -3.5, -4, -5, -6, -7, -8. Capacity range 1,000 to 100,000 lbs	Hopper Scale	SH Series	III/III L		1,000 - 100,000lb		Suspension Hopper Lever Sys.
90-119	09/11/90	CMI Weighing Equipment		Hopper Scale	SE/SW 653B	III L	6,000	60 x .01 tons		Load Cell Electronic
92-007		Concrete Equipment Co. Inc.		Hopper Scale	1170, 2150					IN PROCESS
92-069	05/06/92	Mathews Ready Mix Inc.		Hopper Scale	A.W.H.-1& C.W.H.-1		2,000	see certificate		Load Cell, Electronic
90-153	03/07/91	McNeilus Truck & Mfg. Inc.	Load cell type: Rice Lake Weighing Systems RL2000-5K or RL20000-20K or certified equivalent.	Hopper Scale	RL20000-5K	III L	2,000	40k to 10k lb		Weighing Element Electronic
90-153.A1	07/02/91	McNeilus Truck & Mfg. Inc.		Hopper Scale	AH-40 & CH-40	III L	2,000	4k - 40k		
89-165	02/16/90	Mid-America Scale Company	H-1, H-2, H-2, H-3, H-4	Hopper Scale	H-1, H-2, H-3	III L	2,250	7,000 lb	Hopper	Levers & Load Cell
88-141PN	07/25/88	Thurman Scale Company	TTS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14. Capacity range 1,000 to 100,000 lb	Hopper Scale	TTS Series	III				Mecahnical Lever System
88-142PN	07/25/88	Thurman Scale Company	TBS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13	Hopper Scale	TBS Series	III				Hopper and Tank Scales

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
Indicating Elements										
88-023	03/24/88	A&D Engineering, Inc.		Indicating Elements	AD 4321A & B	III/III L	10,000			Digital Electronic
88-023.A1	03/07/91	A&D Engineering, Inc.	AD 4321 SS; AD 4321 MS	Indicating Elements	AD 4321A & AD 4321B	III/III L	10,000			Digital Electronic
88-031	03/10/88	A&D Engineering, Inc.		Indicating Elements	AD4316	III/III L	10,000			Digital Indicating Element
88-095	06/08/88	A&D Engineering, Inc.		Indicating Elements	AD 4323	III/III L	10,000			Digital Indicator
89-037		A&D Engineering, Inc		Indicating Elements	AD-4332A					
89-037A1	03/16/92	A&D Engineering, Inc.		Indicating Elements	AD 4322A	III & IIIL	10,000			Digital Electronic
86-033	12/04/86	Alkon Corporation		Indicating Elements	LCI-1	III/III L	1,000			
89-039	01/30/90	Ameacon, Inc.		Indicating Elements	PROCESS MATE 96	III L	10,000			
87-073	12/30/87	Analogic Corporation		Indicating Elements	AN5315	III/III L	10,000			Digital Indicating Element
87-074	12/30/87	Analogic Corporation		Indicating Elements	AN5316	III/III L	10,000			Digital Indicating Element
87-075	12/30/87	Analogic Corporation		Indicating Elements	AN5322	III/III L	10,000			Digital Indicating Element
88-175	11/01/88	Analogic Corporation		Indicating Elements	ITG 3030	III/III L	10,000			Digital Electronic
91-083	05/22/91	Analogic Corporation		Indicating Elements	AN3050	III/III L	10,000			Electronic
88-097	06/08/88	Applied Forces Corporation		Indicating Elements	F3, F4, F5, and F6	III/III L	10,000			Digital Indicator

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-097A1	09/11/90	Applied Forces Corporation		Indicating Elements	F3, F4, F5, F6	III/III L	10,000			Digital Electronic
86-008	05/28/86	Baader North America Corp.		Indicating Elements	8600 Series		3000			
			8605.15.00: 8605.15.05: 8610.20.00: 8610.20.01: 8610.20.03: 8610.20.06: 8610.20.07: 8610.20.08: 8615.25.00: 8615.25.05							
90-066	04/18/90	Better Built Scale Products		Indicating Elements	UMC 555 AAAA	III/III L	10,000			Digital Electronic
			Optional Models: UMC 555 ---, Enclosure: A=Standard, Mildsteel Painted, B=Nema Enclosure. Input Power: A=117 VAC, 60Hz, B=227 VAC, 50Hz. Load Cell Term: A=Standard 6-wire Connector, B=RFI-Shielded 6-Wire Connector: A=Standard, B=Non-Standard.							
91-072	05/15/91	Bizerba United States, Inc.		Indicating Elements	MCE-XX	III	6,800			Digital Electronic
91-073	05/15/91	Bizerba United States, Inc.		Indicating Elements	MCI-W	III	6,800			Digital Electronic
91-074	05/15/91	Bizerba United States, Inc.		Indicating Elements	20	III	6,800			Load Cell Electronic
91-075	05/15/91	Bizerba United States, Inc.		Indicating Elements	150	III	6,800	300 x 0.05 lb	15.7 x 19.7 "	Flexure Lever, Load Cell
91-076	05/15/91	Bizerba United States, Inc.		Indicating Elements	350	III	6,800	600 x 0.05 lb	23.7 x 31.5"	Flexure Lever-Load Cell
87-082	12/18/87	BLH Electronics, Inc.		Indicating Elements	LCI	III/III L	10,000			Digital Indicating Element
91-129	08/21/91	Brechbuhler Scales, Inc.		Indicating Elements	UMC 600 XX-XX	III/III L	10,000			Digital Electronic
91-130	08/22/91	Brechbuhler Scales, Inc.		Indicating Elements	UMC 555-XXXX Series	III/IIIL				Digital Electronic
86-035A2	04/18/90	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738	III/III L	10,000			Digital Electronic
86-035A3	07/29/91	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738/738 SCD	III/IIIL	10,000			Digital Electronic
89-031	01/10/90	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	6000 & 6800	III	5000			

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-035	12/17/86	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738	III/III L	10,000			Digital Electronic
86-035A	03/25/88	Cardinal/Detecto Scale Mfgr. Co.	738 BA (Batch Aid)	Indicating Elements	738	III/III L	10,000			Digital Electronic
88-133PN	06/17/88	Cardinal/Detecto Scale Mfgr. Co.	3200, 3250, 3300, 3025, 3050, 3075, 3500	Indicating Elements	3000 Series	III	1,200			Mechanical Dial Indicator
86-036	12/19/86	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	10K	III/III L	10000			Digital Electronic
92-072	05/06/92	Cedarapids, Inc.		Indicating Elements	HMS 3006	5,000				
90-024	02/14/90	CMI Weighing Equipment	UMC 2000, UMC 2002, UMC 2004, UMC 2006, UMC 2008	Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Electronic
90-025	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC UMC 555AAAA	III/III L	10,000			Digital Electronic
90-026	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
90-093	08/21/90	CompuWeigh	Compudraft Series 2000 console consisting of a self contained 19 inch compact case incorporating a 9-inch CRT, a flip-down alpha keyboard, and a single board Computer with Platform Scale Software.	Indicating Elements	Compudraft 2000	III/III L				Electronic
88-066	04/20/88	Condec Consolidated Controls	UMC 2000-66, -2002-66, -2004-66, -2000 XX-XX, -2002 XX-XX, -2004 XX-XX, -2006 XX-XX, -2008 XX-XX, -2010 XX-XX, -2012 XX-XX	Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Indicating Element
88-070	06/28/88	Condec Consolidated Controls		Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
88-225	01/25/89	Condec Consolidated Controls		Indicating Elements	UMC 555AAAA	III/III L	10,000			Digital Electronic
91-081	03/25/92	Consolidated Controls, Eaton Corporation		Indicating Elements	UMC 5600	III/III L	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-005	01/10/91	Diamond Control Systems		Indicating Elements	Guardian WS					Data Procession Unit
91-070	04/15/91	Digi Matex, Inc.		Indicating Elements	DI-10	III	5000			Digital Electronic
90-049	06/14/90	Digi Postal Corporation	Optional Model: DP-102M (computer interface)	Indicating Elements	DP101-U		1999			Digital Electronic
91-113		Division Scale		Indicating Elements	DSP-BSI	III				IN PROCESS
89-051	10/12/89	Doran Scales, Inc.		Indicating Elements	ML 8000	III	3000			Digital Electronic
89-051 AMENDED	05/20/91	Doran Scales, Inc.		Indicating Elements	8000M	III	3000			Digital Electronic
89-051A1	02/04/92	Doran Scales, Inc.		Indicating Elements	8000MIS	III	3000			
91-106	03/23/92	Doran Scales, Inc.		Indicating Elements	7000M	III	3000			Digital Electronic
91-154		Doran Scales, Inc.		Indicating Elements	4200M					IN PROCESS
92-080		Doran Scales, Inc.		Indicating Elements	4100L					IN PROCESS
88-225.A1	01/03/91	Eaton Corporation		Indicating Elements	UMC555-XXXX Series	III/III L	10,000			Digital Electronic
90-048	04/25/90	Epelsa International, Inc.	Other manufacturer: FIRST-Weigh Model DI11 and Model DI21	Indicating Elements	LC-110 & LC-210	III, III L	3,000			Digital Electronic
91-092	06/10/91	Epelsa International, Inc.	5000, Class III; 10,000 - Class IIIL	Indicating Elements	FIRST-Weigh DI12	III/IIIL				Digital Eletronic
86-011	06/04/86	Fairbanks Scales		Indicating Elements	90-100	III	2000			Digital Load Cell

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-012	06/19/86	Fairbanks Scales		Indicating Elements	90-164	III/III L	10000			Digital Electronic
86-013	06/19/86	Fairbanks Scales		Indicating Elements	H90-167-1	III/III L	10000			Digital Electronic
87-021	05/21/87	Fairbanks Scales	H90-3042, H90-3042B	Indicating Elements	H90-3043	III/III L	6,000			Digital Indicating Element
88-073	08/30/88	Fairbanks Scales		Indicating Elements	90-161A	III/III L	10,000			Digital Electronic
88-076	01/26/89	Fairbanks Scales	90-167-XX	Indicating Elements	90-164-XX	III/III L	10,000			Digital Electronic
88-078	01/25/89	Fairbanks Scales		Indicating Elements	90-110	III/III L	5,000			Digital Electronic
88-079	01/26/89	Fairbanks Scales		Indicating Elements	90-3045	III/III L	10,000			Digital Electronic
88-308	01/26/89	Fairbanks Scales		Indicating Elements	H90-1701; H90-1702	III/III L	10,000			Digital Element
90-042	04/25/90	Fairbanks Scales		Indicating Elements	90-166	III, IIIL	10,000			Digital Electronic
90-043	03/07/91	Fairbanks Scales		Indicating Elements	90-515 & 90-516	III/IIIL	10,000			Digital Electronic
90-084	09/13/90	Fairbanks Scales		Indicating Elements	H90-3051	III/IIIL	10,000			Digital Electronic
90-094	06/14/90	Fairbanks Scales		Indicating Elements	70-1414	III	2000	100 x .05 lb	14" x 14"	Load Cell Electronic
90-128	08/30/90	Fairbanks Scales	H90-5150 & H90-5200.	Indicating Elements	H90-5100	III/IIIL	10,000			Digital Electronic
91-065		Fairbanks Scales		Indicating Elements	Datamaster	III				IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-152	03/23/92	Fairbanks Scales	90-154	Indicating Elements	90-158	III/III L	5000			Digital Electronic
92-034	03/26/92	Fairbanks Scales		Indicating Elements	System IV	III/III L	10,000			Electronic
92-050	03/27/92	Fairbanks Scales	H90-3052; 90-3052D; H90-3052D	Indicating Elements	90-3052	III/III L	5000			Digital Electronic
90-048A1	03/12/92	FIRST-Weigh	n: 5000-Class III; 10,000-Class III L	Indicating Elements	FIRST-Weigh DI21/11	III/III L	see below			Digital Electronic
87-003	04/07/87	Flex-Weigh Corporation		Indicating Elements	DWM-IV	III/III L	10,000			Superseded by 87-003A
87-003A	05/21/87	Flex-Weigh Corporation		Indicating Elements	DWM IV	III/III L	10,000			Digital Indicating Element
88-100A1	03/16/92	Flex-Weigh Corporation		Indicating Elements	FLB SERIES	III	5,000	500 - 10,000 lb	24"x24" - 72"x96"	Flexure Lever, Load Cell
90-033	04/30/90	Gedge Systems		Indicating Elements	GS1650B	III/III L	10,000			Digital Electronic
88-087	06/13/88	General Electronic Systems, Inc.		Indicating Elements	4535	III	10,000			Digital Checkweigh Indicating
88-088	06/13/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000			Digital Indicating Element
88-088P	05/26/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000			Superseded by 88-088
88-254	05/02/89	General Electronic Systems, Inc.	Freedom I	Indicating Elements	Freedom II	III/III L	10,000			Digital Electronic
89-025	05/02/89	General Electronic Systems, Inc.		Indicating Elements	ECONO	III	5,000			Superseded by 89-025A
89-025A	10/24/89	General Electronic Systems, Inc.		Indicating Elements	ECONO-WEIGH	III/III L	5,000			

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-025A2	02/06/91	General Electronic Systems, Inc.	540SS	Indicating Elements	ECONO-WEIGH	III/III L	5,000			Digital Electronic
91-098	03/26/92	General Electronic Systems, Inc.	Optional Models see certificate	Indicating Elements	Freedom II/B	III/III L	10,000			Digital Electronic
91-114	03/26/92	General Electronic Systems, Inc.		Indicating Elements	GE600 & 600SS	III	10,000			Digital Electronic
88-188	10/28/88	GSE, Inc.		Indicating Elements	620	III	2,500			Digital Electronic
88-188A1	03/26/92	GSE, Inc.		Indicating Elements	620	III	3000			Digital Electronic
88-241	01/25/89	GSE, Inc.		Indicating Elements	622R	III	2,500			Digital Electronic
88-241A1	09/11/90	GSE, Inc.	n-max: 5000 class III; 10,000 class IIIL	Indicating Elements	622R	III/IIIL	see below			Digital Electronic
91-066	04/15/91	GSE, Inc.		Indicating Elements	550	III/IIIL	10,000			Digital Electonic
90-058	04/25/90	Hardy Instruments, Inc.		Indicating Elements	H2101 WC	III, III L	6,000, 9,000			Digital Electronic
90-075	04/25/90	Hardy Instruments, Inc.	HI 2151 WC-(XX)	Indicating Elements	HI 2150 WC-(XX)	III, III L	10,000			Digital Electronic
91-135	01/31/91	Hardy Instruments, Inc.		Indicating Elements	HI 2151/20 WC-(XX)	III/III L	10000			Digital Electronic
88-044	03/29/88	Howe Richardson Division		Indicating Elements	9000	III	10,000			Digital Indicating Element
89-087	10/24/89	Howe Richardson Division	HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 WSK, HR-50 B, HR-50 BK	Indicating Elements	HR-50	III/III L	10,000			Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity / Platform size	Comments
89-087A1 08/21/90	Howe Richardson Division HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 WSK, HR-50 B, HR-50 BK (D means desk top, K means keyboard, W means washdown version, S means stainless steel when used as the second letter, B means panel mount, S as first letter means; small.	Indicating Elements	HR-50	III/III L	10,000		Digital Electronic
92-060	Indiana Scale Company Inc.	Indicating Elements	IN-20				IN PROCESS
92-096	Industrial Data Systems, Inc.	Indicating Elements	SDI				IN PROCESS
88-231 11/01/88	Int. Weighing Systems, Inc NCD 1400 FT	Indicating Elements	NCD 1400	III/III L	10,000		Digital Electronic
90-160 11/05/90	Intercomp Corporation AM1660, AM2660	Indicating Elements	AM4660				Digital Electronic
89-003 03/01/89	Ishida Scales Mfg. Co., Ltd.	Indicating Elements	MTC 10 & MTC 20	III	3,000		Digital Electronic
91-060 03/16/92	Ishida Scales Mfg. Co., Ltd. WL 600SS (Stainless steel enclosure)	Indicating Elements	WL600	III	3000		Digital Electronic
90-072 06/14/90	Jonel Engineering	Indicating Elements	JL-DSD-253B	III/IIIL	1,000		Digital Electronic
88-206 09/29/88	Metro Equipment Corporation	Indicating Elements	SEP-12K	III/III L	10,000		Digital Electronic
88-207 09/29/88	Metro Equipment Corporation	Indicating Elements	POLO-12K	III/III L	10,000		Digital Electronic
88-240 09/22/88	Metro Equipment Corporation SX 10KIB, SX 10KOB	Indicating Elements	SX-10K	III/III L	10,000		Digital Electronic
88-240A1 01/10/92	Metro Equipment Corporation SX-2002	Indicating Elements	SX-2000	III\IIIL	10,000		Digital Electronic
89-058 05/25/89	Morrison Weighing Systems, Inc.	Indicating Elements	T-3500M	III/III L	6,000		Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-157	01/24/91	Morrison Weighing Systems, Inc.	Other model: MP201/for use in batching systems	Indicating Elements	DC100	III	10,000			Digital Electronic
88-081	05/03/88	Ohaus Corporation	I 20W	Indicating Elements	I 10	III	10,000			Superseded by 88-081A1
88-081A1	02/14/90	Ohaus Corporation	I 20W	Indicating Elements	I 10	III\ IIIL	10,000			Digital Electronic
88-229	09/13/88	Ohaus Corporation		Indicating Elements	PBI	III	5,000			Digital Electronic
90-185	01/24/91	Ohaus Corporation	Model I150-P with mild steel case	Indicating Elements	I150-S	III/IIIL	10,000			Digital Electronic
88-114	06/08/88	Pennsylvania Scale Company		Indicating Elements	5600	III/III L	5,000			Digital Indicating Element
88-114.A1		Pennsylvania Scale Company		Indicating Elements	5600					IN PROCESS
90-161	11/06/90	Pennsylvania Scale Company		Indicating Elements	6400	III	5000	1000 lb	24" x 24"	Load Cell Electronic
91-149A1		Pennsylvania Scale Company		Indicating Elements	7400M	III	5,000			IN PROCESS
91-016	03/07/91	PSI/Command Data		Indicating Elements	Scale Readout	III/III L	1000			Digital Electronic
89-020	07/05/89	Rice Lake Weighing Systems	UMC 2000, -2002, -2004, -2006, -2008, -2010, -2012	Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Electronic
89-023	05/02/89	Rice Lake Weighing Systems	IQ 700 HB	Indicating Elements	IQ 600 HB	III/III L	10,000			Supersedes previous issues
89-117	10/24/89	Rice Lake Weighing Systems		Indicating Elements	UMC 555XXXX	III/III L	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-118	01/10/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000			Digital Electronic
89-118 Ammended	03/13/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000			Digital Electronic
90-022	02/06/90	Rice Lake Weighing Systems		Indicating Elements	WS 900					
91-038	03/06/91	Rice Lake Weighing Systems		Indicating Elements	IQ700HE	III/IIIL	10,000			Digital Electronic
91-039	03/06/91	Rice Lake Weighing Systems		Indicating Elements	IQ700SS	III/IIIL	10,000			Digital Electronic
91-040	03/06/91	Rice Lake Weighing Systems		Indicating Elements	555HE	III/III L	10,000			Digital Electronic
91-064	04/24/91	Rice Lake Weighing Systems	see certificate for specific specifications	Indicating Elements	UniWeigh					Personal Computer
91-132	08/22/91	Rice Lake Weighing Systems		Indicating Elements	IQ + 310 - YY	III/III L	10,000			Electronic
91-138	05/05/92	Rice Lake Weighing Systems	FB2430-2K, FB3030-2K, FB3636-3K, FB4848-2K, FB3846-3K, FB3846-10K FB4848-5K, FB4848-10K, FB4848-20K, FB4860-5K, FB4860-10K, FB4860-20K, FB4872-5K, FB4872-10K, FB4872-20K, FB6060-5K, FB6060-10K, FB6060-20K, FB6072-10K, FB6072-20K, FB6084-10K & FB6084-20K. Capacities: 2,000 lb, 3,000 lb, 5,000 lb, 10,000 lb & 20,000 lb. Platform sizes: 24" x 24", 30" x 30", 36" x 36", 48" x48" 38"x 46", 48" x 48", 48" x 60", 48" x 72", 60" x 60", 60" x 72", 60" x 84".	Indicating Elements	FB-XXX	III	5,000	see below	see below	Flexure Lever, Load Cell
92-013	03/26/92	Rice Lake Weighing Systems		Indicating Elements	IQ+810-XY	III/III L	10,000			Digital Electronic
88-290A1	08/21/90	RSB Engineers/Planners, Inc.	see certificate for specific models, capacities and platform sizes.	Indicating Elements	SP 1000 Series	III L	10,000	see below	see below	Load Cell Electronic
91-014	03/12/92	Scales Unlimited Inc.		Indicating Elements	AGES 3PL					Scale System Controller
87-039	09/25/87	Seltec Corporation		Indicating Elements	AD500	III L	10,000			Superseded by 87-039A

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-039A	10/28/88	Seltec Corporation	BL 500, AB 500, CB 500	Indicating Elements	AD 500	III L	10,000			Digital Electronic
89-013PN	05/01/89	Smith Meter Inc.		Indicating Elements	AL-1-XU, AL-2-XU					Digital Electronic Wh.sl Meter
91-134	08/28/91	Smith Meter Inc.		Indicating Elements	ACCULOAD II-SEQ					Digital Electronic
86-027	11/12/86	Sterling Scale Company, Inc.		Indicating Elements	6000 Plus	III L	10000			
88-260	02/10/89	Sterling Scale Company, Inc.		Indicating Elements	DW650	III/III L	5K,10K			Digital indicating element
90-038	04/25/90	Sterling Scale Company, Inc		Indicating Elements	DW750	III, III L	10,000			Digital Indicator
88-301	01/25/89	Systems Associates, Incorporated		Indicating Elements	525	III/III L	10,000			Digital Electronic
91-077	03/03/91	Tara Systems		Indicating Elements	TR-1	III/III L				
91-077.A2	03/16/92	Tara Systems	n-max: Class III: 5000; Class IIIL: 10000	Indicating Elements	TR-1	III/IIIL	see below			Digital Electronic
88-172	08/30/88	Tele-Weight, Inc.		Indicating Elements	F-4V	III/III L	10,000			Livestosk Scale Indicator
88-172 A1	11/02/90	Tele-Weight, Inc.		Indicating Elements	TW-1	II/III L	10,000			Livestock Scale Indicator
88-172 A2	11/02/90	Tele-Weight, Inc.		Indicating Elements	TW-1	III L	10,000			Digital Electronic
88-172.A3	04/17/92	Tele-Weight, Inc.		Indicating Elements	TW-1	III L	10,000			Digital Electronic
91-037	04/01/91	The Scale Store		Indicating Elements	MXP-9900	III-IIIL	10,000			Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-140PN 07/25/88	Thurman Scale Company	Indicating Elements	320 and 325	III	1,200			Dial Indicator
91-007 02/12/91	Thurman Scale Company	Indicating Elements	430	III/IIIL	10,000			Digital Electronic
91-008 01/12/91	Thurman Scale Company	Indicating Elements	455	III/IIIL	10,000			Digital Electronic
91-009 02/12/91	Thurman Scale Company	Indicating Elements	465	III/IIIL	10,000			Digital Electronic
91-010 02/12/91	Thurman Scale Company	Indicating Elements	620					Digital Electronic
91-017 02/12/91	Thurman Scale Company	Indicating Elements	405	III	5,000			Digital Electronic
87-016A1 08/05/91	Toledo Scale Corporation	Indicating Elements	8146 & 8146D	III/III L	10,000			Digital Element
87-105.A1 07/22/91	Toledo Scale Corporation	Indicating Elements	M8141/8141	III/IIIL	10,000			Digital Electronic
88-259 01/25/89	Toledo Scale Corporation	Indicating Elements	8530	III/III L	10K			Electronic
89-082 01/06/90	Toledo Scale Corporation	Indicating Elements	8520	III	10,000	100 X 0.01 lb		Digital lindicator
89-082 Amended 10/21/91	Toledo Scale Corporation	Indicating Elements	8520A	III	10,000			Digital Electronic
89-083 01/06/90	Toledo Scale Corporation	Indicating Elements	8520A	II/III/3L	60,000	30 X 0.0005 kg		Digital Electronic
89-083 Amended 10/21/91	Toledo Scale Corporation	Indicating Elements	8520	see comts	10,000			Class: II, III, III L
89-104PA1 11/02/90	Toledo Scale Corporation	Indicating Elements	2155	III	6,000	1,000 to 5,000 lb	3' x 3' - 5' x 5'	Electronic
89-145 03 27 90	Toledo Scale Corporation	Indicating Elements	8510	III/III L	10,000			Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-145A1 Amend 03/07/91	Toledo Scale Corporation n-max: 10,000(III/IIIL); 100,000 (II).	Indicating Elements	8510	see below	see below			Digital Electronic
89-146 01/10/90	Toledo Scale Corporation	Indicating Elements	263	III				
91-128 03/12/92	Toledo Scale Corporation	Indicating Elements	8525	III	5000			Digital Electronic
87-016 05/12/87	Toledo Scale Corporation	Indicating Elements	8146	III/III L	10,000			Digital Indicating Element
87-104 08/21/90	Toledo Scale Corporation	Indicating Elements	8140	III/III L	10,000			Digital Indicating Element
87-105 07/25/88	Toledo Scale Corporation	Indicating Elements	M8141	III/III L	10,000			Digital Electronic
87-106 04/07/88	Toledo Scale Corporation	Indicating Elements	8142	III/III L	10,000			Digital Indicating Element
87-107 10/02/89	Toledo Scale Corporation	Indicating Elements	M 5000	III	10000	2000 x 0.02 lb		Digital Indicating
91-110 07/22/91	Totalcomp, Inc.	Indicating Elements	T-80	III	3000			Digital Electronic
89-144 01/30/90	Triner Scale & Manufacturing	Indicating Elements	600 E	III	1,000			Digital Electronic
92-040 03/25/92	Triple A Scale	Indicating Elements	600 E	III	1000			Digital Electronic
90-103 09/11/90	Tru-Test Distributors Ltd.	Indicating Elements	AG 500-1	III/IIIL	3,000			Digital Electronic
89-086 08/21/90	Tyrel Corporation TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 S, TC-10 WS, TC-10 WSK, TC-10 B, TC-10 BK	Indicating Elements	TC-10	III/III L	10,000			Digital Electronic
89-086 03/28/90	Tyrel Corporation TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 S, TC-10 WS, TC-10 WSK, TC-10 B, TC-10 BK	Indicating Elements	TC-10	III/III L	10,000			Digital Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-086 A1 01/03/91	Tyrel Corporation	TC-10A	Indicating Elements	TC-10	III/IIIL	10,000			Digital Electronic
91-063 02/06/92	Tyrel Corporation		Indicating Elements	UniWeigh					Personal Computer
87-066A 05/25/89	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/III L	6K,10K			Digital Electronic
87-121.A4 06/13/91	Weigh-Tronix, Inc.		Indicating Elements	4000-1 & IS-4100	III	3500	see below	12" x 14"	Digital Electronic
Load Cell Model: Mark III E or Mark XVI. Capacities: 9.995 x 0.005 lb, 15 x 0.005 lb, 29.99 x 0.01 lb, 30 x 0.01 lb, 50 x 0.02 lb, 99.95 x 0.05 lb, 100 x 0.05 lb.									
88-235 09/12/88	Weigh-Tronix, Inc.		Indicating Elements	WI-120	III/III L	10,000			Digital Electronic
90-030 02/14/90	Weigh-Tronix, Inc.		Indicating Elements	WI-171	III	5000			Electronic, Price Computing
90-112 11/02/90	Weigh-Tronix, Inc.		Indicating Elements	3270M	III/IIIL	10,000			Digital Electronic
90-113 11/02/90	Weigh-Tronix, Inc.		Indicating Elements	WI-160	III/IIIL	10,000			Digital Electronic
90-134 10/02/90	Weigh-Tronix, Inc.		Indicating Elements	Motion Stabilzer	III/IIIL				Digital Filter Package
Description: The "Digital Motion Stabilzer" package is a digital filter software package for electronic digital indicators.									
91-024 02/01/91	Weigh-Tronix, Inc.		Indicating Elements	WI-190M	III	5000			Indicator Electronics
The Model WI-190M is the main electronics module that contains the analog to digital converter, microprocessor controller, and calibration storage.									
91-062 04/15/91	Weigh-Tronix, Inc.		Indicating Elements	WI-114	III/III L	10,000			Digital Electronic
The WI-114 is a weight display that sums the weight values from up to 3 separate Model WI-110 weight indicating elements. It is intended to be used on a vehicle scale with up to 3 individual weighing elements to provide axle-load weights plus the gross weight of the vehicle to comprise a single weighing system.									
88-020 03/01/88	Weigh-Tronix, Inc.		Indicating Elements	560	III/III L	10,000			Digital Indicating Element
88-236 09/22/88	Weigh-Tronix, Inc.	575R, 575S	Indicating Elements	575	III/III L	5,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-031	07/14/87	Weigh-Tronix, Inc.		Indicating Elements	5788	III/III L	10,000			Digital Indicating Element
87-042	09/14/87	Weigh-Tronix, Inc.	5790R, 5790S	Indicating Elements	5790	III/III L	5,000			Digital Indicating Element
87-066	09/29/87	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/IIIL	6K,10K			Digital Indicating Element
88-235A	04/04/89	Weigh-Tronix, Inc.	WP-230, WP 231	Indicating Elements	WI-120	III/III L	10,000			Digital Electronic
87-029	07/14/87	Western Scale Company Limited		Indicating Elements	DF 2000	III/III L	5,000			Digital Indicating Element
87-117	03/10/88	Western Scale Company Limited		Indicating Elements	DF-1000	III/III L	10,000			Digital Indicating Element
86-006	05/06/86	William M. Wilson's Sons, Inc.		Indicating Elements	2001, 2002					Digital Electronic
92-035		Winslow Scale Company		Indicating Elements	Type Series 7					IN PROCESS
88-099	06/28/88	Wisconsin Electrical Mfgr. Co., Inc	HMB-3000	Indicating Elements	HML-3000	III L	10,000			Digital Electronic
91-160	03/23/92	Wisconsin Electrical Mfgr. Co., Inc	HI 2151 WC-(XX)	Indicating Elements	HI 2150 WC-(XX)	III/III L	10,000			Digital Electronic
Jewelers' Balance										
87-001	03/13/87	Mettler Instrument Corporation		Jewelers' Balance	PM Series/49	II	40,000	4000 x 0.01g	6.5" dia	Digital
87-001A	03/01/89	Mettler Instrument Corporation		Jewelers' Balance	PM/49 & CM/49 Series	I and II		110g to 16,006 g		Digital Electronic
			n, class I - 120,000: n, class II - 20,000: PM2000C/49 (Class I): PM1200/49 (Class I): PM6100/49 (Class I): CM200/49 (Class II): PM400C/49 (Class II): PM15/49 (Class II)							

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-004 04/06/87	Mettler Instrument Corporation	Jewelers' Balance	PJ Series/49	II	41,000	4100 x 0.1 g	6.5" dia	Grain Test Scale
	PJ300/49, PJ3000/49, PJ400/49, PJ4000/49, PJ6000/49, PJ360/49, PJ3600/49							
87-004A 05/24/88	Mettler Instrument Corporation	Jewelers' Balance	PJXXXXG Series	II	41,000	4100 x 0.1 g	6.5" dia.	Digital Electronic
	PJ600G, PJ4000G, PJ6000G, PJ3600G							
87-004A2 03/29/89	Mettler Instrument Corporation	Jewelers' Balance	PJ Series	II	41,000	610g to 15,000		Digital Electronic
	PJ600/49: PJ6/49: PJ12/49: PJ1220/49: PJ15/49							
91-026 02/01/91	Mettler Instrument Corporation	Jewelers' Balance	AE 1000C/49	I	102,500	1025 x 0.1 c	80 mm diameter	Digital Electronic
88-227 09/22/88	Ohaus Corporation	Jewelers' Balance	GT 4400-L	II	40,000	0 - 400 x 0.01 g	6.5" Diameter	Digital Electronic
	GJ-4400-L, GT-4000-L, GJ-4000-L							
89-084 08/17/89	Ohaus Corporation	Jewelers' Balance	CT-600L	III	6000	600 x .1 g	4 in. diameter	Digital Electronic
88-119 09/09/88	Sartorius Corporation	Jewelers' Balance	L Series	II	42,400	424 g	5" dia.	Grain Test Scale
	L420S-*U2, L220S-*U2, L220S-XU2, L2200S-*U2, L2200S-XU2, L310-*U2, L310-XU2, L610-*U2, L610-XU2							
88-120 09/09/88	Sartorius Corporation	Jewelers' Balance	U and X Series	II	6,100	6,100 g	5" dia.	Digital Electronic
	U6100-*U2, U6100-XU2, U6-*U2, U6-XU2, X1493-*U2, X1493-XU2, X1493-*U2.1, X1493-XU2.1							
88-121 09/09/88	Sartorius Corporation	Jewelers' Balance	E and I Series	II	48,400	4840 g	235 mm x 190 mm	Grain Test Scale
	E4800S-*U2, I4800S-*U2, I1000S-*U2, E12000S-*U2, E12S-*U2, I12000-*U2, I12S-*U2, I6800-*U2, I6-*U2							
88-122 09/09/88	Sartorius Corporation	Jewelers' Balance	P Series	II	5,050	505 g	110 mm Diameter	Grain Test Scale
	P500-*U2, P5-*U2							
88-123 09/09/88	Sartorius Corporation	Jewelers' Balance	H and G Series	II	31,000	31 g	63 mm Diameter	Grain Test Scale
	H51-*U2, H120-*U2, H310-*U2, G150D-*U2							
88-187 11/01/88	Sartorius Corporation	Jewelers' Balance	X1493-X	II	6,100	6,100 x 0.1g	5.9" x 4.6"	Explosion Proof Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-027 03/24/88	Scientech, Inc.	Jewelers' Balance	5550	II	50,000	50 x 0.01 g	4.5 " Diameter	Digital Electronic
Livestock Scale								
88-017PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co. 31, LS51208, LS51408, LS51608, LS1016, LS1018, LS1022, 1030 S, 1530 S, 2026 S	Livestock Scale	LS Series	III/III L		1.5 - 20 ton	8 x 3 - 26 x 14'	Mechanical Weighing Element
89-088 10/06/89	Durline Scales and Mfg., Inc. MT-40403, LS-3420, LS-2620, LS-3020	Livestock Scale	LS 40403	III L	10,000	50,000 lb	40' x 14'	
88-153PN 06/17/88	Fairbanks Scales	Livestock Scale	11-3300 Series	III L		10 tons	8' - 9' x 15'	Mechanical Livestock Scale
88-157PN 06/17/88	Fairbanks Scales The following model designations carry a prefix of 11- or 14-. The 11- models are mechanical scales. The 14- models are levertronic (lever system with load cell) scales (e.g. 11-6186A is mechanical and 14-6186A is levertronic). Models: 6186A, 6187A,; 6188A, 6189A, 6190W, 6190, 6192A, 6197A, 6198, 6199.	Livestock Scale	11-6100 Series	III L		5 - 20 ton	14 'x 8 '	Mechanical Levertronic
88-168PN 10/12/88	Fairbanks Scales V18-1015-220, V22-1015-220, V35-10353325, V20-1015-220	Livestock Scale	V Series	III L				Mechanical Lever System
92-059	Livestock Marketing Services Corporation	Livestock Scale	Market Master					IN PROCESS
88-253 02/10/89	Marsh Scale, Inc. MCS-14, MCS-20, SMCS-18, MCS-25. Capacities (lb): 10,000 and 20,000	Livestock Scale	MCS and SMCS Series*	III L				Mechanical Lever System
88-253 Amended 06/06/91	Marsh Scale, Inc. MCS-14, MCS-20, SMCS-18 & MCS-25. CLC: 5,700 lb & 11,700 lb. Platforms: 14' x 8', 20' x 8', 18' x 6'8" & 25' x 8'.	Livestock Scale	MCS/SMCS SERIES	III L		see below	see below	Mechanical Lever System
91-068 11/19/91	Powell All-Steel Scales CLC: 9,000 lb. The specific models covered by this certificate are XXYYECZ where XX denotes the scale capacity in thousand pounds, YY denotes scale length in feet, and Z denotes the scale width in feet. Platform: 15" x 8" - 4" x 4" (The maximum platform area shall not exceed 120 sq. ft.)	Livestock Scale	XXYYECZ	III L	3,000	10K-13,5K x 5 lb		Load Cell, Electronic
90-050PN 04 25 90	Sooner Scale, Inc	Livestock Scale	PS 18 x 7					

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-050PN Amend 06/14/90	Sooner Scale, Inc.	CLC: 6,750 lb	Livestock Scale	PLS 18 x 7	IIIL	2,000	10,000 lb	18" x 7";2 sect.	Portable Electronic
88-312 05/15/90	Webster Scale, Inc.	LR 20402-20, 22402-20, 24402-20, 26402-20,2 8402-20, 30402-20, 32402-16, 34402-17, 34402-18, 34402-20, 28403-20, 30403-20, 34403-16, 34403-17, 34403-18, 34403-20, CLC=34,000 lb.	Livestock Scale	LR Series	III L	10,000	50,000 lb	400 - 680 cu. ft.	Electromechanical

Load Cell

89-041P 02/23/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900	III L	10,000 M	20K to 100K		WITHDRAWN
90-141 11/02/90	Airway Scale and Mfg Co., Inc.	Model: AW600B-2.4K, AW600B-5K, AW600B-10K, AW600B-15K & AW600B-20K.	Load Cell	AW600B Series	III	5000	2500 to 20,000lb		Shear Beam, Tension
90-142 11/02/90	Airway Scale and Mfg Co., Inc.	Models: AW900B-20K, AW900B-25K, AW900B-30K, AW900B-40K, AW900-50K, AW901B-50K, AW900B-60K, AW900B-60KL, AW900B1-65K, AW900B-75K, AW900B-75KL & AW900B-100K.	Load Cell	AW900B	IIIL	10,000	20,000-100,000lb		Double-Ended Shear Beam
87-057 05/24/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 to 10000 lb		Superseded by 87-057A3
87-057A2 05/02/89	Artech Industries, Inc.		Load Cell	20210	III	4,500 S	25 - 10,000 lb		Superseded by 87-057A3
87-057A3 05/11/90	Artech Industries, Inc.	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000, 25,000, 30,000, 35,000, 40,000	Load Cell	20210	III, III L	5k, 10k S	25 - 40,000 lb		Type "S" - Load Cell
87-057P 09/29/87	Artech Industries, Inc.	Capacities (lb): 50, 100, 250, 500, 1000, 2500, 3000, 5000, 10000	Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
87-057PA 01/27/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
87-057PA3 02/12/90	Artech Industries, Inc.		Load Cell	20210	III, III L	5K,10K S	25 to 20,000 lb		Superseded by 87-057A3
87-058 05/24/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 to 10000 lb		Superseded by 87-058A2

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-058.A3 03/07/91	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000	1,000 to 10k lb		Shear Beam
		The specific models of load cells covered by this certificate are identified by the capacity of each load cell.							
87-058A2 05/02/89	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000 M	1k - 10k lb		Shear Beam
		Specific models of load cells are identified by the capacity. See Certificate. Optional model families: 30210 and 30310-xx-C/B							
87-058P 09/29/87	Artech Industries, Inc.		Load Cell	30310	III	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-058PA 01/27/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-094 05/24/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000 M	5k - 50k lb		Double Ended Shear Beam
87-094.A1 03/07/91	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000	5,000 to 50k lb		Double Ended Shear Beam
		The specific models of load cells covered by this certificate are identified by the capacity of each load represented.							
87-094A2	Artech Industries, Inc.		Load Cell	70210	III/III L	see below	see below		IN PROCESS
		Class III, M, n = 5,000, Capacity 5,000 to 50,000 lb Class III L, M, n = 10,000, Capacity 5,000 to 200,000 lb							
87-094P 01/27/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5000 M	5000 to 50000 lb		Superseded by 87-094
		Capacities (lb) 5,000: 10,000: 20,000: 50,000							
90-032 04/25/90	Artech Industries, Inc.		Load Cell	SS30310 SERIES	III/III L	5k, 10k M	1,000 - 10,000 lb		SHEAR BEAM LOAD CELL
		Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacity 1,000 to 10,000 lb. Other models: SS30210 and SS30310-xx-C/B							
90-032P 02/12/90	Artech Industries, Inc.		Load Cell	SS30310 Series	III/III L	5K,10K M	1,000 to 10,000lb		Superseded by 90-032
90-083 05/15/90	Artech Industries, Inc.		Load Cell	80210 Series	III L	10,000	20,000 - 200,000		Double Ended Shear Beam
		80310 - The difference between the Models 80210 and 80310 is in the manner of contact of the load cell to the mounting assembly. The 80210 has a semicircular indentation in the middle of the bottom of the cell where the cell rests on a semicircular rod. The point of contact is the semicircular areas. The bottom of the 80310 is flat and the semicircular is turned upside down so the flat area is in contact with the load cell. The semicircular rod makes contact with a flat plate in its mounting assembly							
90-083.A1	Artech Industries, Inc.		Load Cell	80210 Series	III L	10,000	20,000 - 200,000		IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-060	06/28/88	BLH Electronics, Inc.	Capacities: 20k, 50k, 100k, 200k	Load Cell	C2P1	III L	4,500 M	20k-200k lb		
87-060P	03/10/88	BLH Electronics, Inc.	Capacities (lb): 20k, 50k, 100k, 200k	Load Cell	C2P1	III	3000 S	20000 - 200000 lb		WITHDRAWN
87-060PA	01/27/88	BLH Electronics, Inc.	Capacities (lb): 20k, 50k, 100k, 200k	Load Cell	C2P1	III L	10000 M	20000 - 200000 lb		Superseded by 87-060
87-061	06/28/88	BLH Electronics, Inc.	Capacities (lb): 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450 - 45000 lb		Shear Beam Load Cell
87-061P	09/29/87	BLH Electronics, Inc.	Capacities: 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450-4500 lb		Superseded by 87-061
91-155	10/08/91	BLH Electronics, Inc.	Multiple Cells: III L	Load Cell	C2Z1	III L	10,000	20k to 200k		Compression
91-131	08/22/91	Brechbuhler Scales, Inc.	N-max: SC-Class III: 5,000; SC-Class III L: 10,000	Load Cell	RL200000A-XXX	III/III L	see below	25 - 20,000 lb		S-Beam Tension
87-059	04/06/92	Cardinal/Detecto Scale Mfgr. Co.	Class III-MC-5000; Class III L-SC-10000	Load Cell	SB SERIES	III/III L	III5kM/	2.5k - 20k lb		Stainless Steel Shear Beam
87-059P.A1	02/20/91	Cardinal/Detecto Scale Mfgr. Co.	SB-2500S, SB-5000S, SB-10000S & SB-20000S	Load Cell	SB-5000S	III	MC-5000	2500 - 20,000 lb		Shear Beam
89-042	12/20/89	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50K & 100K lb		COLUMN COMPRESSION
89-042P	08/17/89	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50k & 100k lb		Superseded by 89-042
89-071	11/02/90	Cardinal/Detecto Scale Mfgr. Co.	50K-SCD, 100K-SCD, 50K-SCD-C & 100K-SCD-C.	Load Cell	SCD & SCD-C	III L	10,000	50k & 100k lb		Column, Digital Output

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity / Platform size	Comments
89-071 Amended 03/07/91	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	SCD & SCD-C	III L	MC: 10,000	50k to 100k lb	Column, Digital Output
	The specific load cells in this family covered by this certificate are identified by the model number which includes the load cell capacity as a prefix to the SCD or SCD-C indentification. The only difference b/t the SCD & the SCD-C load cells is that the SCD-C has a connector rather than the cable being attached directly to the load cell. Models: 50K-SCD, 100K-SCD, 50K-SCD-C & 100-SCD-C.						
89-071P 07/05/89	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	SCD and SCD-C	III L	10,000 M	50,000-100,000 lb	COLUMN, DIGITAL OUTPUT
	50K-SCD, 100K-SCD, 50K-SCD-C, 100K-SCD-C						
90-110 08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	6800/Z100 & 600/Z100	III	5,000		Steelyard Rod Adaptor
	Optional Models: 6000/TLC100 & 6800/TLC100 n_max:4,000						
90-111 08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	738/TLC100-738/Z100		5,000		Steelyard Rod Adaptor
	Type Z & TLC load cell capacity: 100 lbs.						
87-059P 11/25/87	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	SB-5000S	III	5,000 M	2.5k - 20k lb	Shear Beam
	SB-2500S, SB-5000S, SB-10 000S, SB-20 000S						
87-059P.A 01/22/88	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	SB-5000S	III L	10,000 S	2.5 - 20k lb	Shear Beam Load Cell
	SB-2500S, SB-5000S, SB-10 000S, SB-20 000S						
87-083P 04/07/88	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	50K-HDD	III L	10,000 M	50,000 lb	Column Compression Load Cell
88-166P 08/30/88	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	Z	III/III L	5K,10K S	250 - 1000 lb	Tension
	Capacities (lb): 250, 500, 1000						
89-042.A1 04/18/91	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	50K-SCA, 100K-SCA	III L	M-Cell 10000	50k - 100k lb	Column Compression
91-043P 06/11/91	Celtron Technologies, Inc.	Load Cell	SQB-XX-L	III	see below	1000 - 10,000 lb	Single-Ended Shear Beam
	SQB-XX-C (counterbored load hole), SQB-XXX-U (load hole threaded in upper half) & SQB-XX-T (through load hole).						
91-044P 06/11/91	Celtron Technologies, Inc.	Load Cell	STC-XX	III/III L	see below	250 - 20,000 lb	Type "S" Load Cell
	Capacity: SC-Class III, 5000 / SC-Class III L, 10,000.						
89-059P 07/05/89	Duratron Corporation	Load Cell	800 000A	III L	10,000 M	1,000 TO 5,000 LB	Double ended shear beam
	800 030, -031, -032, -033, -034, -038, -039, -040, -041, -042, -043, -044, -045, -046, -047, -048, -049, -050						

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity / Platform size	Comments
89-060P 02/23/90	Duratron Corporation		Load Cell	800 000B	III L	10,000 M	VARIES WITH MODEL	WITHDRAWN
89-061P 02/23/90	Duratron Corporation		Load Cell	801 000A	III L	10,000 M	20K TO 100K	WITHDRAWN
89-062	Duratron Corporation		Load Cell	AW400B	III L	10,000 M	15k to 125k lb	IN PROCESS
89-062P 07/05/89	Duratron Corporation	801 024, -025, -026, -011, -027, -012, -028, -029, -030	Load Cell	801 000B	III L	10,000 M	15000-125000 LB	Double ended shear beam
89-109	Epelsa International, Inc.		Load Cell	MC				IN PROCESS
89-109P 08/21/90	Epelsa International, Inc.	Capacities (kg): 75, 100, 150, 200, 250, 300, 500, 681	Load Cell	MC	III	3,000	75 to 681 kg	Bending Beam
89-114	Epelsa International, Inc.		Load Cell	SC	III	3,000 S	500 - 3,000 kg	IN PROCESS
89-114P 10/06/89	Epelsa International, Inc.	Capacities (kg): 500, 750, 1000, 1500, 3000	Load Cell	SC	III	3,000 S	500 to 3,000 kg	
89-162P 01/06/90	Epelsa International, Inc.	ATC 5, ATC 8, ATC 13, ATC 17, ATC 32	Load Cell	ATC	III	3,000 S	5 to 32 kg	
89-163	Epelsa International, Inc.		Load Cell	BP				IN PROCESS
89-163P 01/06/90	Epelsa International, Inc.	BP 5, BP 7, BP 10, BP 15, BP 17, BP 20, BP 30	Load Cell	BP	III	3,000 S	5 to 30 kg	Bending Beam
90-105	Epelsa International, Inc.		Load Cell	TSF & LC18				IN PROCESS
90-105P 09/11/90	Epelsa International, Inc.		Load Cell	TSF & LC18	III/III L		100 to 1,000 lb	

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-105P.A1 04/30/91	Epelsa International, Inc.	SC, Class III: 3000/SC, Class III L: 10,000.	Load Cell	TSFS & LC18 TSFS100, TSFS200, TSFS300, TSFS500, TSFS750 & TSFS1000.	III & IIIL	see below	100 to 1000 lb		S-Type Tension
90-150P 09/11/90	Epelsa International, Inc.	see certificate for other models.	Load Cell	TSF & LC18*	III	3000	100 to 1000 lb		S-Type
91-042P 04/18/91	Epelsa International, Inc.	LC 1000, LC 2500, LC 2600, LC 4000, LC 5000, LC 5000 & LC 10000.	Load Cell	LC Series	III	M-Cells 3000	1,000 - 10,000 lb		Single Ended Shear Beam
91-042P.A1 03/11/91	Epelsa International, Inc.	LC 1000, LC 2500, LC 2600, LC 4000, LC 5000, LC 5000 & LC 10000.	Load Cell	LC Series	III	MC- 5000	1000 - 10,000 lb		Single Ended Shear Beam
91-042P.A2 03/11/91	Epelsa International, Inc.		Load Cell	LC Series					
92-078	Epelsa International, Inc.		Load Cell	SB2					IN PROCESS
92-079	Epelsa International, Inc.		Load Cell	LCI					IN PROCESS
89-151 11/22/89	Fairbanks Scales	Capacities (lb): 10,000, 20,000, 25,000, 30,000, 40,000, 50,000, 60,000, 75,000, 100,000	Load Cell	90814-XX	III L	10,000 M	10 k - 100 k lb		Double Ended Shear Beam
90-094.AI 04/18/91	Fairbanks Scales		Load Cell	70-1414	III	2000	100 x 0.05 lb	14 x 14 inch	Load Cell Electronic
92-030	FIRST-Weigh		Load Cell	STR	III L	10,000	10K - 50K lb		IN PROCESS
89-108P 10/02/89	Flex-Weigh Corporation		Load Cell	S	III	3000	500 to 3000 lb		Superseded by 89-108PA1
89-108PA1 01/12/90	Flex-Weigh Corporation	Capacities (lb): 500, 750, 1000, 1500, 2000, 3000	Load Cell	S	III	5,000 S	500 to 3,000 lb		S-Type
89-158P 12/20/89	Flex-Weigh Corporation	Capacities (lb): 1000, 2000, 2500, 4000	Load Cell	SSB and SSBT	III	5,000 M	1,000 to 4,000 lb		Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-158P.A1		Flex-Weigh Corporation		Load Cell	SSB/SSBT					IN PROCESS
90-184P	02/12/91	Flex-Weigh Corporation		Load Cell	C SERIES	III	5000	150 to 500 lb		Single-Ended Bending Beam
90-086	04/29/91	Flintab, Inc.	SB4-5kN, SB4-10kN, SB4-20kN, SB4-23kN & SB4-50kN.	Load Cell	SB4 Series	III	SC-3000	5kN - 50kN		Stainless Steel Bending Beam
90-086P	09/11/90	Flintab, Inc.	SB4-5kN - 5, 0.25, 0; SB4-10kN - 10, 0.50,0; SB4-20kN - 20, 1.0, 0; SB4-50kN - 50, 2.5, 0.	Load Cell	SB4 Series	III	Single 3,000	5 kN - 50 kN		Stainless Steel Bending Beam
92-098		Flintab, Inc.		Load Cell	RC1-XX	III L	10,000 S	250 to 400 kN		IN PROCESS
92-098		Flintab, Inc.		Load Cell	RCI Series	III L	10,000 S	250 to 400 kN		IN PROCESS
87-055	08/17/89	Hottinger Baldwin Measurements, Inc	BLC-YYYXX500 thru BLC-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 500: 1,250: 2,000: 2,500: 5,000	Load Cell	BLC	III	3,000 S,M	500 to 5000 lb		Bending Beam
87-055P	09/29/87	Hottinger Baldwin Measurements, Inc	Capacity range 500 - 5,000 lb	Load Cell	BLC	III	3,000 S,M			Superseded by 87-055
87-087	08/17/89	Hottinger Baldwin Measurements, Inc	BBS-YYYXX500 thru BBS-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500	Load Cell	BBS	III	3,000 S	50 to 2500 lb		Bending Beam
87-087P	03/10/88	Hottinger Baldwin Measurements, Inc	BBS-YYYXX500 thru BBS-YYYXX699 where YYY is the load cell capacity and XX is the cable length; Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500	Load Cell	BBS	III	3000 S	50 lb to 2500 lb		Superseded by 87-087
87-088	08/17/89	Hottinger Baldwin Measurements, Inc	UIT-YYYXX500 thru UIT-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000	Load Cell	UIT	III	3,000 S	50 to 3000 lb		Bending Beam
87-088P	03/10/88	Hottinger Baldwin Measurements, Inc	U1T-YYYXX500 thru U1T-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 50, 100, 200, 300, 500, 1000, 2000, 3000	Load Cell	U1T	III	3000 S	50 to 3000 lb		Superseded by 87-088

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-089P 02/10/89	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III	3,000 S	200 - 5k lb		Superseded by 87-089P.A1
	USB-YYYXX500 thru USB-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities 200: 500: 1,000: 2,000: 5,000: 10,000							
87-089P.A1 09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III	3000	200 to 10,000 lb		Universal , Tension
	The specific models of load cells coverred by this certificate are USB-YYYXX500 through USB-YYYXX699 where YYY is the load cell capacity & XX is the cable length.							
87-096 08/17/89	Hottinger Baldwin Measurements, Inc	Load Cell	PLC & PLX Series	III	3,000 S	2 to 200 lb		
	PLC-YYYXX500 thru PLC-YYYXX699 and PLX-YYYXX500 thru PLX-YYYXX699, where YYY is the load cell capacity and XX is the cable length. PLC-2XX, -5XX, -10XX, -20XX, -30XX, -50XX, -70XX, -100XX, -200XX: PLX-5XX, -10XX							
87-096PA 04/29/88	Hottinger Baldwin Measurements, Inc	Load Cell	PLC & PLX Series	III	3000 S	2 to 200 lb		Superseded by 87-096
	PLX-YYYXX500 thru PLX-YYYXX699, where YYY is the load cell capacity and XX is the cable length. Models: PLC-2XX, PLC-5XX, PLC-10XX, PLC-20XX, PLC-30XX, PLC-50XX, PLC-70XX, PLC-100XX, PLC-200XX, PLX-5XX, PLX-10XX. PLC cap acity range 2 to 200 lb; PLX capacity range 5 to 10 lb							
88-033 03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III	see below	1,000 to 200,000		Shear Beam
	capacity: multiple cells: 3,000 or 5,000 depending on capacity							
88-033P 07/08/88	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III	3,000 M	1k - 200K lb		Shear Beam Load Cell
	SB2-YYYXX500 through SB2-YYYXX699 and SB3-YYYXX500 through SB3-YYYXX699 where YYY is the load cell capacity and XX is the cable length.							
88-033P.A1 03/15/91	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III				
88-278	Hottinger Baldwin Measurements, Inc	Load Cell	BLC (1.5 mv/v)					IN PROCESS
88-278P 01/25/89	Hottinger Baldwin Measurements, Inc	Load Cell	BLC*	III	3K S,5K M	500 to 5,000 lb		Bending Beam
	BLC-YYYXX500 thru BLC-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 500, 1250, 2000, 2500, 5000							
88-278P.A1 09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	BLC & TLC	III	see below	500 to 5000 lb		Bending Beam
	Capacity: single cell, 3000 - multiple cell, 5000. The specific load cells covered by this certificate are: BLC-YYYXX500 through BLC-YYYXX699 for cells with 1.5m V/V output, BLC-YYYXX700 through BLC-YYYXX790 for cells with 2.0 mV/V output, TLC-YYYXX700 through TLC-YYYXX790 for cells with 2.0 mV/V output, BLC-YYYXX800 through BLC-YYYXX990 for cells with 3.0 m V/V output where YYY is the load cell capacity and XX is the cable length.							

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-278P.A2 11/02/90	Hottinger Baldwin Measurements, Inc	Load Cell	BLC & TLC	III	see below	500 to 5,000 lb		Bending Beam
	n-max: singel cell 3,000, mutiple cell 5,000. The specific load cells covered by this certificate are: BLC-YYYXX500 through BLC-YYYXX699 for cells with 1.5 mV/V output, BLC-YYYXX700 through BLC-YYYXX790 for cells with 2.0 mV/V output, TLC-YYYXX700 through TLC-YYYXX790 for cells with 2.0 mV/V ooutput: BLC-YYYXX800 through BLC-YYYXX990 for cells with 3.0 mV/V output where YYY is the load cell capactiy & XX is the cable length.							
89-096P 01/10/90	Hottinger Baldwin Measurements, Inc TRT-50K, TRT-75K, TRT-100K	Load Cell	TRT Series	III L	10,000 SC	50,000-100,000 lb		Torsion Ring Transducer
90-015P 04/25/90	Hottinger Baldwin Measurements, Inc Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000	Load Cell	U1T	III L	10,000 S	50 - 3,000 lb		Universal Tension /Compression
90-016P 04/25/90	Hottinger Baldwin Measurements, Inc Capacities (lb): 200, 1000, 2000, 5000	Load Cell	USB	III L	10,000 S	200 - 5,000 lb		Universal Tension /Compression
90-016P.A1 09/26/90	Hottinger Baldwin Measurements, Inc The specific model of load cells covered by this certificate are USB-YYYXX500 through USB-YYYXX699 where YYY is the load cell capacity and XX is the cable length.	Load Cell	USB	III L	10,000	200 to 10,000 lb		Universal, Tension or Comp.
90-092 09/18/90	Hottinger Baldwin Measurements, Inc The specific load cell covered by this certificate are: SB2-YYYXX500 through SB2-YYYXX699 and SB3-YYYXX500 through SB3-YYYXX699 where YYY is the load cell capacity and XX is the cable length.	Load Cell	SB2 & SB3	III L	10,000	10k to 200 lb		Shear Beam
90-138P 09/26/90	Hottinger Baldwin Measurements, Inc The specific models of load cells covered by this certificate are USB-YYYXX500 through USB-YYYXX699 where YYY is the load cell capacity and XX is the cable length.	Load Cell	USB	III	5000	200 to 5000 lb		Universal, Tension
91-030	Hottinger Baldwin Measurements, Inc n = 3,000 S/5,000 M	Load Cell	HLC/THC	III	see below	1k to 20k		IN PROCESS
91-030P 03/07/91	Hottinger Baldwin Measurements, Inc n-max: single cell: 3,000 - multiple cells: 6,000. The specific load cells covered by this certificate are HLC-YYYXX400 through HLC-YYYXX690 & THC-YYYXX400 through THC-YYYXX690, where YYY is the load cell capacity & XX is the cable length. The numbers do not have any effect on compliance with NIST Handbook 44. Models: HLC-1K, HLC-2.5K, HLC-4K, HLC-5K & HLC-10K.	Load Cell	HLC & THC SERIES	III	see below	1,000 to 10k lb		Bending Beam

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-030P AMENDED 05/14/91	Hottinger Baldwin Measurements, Inc	Load Cell	HLC & THC Series	III	see below	1000 - 10,000 lb		Bending Beam
	The specific load cells covered by this certificate are HLC-YYYXX400 through HLC-YYYXX690 & THC-YYYXX400 through THC-YYYXX690, where YYY is the load cell capactiy and XX is the cable length. the numbers 400 through 690 represent cutsomer variations that do not have any effect on compliance with NIST HB 44.							
91-031	Hottinger Baldwin Measurements, Inc	Load Cell	RSC SERIES	see below	see below	50 to 50,000 lb		IN PROCESS
	Class III, S, n = 3,000 Class III L, S, N = 10,000							
91-031P 03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	RSC SERIES	III/III L	see below	50 to 5,000 lb		Universal Beam ("S" Cell)
	n-max: single cell, class III: 3,000 - single cell, class III L: 10,000. The specific load cells covered by this certificate are RSC-YYYXX400 through RSC-YYYXX6790 where YYY is the load cell capacity & XX is the cable lenth. The numbers 400 through 690 represent customer variations that so not have any effect on compliance with NIST Handbook 44.							
91-036 03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	JRT SERIES	III L	MC: 10,000	20k to 200k lb		Compression Torsion Ring
	The specific load cells covered by this certificate are JRT-YYYXX500 through JRT-YYYXX600, where YYY is the load cell capacity & XX is the cable length. The numbers 500 through 600 represent customer variations that do not have any effect on compliance with NIST Handbook 44. Models: JRT-20K, JRT-50K, JRT-100K & JRT-200K.							
91-131	Hottinger Baldwin Measurements, Inc	Load Cell	RSC	III/III L	see below	50 to 50,000 lb		IN PROCESS
	Class III, S, 3,000 Class III L, S, 10,000							
92-099	Hottinger Baldwin Measurements, Inc	Load Cell	PWS Family	III	3,000 S	5 to 200 kg		IN PROCESS
87-056P 11/25/87	Interface, Inc.	Load Cell	SSM	III/III L	6K,10K S			Superseded by 87-056P Ammended
87-056P 03/14/88	Interface, Inc.	Load Cell	SSM Series	III/III L	6K,10K S			Load Cell
	SSM-xxx-100A, SSM-xxx-100C, SSM-xxx-100E, SSM-xxx-100G, SSM-xxx-100J, SSM-xxx-100M, SSM-xxx-100R, SSM-xxx-250A, SSM-xxx-250C, SSM-xxx-250E, SSM-xxx-250G, SSM-xxx-250J, SSM-xxx-250M, SSM-xxx-250R, SSM-xxx-500A, SSM-xxx-500C, SSM-xxx-500E, SSM-xxx-500G, SSM-xxx-500J, SSM-xxx-500M, SSM-xxx-500R, SSM-xxx-1000A, SSM-xxx-1000C, SSM-xxx-1000E, SSM-xxx-1000G, SSM-xxx-1000J, SSM-xxx-1000M, SSM-xxx-1000R							
87-056PA1 05/15/90	Interface, Inc.	Load Cell	SSM-S	III/III L	6k, 10k S	6000 - 10000		Load Cell
	The specific models of load cells covered by this certificate are SSM-XXX-YYYYS where XXX is a two or three character alphanumeric code used to designate variations such as cable type or length, YYYY is the capacity of the load cell in pounds, and S is the unique character identifying this series from the previous certificate (CC No. 88-056P). Capacities from 100 to 1000 lbs.							

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-038P 04/07/88	Interface, Inc.	Capacities (lb): 50, 100, 250	Load Cell	SSB	III	3,000 S	50 - 250 lb		Shear Beam Load Cell
88-040P 04/07/88	Interface, Inc.	MB-XXX-10A, -25A, -50A, -75A, -100A	Load Cell	MB Series	III	3,000 S	10 - 100 lb		Shear Beam Load Cell
92-102P	National Scale and Repair		Load Cell	S5000N					IN PROCESS
92-103P	National Scale and Repair		Load Cell	S2000N					IN PROCESS
92-104	National Scale and Repair		Load Cell	TI2000S					IN PROCESS
92-105	National Scale and Repair		Load Cell	TI5000N					IN PROCESS
92-106	National Scale and Repair		Load Cell	R3000CSPN					IN PROCESS
92-084P	NMB Technologies Incorporated		Load Cell	C2G1xx	III	3,000 S	0.6 to 300 kg		IN PROCESS
87-051.A2 03/19/92	Revere Corp (See Revere Transducers, Inc.)	n-max: S/C-Class III: 3000; S/C-Class III L: 10000	Load Cell	9363-A3 & 9363-B10	III/III L	see below	100 - 10,000 lb		Tension S-Cell, Stnless Steel
87-063.A2 03/19/92	Revere Corp (See Revere Transducers, Inc.)	n-max: S/C-Class III: 3000; S/C-Class III L: 10000	Load Cell	363-A3 & 363-B10	III/III L	see below	100 - 10,000 lb		Tension S-Cell
91-011.A1 03/12/92	Revere Corp (See Revere Transducers, Inc.)		Load Cell	792-B10	III L	MC-10,000	50k - 200k lb		Single col. Comp. Canister
92-047 03/25/92	Revere Corp (See Revere Transducers, Inc.)	n-max: S/C: 3000; M/C: 5000. 933-A5-5k-YYYY; 933-A5-7.5k-YYYY; 933-A5-10k-YYYY & 933-A5-20k-YYYY	Load Cell	933-A5-XXXX-YYYY	III	see below	5000 - 20,000 lb		Shear Beam
86-037 12/16/87	Revere Transducers, Inc.	Other capacities: 1k, 2.5k, 4k, 5k, 10k	Load Cell	5123	III	3k S, 5k M	1k - 10k lb		Single ended shear beam.

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-037P	01/26/87	Revere Transducers, Inc.	Capacities (lb): 1k, 2.5k, 4k, 5k, 10k	Load Cell	B5123	III	3k S, 5k M	1k - 10k lb		Superseded by 86-037
86-038	03/28/91	Revere Transducers, Inc.	The specific models of load cells covered by this Certificate are 5223-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for individual load cells comply with Handbook 44.	Load Cell	5223-B10	III L	10,000	50K, 65K, 100K		Double Ended Shear Beam
86-0388A1		Revere Transducers, Inc.		Load Cell	5223-B10	III L	10,000 M	50k to 200k lb		IN PROCESS
86-038P	01/26/87	Revere Transducers, Inc.		Load Cell	B5223	III L	10000 M	50k, 65k, 100k lb		Superseded by 86-038PA12/10/87
86-038PA	12/10/87	Revere Transducers, Inc.		Load Cell	5223	III L	10000 M	50k, 65k, 100k lb		Double Ended Shear Beam
86-039	03/28/91	Revere Transducers, Inc.	The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.	Load Cell	5103-B10	III L	10,000	30K to 250K lb		Double Ended Shear Beam
86-039P	01/26/87	Revere Transducers, Inc.		Load Cell	5103	III L	10,000 M	50k-150k lb		Superseded by 86-039PA 7/25/88
86-039P	07/25/88	Revere Transducers, Inc.	The specific models of load cells covered by this Certificate are 5103-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. Range of capacities (lb) from to 100 K.	Load Cell	5103	III L	10000 M	10k to 100k lb		Double Ended Shear Beam
86-040P	01/26/87	Revere Transducers, Inc.		Load Cell	C692B	III L	10000 M	25k, 50k, 100k lb		Superseded by 86-040P 12/10/87
86-040P Amended	12/10/87	Revere Transducers, Inc.		Load Cell	692B	III L	10000 M	25k, 50, 100k lb		Multi-Column Compression
86-041	03/01/89	Revere Transducers, Inc.	SSB-.5t-C3, -1t-C3, -2t-C3, -2.5t-C3, -5t-C3: SSB-1-III/3, -2-III/3, -5-III/3, -10-III/3	Load Cell	SSB	III	3,000 S	500 to 5,000 kg	1k to 10k lb	Single Ended Shear Beam

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-041.A1 03/28/91	Revere Transducers, Inc.		Load Cell	SSB	III & IIIL	3,000	500k - 5000 kg		Single Ended Shear Beam
		Capicity- 1,000 to 10,000 lb. The specific models of load cells covered by this certificate are SSB-X-Y-Z where X, Y, & Z, as applicable are model numbering codes denoting capactiy, classification, electrical connection. Other Models: SSB-.5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, kSSB-5-III/3 and SSB-10-III/3.							
86-041P 01/02/86	Revere Transducers, Inc.		Load Cell	SSB	III	3000 S	500 - 5,000 kg	1k to 10k lb	Superseded by 86-041
		SSB-.5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, SSB-5-III/3, SSB-10-III/3							
87-051 04/05/89	Revere Transducers, Inc.		Load Cell	9363	III/III L	3k/10k S	100-10,000 lb		Superseded by 87-051 12/20/89
		Class III, Model code 9363-A3-YYYY: Class IIIL, Model code 9363-B10-XXX-YYYY.							
87-051 12/20/89	Revere Transducers, Inc.		Load Cell	9363	III/III L	3k0/10k S	100 - 10,000 lb		Tension S-Cell,Stainless Steel
87-051.A1 03/28/91	Revere Transducers, Inc.		Load Cell	9363-A3 & 9363-B10	III & IIIL	see below	100 - 10,000 lb		Tension S-Cell
		Capacity: Single Cell, Class III: 3,000 & Single Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 9363-A3-XXX-YYYY: for Class III L, models 9363-B10-XXX-YYYY where XXX is the capacity code a nd YYYY is a designator for the electrical cable length, wiring color code, and private label variations.							
87-051PA 07/25/88	Revere Transducers, Inc.		Load Cell	9363	III/III L	3k/1Ok S	3000 - 10000 lb		Superseded by 87-051
		Class III, Models 9363-A3-XXX-YYYY: Class III L, Models 9363-B10-XXX-YYYY. Capacities (lb): 3,000: 5,000: 10,000							
87-063 04/05/89	Revere Transducers, Inc.		Load Cell	363	III/III L	3k,10k S	100-10,000 lb		Superseded by 87-063 12/20/89
		For Class III, Models 363-A3-XXX-YYYY: For Class III L, Models 363-B10-XXX-YYYY, where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities: 100, 200, 300, 500, 750, 1.5k, 2k, 3k, 5k, 10k							
87-063 Amended 12/20/89	Revere Transducers, Inc.		Load Cell	363	III/III L	3K,10K S	100 - 10,000 lb		Tension S-Cell
87-063.A1 03/28/91	Revere Transducers, Inc.		Load Cell	363-A3 & 363-B10	III & IIIL	see below	100 - 10,000 lb		Tension S-Cell
		Capacity: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 363-A3-XXX-YYYY: for Class III L, models 363-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.							
87-063PA 07/25/88	Revere Transducers, Inc.		Load Cell	363	III/III L	3k,10k S	3000 - 10000 lb		Superseded by 87-063
		For Class III, Models 363-A3-XXX-YYYY: for Class III L, Models 363-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities (lb): 3 k, 5 k, 10 k							

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-085 03/10/88	Revere Transducers, Inc.	Capacities (kg): 20, 50, 100, 200, 500, 1000	Load Cell	SHB	III	3,000 S	20 - 1000 kg		Bending Beam and Shear Beam
87-085.A1 03/28/91	Revere Transducers, Inc.	The specific models of load cells covered by this certificate are SHB-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.	Load Cell	SHB	III & IIIL	S-Cell: 3000	20 - 1,000 kg		Bending Beam & Shear Beam
87-086 03/10/88	Revere Transducers, Inc.	Capacities: (kg) 10, 20, 30, 50, 100: (lb) 30, 50, 75, 125, 250	Load Cell	LCU	III	3,000 S	10 - 100 kg	30 - 250 lb	Bending Beam Load Cell
87-086.A1 03/28/91	Revere Transducers, Inc.	The specific models of load cells covered by this certificate are LCU-X-Y-Z wherre X, Y, & Z, as applicalbe, are model numbering codes denoting capacity, classification, and electrical connection.	Load Cell	LCU	III & IIIL	S-Cell: 3000	10-100kg/10-250lb		Bending KBeam
88-041 04/29/88	Revere Transducers, Inc.		Load Cell	STS	III	3000 S	50 to 2500 lb		Superseded by 88-041 3/29/89
88-041 Amended 03/29/89	Revere Transducers, Inc.	Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500	Load Cell	STS	III	3,000 S	50 to 2,500 lb		S-Type, Tension
88-041.A1 03/28/91	Revere Transducers, Inc.	The specific models of load cells covered by this certificate are STS-X-Y-Z where X, Y & Z, as applicable are model numbering codes denoting capacity, classification, and electrical connection.	Load Cell	STS	III & IIIL	III3kIIIL10K	50 - 2500 lb		S-Type Tension
88-042 03/01/89	Revere Transducers, Inc.	STS-XX-A-IIIL-10S where the XX is the capacity of the load cell in thousands of pounds. Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500	Load Cell	STS	III L	10,000 S	50 to 2,500 lb		S-Type, Tension
88-042.A1 03/28/91	Revere Transducers, Inc.	The specific modsels of load cells covered by this certificate are STS-X-Y-Z where S, Y and Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.	Load Cell	STS	III L	S-Cell 10000	50 to 2500 pds		S-Type, Tension
88-082 05/25/89	Revere Transducers, Inc.	Capacities (kg): 10,000, 25,000, 40,000, 60,000, 100,000	Load Cell	CSP	III/III L	3k,10k S	25k to 200k lb	1Ok to 100k kg	Multi-Column Compression

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-082.A1 03/28/91	Revere Transducers, Inc.		Load Cell	CSP	III & IIIL	see below	see below		Multi-Column Compression
	Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. Capacity: 10k - 100k kg & 25k - 200 k kg. The specific models of load cells covered by this certificate are CSP-X-Y-Z where X, Y & Z, as applicable, are model numbering codes denoting capaci ty, classification, and electrical connection.								
88-082P 09/09/88	Revere Transducers, Inc.		Load Cell	CSP	III/III L	3k,10k S	25K to 200K lb		superseded by 88-082
88-089 05/25/89	Revere Transducers, Inc.		Load Cell	BSP	III/III L	3k,10k S	100 to 5,000 lb		S-Type, Tension/Compression
	Capacities (lb): 100, 250, 500, 1000, 2500, 5000								
88-089.A1 03/28/91	Revere Transducers, Inc.		Load Cell	BSP	III & IIIL	see below	100 - 5,000 lb		Universal, Bending & Shear
	Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are BSP-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connecti on								
88-089P 09/29/88	Revere Transducers, Inc.		Load Cell	BSP	III/III L	3k,10k S	100 to 5,000 lb		Superseded by 88-089
88-126 05/25/89	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	3k,10k S	50,000 lb		Single Column Tension
88-126.A1 03/28/91	Revere Transducers, Inc.		Load Cell	LCT-50	III & IIIL	see below	50,000 lb		Single Column Tension
	Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are LCT-50-X-Y-Z where X, Y, & Z as applicable, are model numbering codes denoting capactiy, classification, and electrical conne ction.								
88-126P 07/25/88	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	3k,10k S	50,000 lb		Superseded by 88-126
89-024 01/06/90	Revere Transducers, Inc.		Load Cell	5723	III/III L	3kS,5kM,10kM			
	Class III: 5723-A5-1K-, 5723-A5-2.5K-, 5723-A5-4K-, 5723-A5-5K-, 5723-A5-10K-. Class III L: 5723-B10-1K-, 5723-B10-2.5K-, 5723-B10-4K-, 5723-B10-5K-, 5723-B10-10K-								
89-024.A1 03/28/91	Revere Transducers, Inc.		Load Cell	5723-A5 & 5723-B10	III & IIIL	see below	1,000 - 10,000 lb		Single-ended Shear Beam
	Capacity: S-Cell, Class III: 3,000, M-Cells, Class III: 5,000, M-Cells, Class III L: 10,000. The specific models of load cells covered by this certificate for Class III, Models 5723-A5-XXX-YYYY: for Class III L, models 5723-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.								
89-024P 04/04/89	Revere Transducers, Inc.		Load Cell	5723	III/III L	3kS,5kM,10kM			Superseded by 89-024

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-039P.A1 03/28/91	Revere Transducers, Inc.	Load Cell	5103-B10	III L	10,000	5K to 20K		Double Ended Shear Beam
	The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is the capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private level variation s. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.							
90-152P 11/02/90	Revere Transducers, Inc.	Load Cell	5423 B	III L	10,000	10,000-65,000 lb		Double-Ended Shear Beam
	The Model designation for th load cells is 5423-B10-XXK-YYYY where XXK represents the celol capacity in thousands of pounds (e.g., 10K) & YYYY represents variations that are not metrologically significant.							
90-152P.A1 03/28/91	Revere Transducers, Inc.	Load Cell	5423-B10	III L	10,000	10,000 - 65,000lb		Double-Ended Shear Beam
	5423-B10-10K-YYYY, 5423-B10-20K-YYYY, 5423-B10-30K-YYYY, 5423-B10-50K-YYYY & 5423-B10-65K-YYYY. The model designation for the load cells is 5423-B10-XXK-YYYY where XXK represents the cell capacity in thousands of pounds (e.g, 10K) and YYYY represents va riations that are not metrologically significant.							
91-001 01/24/91	Revere Transducers, Inc.	Load Cell	792-B5	III L	4500	50k to 200k lb		Single Column compression can.
88-304 05/25/89	Rice Lake Weighing Systems	Load Cell	RL20000	III	4500 S	50 to 10000 lb		Superceded by 88-304A1
	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000							
88-304A1 04/26/90	Rice Lake Weighing Systems	Load Cell	RL20000	III/III L	5k, 10k S	25 to 20,000 lb		Type "S"
	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000							
88-304PA1 02/12/90	Rice Lake Weighing Systems	Load Cell	RL20000	III/III L	5K,10K S	25 to 20,000 lb		Type "S" load cell
	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000							
88-305 05/25/89	Rice Lake Weighing Systems	Load Cell	RL30002, 30000,30001	III/III L	5000 M	1000 to 10000 lb		Shear Beam
	Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000							
88-306 05/25/89	Rice Lake Weighing Systems	Load Cell	RL700000*-XX	III/III L	5000 M	5000 - 50000 lb		Double Ended Shear Beam
	Capacities (lb): 5,000, 10,000, 20,000, 50,000							
88-306.A1 04/18/91	Rice Lake Weighing Systems	Load Cell	RL70000-XX	III & IIIL	M-Cell 5000	5,000 - 50,000 lb		Double Ended Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-158	04/18/91	Rice Lake Weighing Systems		Load Cell	RL20000A-XXX	III & IIIL	see below	25 - 50,000 lb		S-Beam Tension
			Capacity: S-Cell, Class III: 5000 - S-Cells, Class III L: 10,000. The specific load cells covered by this certificate are identified by the cell capacities. The XXX of the model designation represents the load cell capacity.							
90-158P	11/05/90	Rice Lake Weighing Systems		Load Cell	RL20000A-XXX	III		1,000 - 10,000		Shear Beam, Compression
90-159	01/03/91	Rice Lake Weighing Systems		Load Cell	RL30000A-XXX	III	3k S - 5k M	1,000 to 10,000		Shear Beam, Compression
			RL30000A-XXX (Thread load hole), RL30001A-XXX (Counterr bored load hole), RL30002A-XXX (Through load hole).							
90-159.A1	08/01/91	Rice Lake Weighing Systems	RL30000B-XXX	Load Cell	RL30000A-XXX	III	see below	1000 - 10,000		Shear Beam, Compression
91-045P	06/11/91	Rice Lake Weighing Systems	Capacity: SC-3000/MC-5000	Load Cell	RL35023-XX-YY	III	see below	1000 - 10,000 lb		Single-Ended Shear Beam
91-045PA1	03/01/92	Rice Lake Weighing Systems	RL35023-XX-YY	Load Cell	RL35023A-XX-YY	III		1,000 - 10,000 lb		Single-Ended Shear Beam
91-046P	03/11/91	Rice Lake Weighing Systems		Load Cell	RL20001XX-YY	III/III L	see below	250 - 20,000 lb		Type "S" Tension
			SC-Class III, 5000/SC-Class III L, 10,000. RL20001-XX-250, RL20001-XX-300, RL20001-XX-500, RL20001-XX-750, RL20001-XX-1k, RL20001-XX-1.5k, RL20001-XX-2k, RL2000-XX-2.5k, RL20001-XX-3k, RL20001-XXX-5k, RL20001-XX-7.5k, RL20001-XX-10k, RL2001-XX-15k & RL2 0001-XX-20k.							
91-046PA1	03/25/92	Rice Lake Weighing Systems		Load Cell	RL210001 & RL20001A	III/III L	see below	25 - 30,000 lb		Tyep "S" Tension
			n-max: S/C;Class III: 5000 ; M/C;Class III L: 10000. RL20001A-XX-25; RL20001A-XX-50; RL20001A-XX-75; RL20001A-XX-100; RL20001A-150; RL20001-XX-250; RL20001A-250; RL20001-XX-300; RL20001A-XX-300; RL20001-XX-500; RL20001A-XX-500; RL20001-XX-750; RL-20001A -XX-750; RL20001-XX-1k; RL20001A-XX-1k; RL20001-XX-2k; RL20001A-XX-2k; RL20001-XX-2.5k; RL20001A-XX-2.5k; RL20001-XX-3k; RL20001A-XX-3k; RL20001-XX-5k; RL20001A-XX-5k; RL20001-XX-7.5k; RL20001A-XX-7.5k; RL20001-XX-10k; RL20001A-XX-10k; RL20001-XX-15k; RL 20001A-XX-15k; RL20001-XX-20k; RL20001A-XX-20k; RL20001A-XX-25K & RL20001A-XX-30K							
91-166		Rice Lake Weighing Systems		Load Cell	RL8C2P1	III L		50K - 200K lb		IN PROCESS
91-167	12/12/91	Rice Lake Weighing Systems		Load Cell	RL75223	III L	10,000 MC	50K, 65K, 100K		Double Ended Shear Beam
92-018	02/04/92	Rice Lake Weighing Systems		Load Cell	RL75040A-XXK	III L	10,000 MC	25K - 125K lb		Double Ended Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-097		Rice Lake Weighing Systems		Load Cell	RL70000B					IN PROCESS
90-023P	03/14/90	Scaime S.A.		Load Cell	AE Series	III	3,000 S	10 to 100 kg		Single-point beam load cell
91-051P	04/18/91	Scaime S.A.	AG 5, AG 10, AG 15, AG 20, AG 30, AG 50, AG 75 & AG 100.	Load Cell	AG Series	III	S-Cell: 5000	5 kg - 100 kg		Single Point Flexion Beam
86-043	09/30/88	Sensortronics		Load Cell	60001A	III/III L	5K,10K S	750-7500 lb		Type S Load Cell
86-043 Amended	03/27/91	Sensortronics	Capacity: SC-Class III, 5000/SCells, Class III L, 10,000. 60001A25, 60001A50, 60001A75, 60001A100, 60001A150, 60001A200, 60001A300, 60001A500, 60001A750, 60001A1K, 60001A1.5K, 60001A2K, 60001A2.5K, 60001A3K, 60001A4K, 60001A5K, 60001A7.5K, 60001A10K, 60001A15K, 60001A20K, 60001A25K & 60001A30K.	Load Cell	60001A-XX	III/III L	see below	25 - 20,000 lb		S-Beam Tension
86-043P	12/10/87	Sensortronics		Load Cell	60001A	III/IIIL	5K/10K S	250 -2500 lb		Superseded by 86-043
86-043PA1	05/25/89	Sensortronics	Capacities (lb): 250: 500: 10,000: 15,000: 20,000	Load Cell	60001A	III/III L	5000 S	250 to 20,000 lb		Superseded by 86-043
86-044	05/24/88	Sensortronics		Load Cell	65023A	III	5000 M	1000 to 10000 lb		Shear Beam Compression
86-044.A2		Sensortronics		Load Cell	65023A	III	3kS/5kM	1000 to 10000 lb		IN PROCESS
86-044A1	05/25/89	Sensortronics		Load Cell	65023A	III	3000 S	1000 - 10000 lb		Shear Beam, Compression
86-044P	12/10/87	Sensortronics		Load Cell	65023A	III	5,000 S	1k - 10k lb		Superseded by 88-044
86-045	05/24/88	Sensortronics		Load Cell	65040A	III L	10,000 M	25k-125k lb		Double Ended Shear Beam
86-045P	12/10/87	Sensortronics		Load Cell	65040A	IIIL	10,000 M	25k - 125k		Superseded by 86-045

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-046	02/10/89	Sensortronics		Load Cell	65058A	III L	10,000 M	20,000-125,000 lb		Superseded by 86-046.A1
			Capacities (lb): 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 90,000: 100,000: 125,000							
86-046.A1	07/01/91	Sensortronics		Load Cell	65058	III L	10,000 M	20k - 200k lb		Double Ended Shear Beam
86-046P	12/10/87	Sensortronics		Load Cell	65058A	III	10,000 M	20k - 125k		Superseded by 86-046
86-046PA	07/25/88	Sensortronics		Load Cell	65058A	III L	10,000 M	20k-125k lb		Superseded by 86-046
87-052P	12/10/87	Sensortronics		Load Cell	60048A	III	5,000 S	100 - 1k lb		Bending Beam
			Capacities (lb): 100, 200, 400, 500, 1000							
87-053	01/26/89	Sensortronics		Load Cell	65061A	III L	10,000 M	10k - 100k		Double Ended Shear Beam
			Capacities (lb): 10,000: 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 100,000							
87-053P	12/10/87	Sensortronics		Load Cell	65061A	III L	10000 M	10K to 100K lb		Superseded by 87-053
87-054P	12/10/87	Sensortronics		Load Cell	65016A	III L	10,000 M	2.5k - 25k		Shear Beam Center Loaded Cell
			Capacities: 2500, 5000, 10000, 15000, 25000							
88-298		Sensortronics		Load Cell	65023S	III	see below	1,000 - 10,000 lb		IN PROCESS
			n=3,000 S/5,000 M							
88-298P	01/26/89	Sensortronics		Load Cell	65023S	III	5000 M	1000 to 10000 lb		Superseded by 88-298PA1
			Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000							
88-298P.A2	02/21/91	Sensortronics		Load Cell	65023S	III	see below	1000 - 10,000 lb		Shear Beam Compression
			N-max: SC-3000, MC-5000.							
88-298PA1	06/16/89	Sensortronics		Load Cell	65023S	III	3K S, 5K M	1,000 - 10,000 lb		Shear Beam Compression
			Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000							

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity / Platform size	Comments
91-011 03/27/91	Sensortronics	Load Cell	60001A-XX-1166	III/III L	see below	250 - 2500 lb	S-Beam Tension
		Capacity: SC-Class III: 5000/SCells-Class III L: 10,000. 60001A250, 60001A300, 60001A500, 60001A750, 60001A1K, 60001A1.5K, 60001AK & 60001A2.5K.					
91-011P 01/11/91	Sensortronics	Load Cell	60001A-XX-1166				
90-171P 01/04/91	Sun Scale Inc.	Load Cell	SHS Series	III	5000	1000 to 10,000 lb	Single-Ended Bending Beam
88-018P 03/14/88	Superior Load Cell	Load Cell	AW900	III L	5000 M	20K to 100K lb	Superseded by 88-018PA
88-018P2 09/26/88	Superior Load Cell	Load Cell AW 900 and DSB-20 Series	AW900	III L	5,000 M	20 k to 100 k lb	Superseded by 88-018PA
88-018PA 04/07/88	Superior Load Cell	Load Cell	AW900	III L	10,000 M	20k- 100k lb	Superseded by 89-006P
		The two model series are DSB-20 and AW900. The model designation will have a suffix reflecting the capacity of the load cell.					
88-034P 04/07/88	Superior Load Cell	Load Cell	LSB- and AW600-XXK	III L	5000 M	2500 to 20000 lb	Superseded by 88-034PA2
		Capacity (lb): 2,500, 5,000, 10,000, 15,000, 20,000					
88-034PA2 02/23/90	Superior Load Cell	Load Cell	LSB & AW600 Series	III L	10,000 M	2.5 k -20 k lb	WITHDRAWN
88-068P 05/26/88	Superior Load Cell	Load Cell AW200, AW200A, SSB-1k, SSB-2.5k, SSB-5k	AW200 & SSB	III L	10,000 M	1k - 5k lb	Superseded by 88-068PA2
88-068PA2 08/02/89	Superior Load Cell	Load Cell	AW200 & SSB	III L	10,000 M	1k - 5k lb	Single Ended Shear Beam
		AW200-1K, AW200-2.5K, AW200-5K, AW200A-1K, AW200A-2K, AW200A-2.5K, AW200A-4K, AW200A-5K, AW201A-1K, AW201A-2K, AW201A-2.5K, AW201A-4K, AW201A-5K, AW202-1K, AW202-2K, AW202-2.5K, AW202-4K, AW202-5K					
88-295P 01/25/89	Superior Load Cell	Load Cell	AW 1700	III	5,000 S	150 to 1,200 lb	Shear Beam
		Capacities (lb): 150, 200, 300, 500, 750, 1000, 1200					
88-313	Superior Load Cell	Load Cell	AW400	III L	10,000 M	15k to 125k lb	IN PROCESS

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-313P 05/25/89	Superior Load Cell	AW400-15K, -20K, -30K, -40K, -50K, -60K, -75K, -100K, -125K	Load Cell	AW400	III L	10,000 MC	15K to 125K lb		Double-Ended Shear Beam
89-006P 02/23/90	Superior Load Cell		Load Cell	AW900	III L	10,000 M	20k to 100k lbs		WITHDRAWN
89-052P 08/17/89	Superior Load Cell	AW300-250, -500, -750, -1K, -1.5K	Load Cell	AW300	III	3000 S	250 to 1500 lb		Cantilever "S" Cell, Tension
89-142P 04/25/90	Superior Load Cell	AW-200-1K, -200A-1K, -201A-1K, -202-1K, -203-1K, -200-2K, -200A-2K, -201A-2K, -202-2K, -203-2K, -200-2.5K, -200A-2.5K, -201A-2.5K, -202-2.5K, -203-2.5K, -200-4K, -200A-4K, -201A-4K, -202-4K, -203-4K, -200-5K, -200A-5K, -201A-5K, -202-5K, -203-5K	Load Cell	AW200 Family	III	4,000 M	1,000 - 5,000 lb		Shear Beam
89-142P.A1 03/07/91	Superior Load Cell	AW-200-1K, AW-200A-1K, AW-201A-1K, AW-202-1K, AW-203-1K, AW-200-2K, AW-200A-2K, AW-201A-2K, AW-202-2K, AW-203-2K, AW-200-2.5K, AW-200A-2.5K, AW-201A-2.5K, AW-202-2.5K, AW-203-2.5K, AW-200-4K, AW-200A-4K, AW-201A-4K, AW202-4K, AW-203-4K, AW-200-5K, AW-200 A-5K, AW-201A-5K, AW-202-5K & AW-203-5K.	Load Cell	AW-200	III	MC: 4,000	1,000 to 5,000 lb		Shear Beam
90-052 03/27/90	Superior Load Cell	AW600B-2.5K, -5K, -10K, -15K, -20K. Capacities (lb): 2,500, 5,000, 10,000, 15,000, 20,000	Load Cell	AW600B Series	III	5,000 M	2,500 - 20,000 lb		Shear Beam, Tension
90-052.A1 03/07/91	Superior Load Cell	The model desgnation for the series is AW600B-XXK where XXK is the load cell capacity in thousands (K) pounds. Models: AW600B-2.5K, AW600B-5K, AW600B-10K, AW600B-15K & AW600B-20K.	Load Cell	AW600B Series	III	MC: 5,000	2500 to 20k lb		Shear Beam, Tension
90-090 06/12/90	Superior Load Cell	AW900B-20K, AW900B-25K, AW-900B-30K, AW900B-40K, AW900B-50K, AW901B-50K, AW900B-60K, AW900B-60KL, AW901B-65K, AW900B-75K, AW900B-75KL & AW900B-100K.	Load Cell	AW900B	III L	10,000	20k to 100k		Double-Ended Shear Beam
90-139 09/26/90	Syracuse Scale Co, Inc.	These load cells are marketed under the brand name "Atlas." The specific models covered by this certificate are: ALC850-2OK, ALC850-25K, ALC850-30K, ALC850-40K, ALC850-50K, ALC901B-50K, ALC850-60K, ALC850-60KL, ALC901B-65K, ALC850-75L, ALC850-75KL & ALC850-100K.	Load Cell	ALC850	III L	MC 10,000	20k to 100k		Double-Ended Shear Beam
92-027 01/27/92	TARE Incorporated	SC-Class III: 5,000; SC-Class III L: 10,000. Other Models: S-60001A25, S60001A50, S-60001A75, S-60001A100, S-60001A150, S-60001A200, S-60001A250, S-60001A300, S-60001A500, S-60001A750, S-60001A1K, S-60001A1.5K, S-60001A2K, S-60001A2.5K, S-60001A3K, S-60001A4K, S-60001A5K, S-60001A7.5K, S-60001A10K, S-60001A15K, S-60001A20K, S-60001A25K & S-60001A30K.	Load Cell	S-60001A-XX	III & IIIL	see below	25 - 20,000 lb		S-Beam Tension

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-053 09/24/90	Tedea Inc.		Load Cell	3410	III	see below	1000 lb - 10k lb		Shear Beam
The load cells in this family are identified by the capacities of the cells. Single cell, Class III: 3,000 - Multiple cells, Class III: 5,000.									
89-053.A1 03/07/91	Tedea Inc.		Load Cell	3140	III	see below	1,000 to 10k lb		Shear Beam
n-max: single cell, class III: 3,000; multiple cells, class III: 5,000.									
89-053P 05/25/89	Tedea Inc.		Load Cell	3410	III & IIIL	see below	1000 - 4000 lbs		Shear Beam
n-max: SC,Class III: 3,000; MC, Class III: 5,000; Class III L: 10,000. Capacities (lb): 1,000, 1,500, 2,500, 4,000									
89-053P.A2 09/24/90	Tedea Inc.		Load Cell	3140	III L	see below	1000 lb - 10k lb		Shear Beam
The load cells in this family are identified by the capacities of the cells. Multiple Cells, Class III L: 10,000.									
89-053PA1 05/15/90	Tedea Inc.		Load Cell	3410	III & IIIL	3,000	1,000 - 10,000 lb		Shear Beam
Single Cell, Class III: 3,000 - Multiple Cells, Class III: 5,000 - Class III L: 10,000.									
89-054 09/24/90	Tedea Inc.		Load Cell	1250	III	3,000	100 kg - 1,000 kg		Single Point
The load cells in this family are identified by the capacities of the cells.									
89-054P 05/25/89	Tedea Inc.		Load Cell	1250	III L	3,000 S	50 kg - 1,000 kg		Single Point
Capacities (kg): 100, 150, 200, 250, 300, 500, 635, 1,001									
89-074 09/24/90	Tedea Inc.		Load Cell	1010	III	3,000	5 to 50 kg		Three Beam, Single Point
The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.									
89-074P 07/05/89	Tedea Inc.		Load Cell	1010	III	3,000 S	5 to 50 kg		Three Beam, Single Point
Capacities (kg): 5, 7, 10, 11.36, 15, 20, 30, 50									
89-075 09/24/90	Tedea Inc.		Load Cell	1040	III	3,000	5 to 100 kg		Three Beam, Single Point
The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.									
89-075P 07/05/89	Tedea Inc.		Load Cell	1040	III	3,000 S	5 to 100 kg		Three Beam, Single Point
Capacities (kg): 5, 7, 10, 15, 20, 30, 50, 75, 100									
88-239P 01/25/89	The A. H. Emery Company		Load Cell	136	III L	10,000 M	75,000		Hydraulic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-058	The Scale Store	Load Cell	TSS					IN PROCESS
92-089	Thurman Scale Company	Load Cell	TSC700					IN PROCESS
92-090	Thurman Scale Company	Load Cell	TSC100					IN PROCESS
92-091	Thurman Scale Company	Load Cell	TSC800					IN PROCESS
92-092	Thurman Scale Company	Load Cell	TSC300					IN PROCESS
87-084.A1 02/26/91	Toledo Scale Corporation	Load Cell	725	III	6,000	500 - 2000 lb		Bending Beam
87-084P 07/17/88	Toledo Scale Corporation Capacities (lb): 500, 1000, 2000	Load Cell	725 family	III	6000 M	500 to 2000 lb		Superseded by 87-084
87-098.A1 02/26/91	Toledo Scale Corporation The specific load cells covered by this certificate, the accuracy classes, and number of divisions for each cell, are identified by the load cell capacity.	Load Cell	742	III	MC-6,000	1000 - 20,000 lb		Shear Beam
87-098P 07/17/88	Toledo Scale Corporation Capacities (lb)- 1,000: 2,500: 5,000: 10,000: 20,000	Load Cell	742	III	6000 M	1000 to 20000 lb		Superseded by 87-098
88-008.A1 02/26/91	Toledo Scale Corporation Capacity: Class III, MC-5000/Class III L MCells-10,000	Load Cell	743	III & IIIL	see below	1000 - 45,000 lb		Shear Beam
88-008A2 10/29/91	Toledo Scale Corporation Capacity: Class III, MC-5000/Class III L, MC-10,000	Load Cell	743	III/III L	see below	1,000 - 45,000 lb		Shear Beam
88-008P 07/17/88	Toledo Scale Corporation	Load Cell	743	III/III L	5k,10k M	1k to 45k lb		Superseded by 88-008
88-009 03/09/91	Toledo Scale Corporation	Load Cell	752	III L	MC-10,000	50k to 100k		Compression
88-009P 11/14/88	Toledo Scale Corporation	Load Cell	752	III L	6000 M	50k to 100k lb		Superseded by 88-009PA1

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-091	11/02/90	Toledo Scale Corporation		Load Cell	760	III L	10,000	22,5 to 45,000 kg		Column Compression
91-089		Toledo Scale Corporation	n=3,000 S/5,000 M	Load Cell	744	III	see below	500 to 5,000 lb		IN PROCESS
91-089P	06/06/91	Toledo Scale Corporation	SC-3,000. MC-5,000.	Load Cell	744	III	see below			Bending Beam
91-090		Toledo Scale Corporation	Class III, n=3,000 S/Class III L, n=10,000 S	Load Cell	736	III/III L	see below	50 to 5,000 lb		IN PROCESS
91-090P	06/06/91	Toledo Scale Corporation	SC-Class III: 3,000; SC-Class III L: 10,000.	Load Cell	736 Series	III/III L	see below	50 - 5,000 lb		Universal Beam ("S" Cell)
92-108		Toledo Scale Corporation	n=3,000 S/5,000 M	Load Cell	745	III	see below	1k to 20k		IN PROCESS
87-084	10/02/89	Toledo Scale Corporation	Specific load cells are identified by the load cell capacities. Capacities (lb): 500, 1000, 2000	Load Cell	725	III	6,000 M	500 - 2k lb		Bending Beam Load Cell
87-098	10/02/89	Toledo Scale Corporation	Capacities: 1000, 2500, 5000, 10000, 20000	Load Cell	742	III	6,000 M	1k - 20k lb		Shear Beam
88-008	10/02/89	Toledo Scale Corporation	Specific load cells are identified by the load cell capacity. Capacities: 1k, 3k, 5k, 10k, 20k, 45k	Load Cell	743	III/III L	5K,10K M	1k to 45k lb		
88-009PA1	10/02/89	Toledo Scale Corporation	Capacities (lb): 50k, 100k	Load Cell	752	III L	10,000 M	50k-100k lb		Compression
88-091P	06/02/88	Toledo Scale Corporation	Capacities (kg): 22,500, 45,000	Load Cell	760	III L	10,000 M	22.5 and 45 kg		Column Compression Load Cell
89-130	11/29/89	Totalcomp, Inc.	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000	Load Cell	Nikkei NS	III	4,500 S	25 to 10,000 lb		Type "S" Load Cell

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-130PA1 02/12/90	Totalcomp, Inc.		Load Cell	Nikkei NS	III/III L	5K,10K S	25 to 20,000 lb		Type "S" load cell
		Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000							
89-131 11/29/89	Totalcomp, Inc.		Load Cell	Nikkei NSB and NSBT	III/III L	5,000 M	1,000 - 10,000 lb		Shear Beam
		Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000							
89-131.A1 02/21/91	Totalcomp, Inc.		Load Cell	Nikkei NSB & NSBT	III & IIIL	MC-5000	1000 - 10,000 lb		Shear Beam
89-132 11/29/89	Totalcomp, Inc.		Load Cell	Nikkei NDE	III/III L	5,000 M	5,000 - 50,000 lb		Double Ended Shear Beam
		Capacities (lb): 5,000, 10,000, 20,000, 50,000							
89-132A1	Totalcomp, Inc		Load Cell		III		3000		IN PROCESS
92-028 01/29/92	Totalcomp, Inc.		Load Cell	NBSS-XX	III & IIIL	see below	1,000 - 10,000 lb		Shear Beam
		SC-Class III: 5,000; SC-Class III L: 10,000. Optional Model Families: NBSS-XX-T & NBSS-XX-C.							
89-073P 07/05/89	Unibridge Scale Systems		Load Cell	UBDL8900	III L	8,000 M	50,0000-100,000lb		Double-Ended Shear Beam
		Capacities (lb): 50,000, 65,000, 100,000							
91-099 06/07/91	Unibridge Scale Systems		Load Cell	DL9000 Series	III L	MC-10,000	50k - 100k lb		Double Ended Shear Beam
		The load cells are offered as a DL 9000-10 for use in HB44 applications up to a maximum of 10,000 divisions and as a DL 9000-6 for applications up to 6000 divisions. Load cells of industrial grade (not for HB44 applications) carry the model designation of DL 9000-9.							
87-090.A2 09/24/90	Weigh-Tronix, Inc.		Load Cell	WBP, WBR, WBL	III	5000	500 - 50,000 lb		Shear Beam
87-090.A3 03/07/91	Weigh-Tronix, Inc.		Load Cell	WBP, WBR, WBL	III	5,000	500 to 50,000 lb		Bending Beam
		The only diffierence b/t the WBP, WBR, & WBL is in the end mounts. These differences are not considered to be metrologically significant. Models: WBP-.500K, WBP-1.25, WBP-2.50K, WBP-5.00K, WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K, WBR-1000, WBR-2000, WBL-500K, WBL-1.25K, WBL-2.50K & WBL-5.00K.							
87-090A 07/25/88	Weigh-Tronix, Inc.		Load Cell	WBP	III	5000 M	10000 to 50000 lb		Bending Beam
		WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K: Capacities (lb): 10,000: 20,000: 25,000: 50,000							

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-090P 12/29/87	Weigh-Tronix, Inc.	WBP-0.50K, WBP-1.25K, WBP-2.50K, WBP-5.00K: Capacities (lb): 500, 1250, 2500, 5000	Load Cell	WBP	III	5000 M	500 to 5000 lb		Supersed by 87-090A
87-090PA 04/20/88	Weigh-Tronix, Inc.	WBR-1000, WBR-2000: Capacities (lb): 1000, 2000	Load Cell	WBR	III	5000 M	500 to 5000 lb		Superseded by 87-090A
87-095 07/25/88	Weigh-Tronix, Inc.	WBP-.125K, WBP-.250K: Capacities (lb): 125, 250	Load Cell	WBP	III	5000 M	125 and 250 lb		Bending Beam
87-095.A1	Weigh-Tronix, Inc.		Load Cell	WBP					IN PROCESS
87-095P 01/11/88	Weigh-Tronix, Inc.	WBP-XXXX where XXXX is the code for the capacity of the load cell. Capacities (lb): 125, 250	Load Cell	WBP	III	5000 M	125 and 250 lb		Superseded by 87-095
87-119A2 10/01/91	Weigh-Tronix, Inc.		Load Cell	WBT	III L				
87-119P 02/17/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-75.0 K: Capacities (lb): 37,500: 75,000	Load Cell	WBT	III L	10000 M	37500 to 75000 lb		Superseded by 87-119
87-120P 02/17/88	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500: Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III L	10000 S	250 to 2500 lb		Superseded by 87-120
88-299 05/25/89	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500. Capacities (lb): 250, 500, 1000, 2500	Load Cell	CK-100 Series	III L	6000	250 to 2500 lb		Conversion Kit
87-090 08/30/88	Weigh-Tronix, Inc.	WBP-0.50K, -1.25K, -2.50K, -5.00K, -1000, -2000. Capacities: 500 - 2000 lb	Load Cell	WBP & WBR	III	5,000 M	500-5,000 lb		Bending Beam
87-119 05/25/89	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		Bending Beam
87-119PA 07/25/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		Superseded by 87-119

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-120	07/25/88	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500	Load Cell	WBC	III L	6,000 S	250 to 2500 lb		Bending Beam
88-039	09/26/88	Weigh-Tronix, Inc.	Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III	3,000 S	250 to 2500 lb		Bending Beam
88-039P	04/07/88	Weigh-Tronix, Inc.	Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III L	5,000 S	250 - 25k lb		Superseded by 88-039
88-046	08/30/88	Weigh-Tronix, Inc.	WBM-37.5K, WBM-50.0K, WBM-75.0K	Load Cell	WBM Capacities (lb): 37,500 - 75,000	III L	6,000 M	37,500 -50,000 lb		Bending Beam
LPG Liquid Meter										
86-025	10/15/86	Liquid Controls Corporation		LPG Liquid Meter	MA-2-CX-10			9999.9 X 0.1 gal		
89-140	08/21/90	Schlumberger Technologies, Inc.		LPG Liquid Meter	Red Seal Type 4D Com			See notes below		Mechanical
			Meter Size: 3/4 inch, 1 inch, 1-1/4 inch, 1 1/2 inch, 2 inch. Capacity: 2-1/2 to 14 gpm, 3-1/2 to 18, 5 to 30, 12 to 60, 20 to 100. Application: For use in measurement of LPG, For use with compatible indicator with NTEP CC. NOTE: Upgrade to full CC based on CA test on 1" and no comments on pre-NTEP CC.							
89-140PN	11/03/89	Schlumberger Technologies, Inc.		LPG Liquid Meter	4D					Mechanical
90-017	10/09/90	Schlumberger Technologies, Inc.		LPG Liquid Meter	831 & 833					Analog Indicating
90-017PN	01/30/90	Schlumberger Technologies, Inc.		LPG Liquid Meter	831 & 833					
Mass Flow Meter										
90-060	04/18/90	Daniel Industries, Inc.		Mass Flow Meter	1450-15-SP			Max 60 GPM		Rotary Meter
87-040	09/15/87	Micro Motion, Inc.	D25, D40, D100, D150, D300, D600	Mass Flow Meter	FlowScale					Superseded by 87-040.A1

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-040.A1 01/03/91	Micro Motion, Inc.		Mass Flow Meter	D Series Sensor					Digital Electronic
		Mass Flow Transmitter Models: FSXXXXXX (FlowScale), RFT9712XXXX (Remote Flow Transmitter). Sensor Model Numbers: DX025XXXXX, DX040XXXXX, DX065XXXXX, DX100XXXXX, DX150XXXXX, DX300XXXXX & DX600XXXXX.							
Monorail Scale									
90-003 06/14/90	Rice Lake Weighing Systems		Monorail Scale	MS200	III	1500	750 x 0.5 lb		Load Cell Electronic
		Optional Models: MS202HB-3/8 (for 3/8" rail), MS202HB-1/2 (for 1/2" rail).							
88-223 01/27/92	Weigh-Tronix, Inc.		Monorail Scale	MRS Series	III	2000	See below		Digital Electronic
		MRS-24-01, MRS-24-02, MRS-48-01 & MRS-48-02. Capacities: 1,000x0.5 lb, 2,000x1.0 lb.							
88-223PN 10/11/88	Weigh-Tronix, Inc.		Monorail Scale	MRS Series	III	2,000			Digital Electronic
		MRS-24-01, -24-02, -48-01, -48-02							
NO DEVICE TYPE									
display memory			NO DEVICE TYPE						
88-313	Airway Scale and Mfg Co., Inc.		NO DEVICE TYPE	65023S					
90-034PNA1	Bennett Pump Company		NO DEVICE TYPE	3900 Series					
92-100.	Bizerba United States, Inc.		NO DEVICE TYPE	PVT/PHT Series					IN PROCESS
91-108 07/11/91	Cardinal/Detecto Scale Mfgr. Co.		NO DEVICE TYPE	AL62SPLT XY	III	600	300 x 0.5 lb	672 in squared	Digital Electronic
		X is the platform size represented in inches where(1 = 24 x 24, 2 = 26 x 19, 3 = 23 x 20, 4 = 24 x 22, 5 = 25 x 24) and Y represents the available option combinations (0 to 7) such as an upturned platform, dual display and metric conversion.							
91-088PN 06/06/91	Gilbarco, Inc.		NO DEVICE TYPE	AAX X (Ten Times)					Mechanical
		Generic Name: Trimline							
92-056 04/17/92	Gilbarco, Inc.		NO DEVICE TYPE	PAO24TC10/PAO24NC10					Positive Displacement Meter
		Generic Model: "C" Meter							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-008		Healy Systems, Inc.		NO DEVICE TYPE	99999					IN PROCESS
91-084	08/12/91	K-Scale, Inc.	Other capacity: 15.5 oz x 0.5 oz.	NO DEVICE TYPE	MS-D	III	3,200	99 lb	13.5" x 9.5"	Digital Mass Transducer
91-085	08/12/91	K-Scale, Inc.		NO DEVICE TYPE	KMS-2000					Manifest System, PC Computer
92-002		Midwest Computer Register Corp.		NO DEVICE TYPE	8000					IN PROCESS
92-044		New Brunswick International, Inc.		NO DEVICE TYPE	DS590					IN PROCESS
91-169	03/25/92	Pacific Scale Co., Inc.	AGX3510-40; AGX3512-40; AGX4010-40; AGX4012-40; AGX5010-40; AGX5012-40; AGX6010-50; AGX6012-50; AGX7010-50; AGX7012-50; AGX8010-75; AGX8012-75; AGX9010-75; AGX9012-75; AGX10010-75; AGX10012-75; AGX12510-100; AGX12512-100 & AGX15010-100.	NO DEVICE TYPE	AGX Series	III L	10,000	150K x 20 lb	100 x 10 45,000lb	Electronic, Pitless
92-057	04/08/92	SCOOP Logic Group		NO DEVICE TYPE	A-21 S					Personal Computer
92-066		Sponsler Company Inc.		NO DEVICE TYPE	xxxxxx					IN PROCESS
91-151	10/01/91	Universal Epsco, Inc.		NO DEVICE TYPE	7100M-X-XX					Moter Fuel Dispenser
Parking Meter										
88-274P	01/26/89	P.O.M. Incorporated		Parking Meter	"E" (ECON-O-METER)			2 hrs x 6 min		Parking Meter
POS Scale										
89-097	08/21/89	Cardinal/Detecto Scale Mfgr. Co.		POS Scale	ECR-30	III	3000	30 x .01 lb	14" x 12"	
92-055	04/07/92	Denver Instrument Company		POS Scale	AL-3K/44	III	10m000	6lb, 4oz x 0.01oz	8" x 7"	Digital Mass Transducer
86-016A	04/27/88	Esselte Meto		POS Scale	CR 511	III	3,000	30 x 0.01 lb	13.2" x 9.5"	Superseded by 86-016A

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-016A2 02/09/90	Esselte Meto	POS Scale Model CR511-20, capacity 20 x 0.01 lb: Model CR512-30, capacity 30 x 0.01 lb	CR511; CR512	III	3,000	30 x 0.01 lb	13.2" x 9.5"	Digital Electronic
88-069 04/27/88	Hobart Corporation	POS Scale 5018 RSD, 5018V; 5018V2	5018	III	3,000	30 x 0.01 lb		Digital Point-of-Sale Scale
88-069A1 09/24/90	Hobart Corporation	POS Scale 5018 RSD, 5018V, 5018V2.	5018	III	3,000	30 x 0.01 lb		Digital Point-of-Sale Scale
86-002 05/21/90	IBM Corporation	POS Scale	4683 Series					Digital Electronic
88-118 06/02/88	IBM Corporation	POS Scale 4683-001 POS terminal (Primary), 4683-002 POS terminal (Satellite)	4680 Series					POS System/Controller
89-139 01/10/90	IBM Corporation	POS Scale	4687-2	III	3000	30 x 0.01 lb	17" x 11"	Digital Electronic
89-148 01/10/90	IBM Corporation	POS Scale	4687-2	III				Digital Electronic
91-067 04/19/91	IBM Corporation	POS Scale	4684-XXX Series					Digital Electronic
89-081A 01/10/90	ICL, Inc.	POS Scale	310	III	2999	29.99 x 0.01 lb	11" x 15"	Digital Electronic
89-155 04/25/90	ICL, Inc.	POS Scale	310RD	III				Digital Electronic
91-078 03/23/92	ICL, Inc.	POS Scale 9520/60-69; 9520/150-159	9520 Family		2999	29.99 x 0.01 lb		Digital Electronic
87-014 06/12/87	NCR Corporation	POS Scale	7824	III	3,000	30 x 0.01 lb	13"x 12"	Scanner/Scale
88-007 06/01/88	NCR Corporation	POS Scale 7050-XXXX, 7051-XXXX, 7070-XXXX, 7053-XXXX	7050 Series					Digital Electronic System

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-261	02/10/89	NCR Corporation		POS Scale	2127					Pt. of Sale Products
88-261A	06/05/91	NCR Corporation	2127-F033/K027	POS Scale	2127					Terminal System
91-144		Pitney Bowes		POS Scale	J070					IN PROCESS
91-015	01/18/91	POS Data Products, Inc.		POS Scale	3030	III	3,000	30 x 0.01 lb	14.25" x 10.5"	Digital Electronic
91-094		POS Data Products, Inc.		POS Scale	xxxxx					IN PROCESS
92-052		Schlumberger Technologies, Inc.	Chevron US06-17.1, Chevron CA-3000, Amoco 1.XX, Texaco 5.XX.	POS Scale	see below					IN PROCESS
89-133 A2	01/03/91	Shekel Electronic Scales	SC-150P; SC-15G	POS Scale	SC 150	III	3000	30 x 0.01 lb	14.25" X 10.5"	Digital Electronic
89-133P	01/30/90	Shekel Electronic Scales	Advance Retail Systems Inc. Model HT-1000	POS Scale	SC 150	III	3000	30 x 0.01 lb	14.25" x 10.5"	Superceded by 89-133PA1
89-133PA1	04/25/90	Shekel Electronic Scales	SC-150-P, POSISCALE 3030, Advance Retail Systems Inc. Model HT-1000	POS Scale	SC 150	III	3,000	30 x 0.01 lb	14.25" x 10.5"	Digital Electronic
91-071	05/15/91	Shekel Electronic Scales		POS Scale	SC250-Q	III	3000	30 x 0.01 lb	16.25" x 10"	Digital Electronic
89-138	01/10/90	Spectra Physics		POS Scale	760SLS	III	3000	30 x 0.01 lb	17" x 11"	Digital Electronic
89-147	01/10/90	Spectra Physics		POS Scale	760SLS-RD	III				Digital Electronic
89-021	05/01/89	TEC America, Inc.	SL-47-30-L-N	POS Scale	SL-47-50-L-N	III	5,000	50 x 0.01 lb.	13-1/2" x 12"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-081	10/12/89	Toledo Scale Corporation		POS Scale	310-DATACHECKER	III	2999	29.99 X 0.01 lb	11" X 15"	Digital Electronic
89-137	01/10/90	Toledo Scale Corporation		POS Scale	8215	III	3000	30 x 0.01 lb	17" x 11"	Digital Electronic
92-054	04/02/92	Toledo Scale Corporation	capacities: 9 x 0.001 lb or 144 x 0.01 oz	POS Scale	PJ4000P/PJ4000GP	II	14,100	see below	7.24" x 9"	Digital Electronic
92-051	03/26/92	Weigh-Tronix, Inc.	capacities: 30.00 x 0.01 lb/29.99 x 0.01 lb. Trademark Name: NCI.	POS Scale	47XX	III	3000	see below	10" x 14"	Digital Electronic
87-121	03/01/88	Weigh-Tronix, Inc.		POS Scale	4000-1	III	3,500	30 x 0.01 lb	12" x 14"	Superseded by 87-121A3
Prepackaging Scale										
88-056	05/26/88	Avery Weighing Technology		Prepackaging Scale	B700	III	3,000	30 x 0.01 lb	12" x 15.25"	Digital Prepackaging Scale
88-183	09/22/88	Exact Equipment Corporation	960S, 960T, 960L	Prepackaging Scale	960	III	3,000	30 x 0.01 lb	16 " x 10 "	Digital Computing
88-184	09/22/88	Exact Equipment Corporation		Prepackaging Scale	920	III	5000	50 x 0.01 lb	270 mm x 400 mm	Superseded by 88-184A
88-184A	05/01/89	Exact Equipment Corporation		Prepackaging Scale	951	III	5,000	50 x 0.01 lb	270 mm x 400 mm	Digital Electronic
90-098	08/21/90	Global Scale Imports, Inc.		Prepackaging Scale	Automator 650A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
88-052	04/27/88	Hobart Corporation		Prepackaging Scale	1865	III	3,000	30 x 0.01 lb		Digital Prepackaging Scale
87-118	02/17/88	New Brunswick International, Inc.		Prepackaging Scale	DPS 6000	III	3,000	30 x .01 lb	341 mm x 284 mm	Digital Prepackaging Scale
88-174	08/31/88	New Brunswick International, Inc.		Prepackaging Scale	DPS-2600/AW-2600	III	3,000	30 x 0.01 lb	13.25" x 11.25"	Superceded by 88-174A1

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-174A1	03/27/90	New Brunswick International, Inc.	IL-2600	Prepackaging Scale	DPS-2600/AW-2600	III	3,000	30 x 0.01 lb	13-1/4" x 11-1/4"	Digital Electronic
87-047	09/14/87	TEC America, Inc.		Prepackaging Scale	SL 31-50R	III	5,000	50 x 0.01 lb	27x40 cm	Digital Prepackaging Scale
89-029	05/25/89	Toledo Scale Corporation		Prepackaging Scale	8305	III	5,000	50 X 0.01 lb		Weighing Element
91-018	01/31/91	Weldotron Corporation		Prepackaging Scale	9000 Series	III	3,000	30 x 0.01 lb	13-1/4" x 11-1/4"	Prepackaging Scale
		Includes Models 9602, 9603, 9605, 9609, 9610, 9612. CC based on CC 88-174.A1 issued to NBI, Inc. & information provided by mfg. Corresponding models for all but 9612/ 9612 included based on mfg. information.								
		CC based on CC 88-174.A1 issued to NBI, Inc. & info provided by mfg. information.								
Prescription Balance										
90-056	04/25/90	Henry Troemner, Inc.		Prescription Balance	800A	III	6,000	60 x 0.01 g	2.875 inch round	Torsion Band/Equal Arm
87-019	05/21/87	Vertex Industries, Inc.		Prescription Balance	DRX-3	III	6,000	60 x 0.01g	3" dia.	Mechanical Analog Balance
Printer										
91-125	03/16/92	A&D Engineering, Inc.		Printer	AD-8115 A,B,or C					Electronic
87-115	12/29/87	Advance Scale Company		Printer	Auto-Scale 4000					Inbound/outbound vehicle scale
89-010	04/05/89	Advanced Systems Interfacing, Inc.		Printer	Microway II/TKII					Computer Interface System
88-276	01/20/89	Cardinal/Detecto Scale Mfgr. Co.		Printer	740 and 750					Electronic Dot Matrix
90-123	11/02/90	CAT Scale Company		Printer	320					Dot Matrix
91-157	09/04/91	Computer Advice		Printer	CAM-290A					Dot Matrix

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-234	09/13/88	Control Logic Corporation		Printer	CLC 1100 & CLC 1200					Dot Matrix
91-137	03/16/92	DH Print	4410; 4411; 4412; 4413; 4414 & DHP 7000; DHP 4000	Printer	SERIES 44XX					
88-233	09/22/88	Fargo Electronic Services Inc.		Printer	SP 2000					Dot Matrix
89-157	01/06/90	Fargo Electronic Services Inc.	KB-102, ACS-105	Printer	KB-105					Accessory Keyboard
89-157.A1	01/24/91	Fargo Electronic Services Inc.	Optional Models: KB-102, ACS-105 & ACS-107	Printer	KB-105					Accessory Keyboard
88-162	07/17/88	Gilbarco, Inc.		Printer	PAO 16300					Dot Matrix Tape Printer
88-092	09/09/88	Hecon Corporation		Printer	A0 516 Series					Ticket Printer
88-093	09/09/88	Hecon Corporation		Printer	A0 543					Ticket Printer
88-094P	09/09/88	Hecon Corporation	AO 522 XXX, A6 522 XXX, AO 523 XXX, A6 523 XXX	Printer	AO AND A6 Series					Electronic Modular
89-129	10/24/89	Industrial Data Systems, Inc.	160 (tape printer)	Printer	152					Dot Matrix Ticket
90-059	04/25/90	Industrial Data Systems, Inc.		Printer	Matrix 500					Electronic Dot-Matrix
88-115	06/17/88	Pennsylvania Scale Company		Printer	PS400					Dot Matrix Ticket Printer
88-116	06/17/88	Pennsylvania Scale Company		Printer	PS400-T					Dot Matrix Ticket Printer
88-117	06/17/88	Pennsylvania Scale Company		Printer	P100					Dot Matrix Tape Printer

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-156	01/14/90	Rice Lake Weighing Systems	KB-102, ACS-105	Printer	KB-105					Printing Element
87-015	06/16/87	Scale Data Systems		Printer	4000					Inbound/outbound vehicle scale
91-158	10/28/91	Tele-Weight, Inc.		Printer	TP-1					Dot Matrix
91-027	03/07/91	Thurman Scale Company		Printer	600					Dot Matrix
88-302	01/25/89	Toledo Scale Corporation		Printer	8842					Dot Matrix
89-008	07/05/89	Toledo Scale Corporation		Printer	963					9-Wire Dot Matrix Document
89-079	08/17/89	Toledo Scale Corporation		Printer	315					Electronic Label Printer
89-080	08/17/89	Toledo Scale Corporation		Printer	8806					Dot Matrix Ticket Printer
90-073	08/21/90	Toledo Scale Corporation		Printer	307					Thermal Electronic
90-076	08/22/90	Toledo Scale Corporation		Printer	325					Thermal Electronic
88-197	09/22/88	Toledo Scale Corporation		Printer	MP 750					Electronic Dot Matrix Ticket
88-191	10/28/88	Toledo Scale Corporation		Printer	350					Electronic Programmable Label
88-192	09/22/88	Toledo Scale Corporation		Printer	8804					Dot Matrix
88-193	10/28/88	Toledo Scale Corporation		Printer	8840-1					Dot Matrix
88-194	09/22/88	Toledo Scale Corporation		Printer	8860					Thermal Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-195	10/28/88	Toledo Scale Corporation		Printer	314T					Electronic Label Printer
88-196	09/22/88	Toledo Scale Corporation		Printer	8855					Dot Matrix Tape
91-033	04/18/91	Tyrel Corporation		Printer	TCP-10					Digital Electronic
88-310	01/25/89	Weigh-Tronix, Inc.		Printer	WP-240					Dot matrix
Railroad Track Scale										
88-015PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	6050-RSA, 6060-, 6070-, 6650-, 6660-, 7250-, 6080-, 6670-, 7260-, 7270-, 6680-, 7280-	Railroad Track Scale	RS, RSL, RSA & RSAL	III/III L		150-300 TONS	60'x 10'-72'x 10'	Railway Track Vehicle Scale
88-084	06/08/88	Systems Associates, Incorporated	NP1260, -2000, -2600	Railroad Track Scale	NP Series	III L	4,000	200,000 x 100 lb		Digital Railroad Scale
90-001	02/27/91	Toledo Scale Corporation	Section Capacity: 85 ton, 6 sections	Railroad Track Scale	7260	III L	6,800	340k x 50 lb	2 plat. 25x4'11ea	Digital Electronic
90-001P	02/16/90	Toledo Scale Corporation	One 12'6" weighing element, Two independent 12'6" weighing elements, One 25' weighing element, One 12'6" and one 25' weighing element, Two 25' weighing elements, One 37'6" weighing element	Railroad Track Scale	7260	III L	6,800	340,000 x 50 lb	25'x4'11" each(2)	Digital Electronic
Retail Motor Fuel Dispenser										
87-062	10/27/87	Bennett Pump Company	6012, 6013, 6022, 6025, 6024, 6027	Retail Motor Fuel Dispenser	6000 Series			99.999 gal.		Digital RFD
89-063	10/02/89	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series			999.999 total gal		Superseded by 89-063A1
89-063.A2	07/10/91	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series					Electronic Computing

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-063A1	01/31/91	Bennett Pump Company	7600 & 7800 High Cap Series, Includes: 9000 Series, Conventional 7000 Series - Low hose & High hose.	Retail Motor Fuel Dispenser	7000 & 9000 Series	$9.999/vol		999.999 total vol	$9,999.99 total $	Electronic Computing
90-034	02/14/90	Bennett Pump Company	3722; 3724; 3725; 3725D; 3727; 3782; 3788; 3788D; 3789; 3789D; 3792; 3922; 3924; 3925; 3925D; 3927; 3912; 3913 & 3913D	Retail Motor Fuel Dispenser	3700 & 3900 Series					Analog Volume Only
90-034A1	03/12/92	Bennett Pump Company	3722; 3724; 3725; 3725D; 3727; 3782; 3788; 3788D; 3789; 3789D; 3792; 3922; 3924; 3925; 3925D; 3927; 3912; 3913 & 3913D.	Retail Motor Fuel Dispenser	3700 & 3900 Series					Analog Volume Only
90-034PN	07/11/91	Bennett Pump Company	3722, 3724, 3725, 3725D, 3727, 3782, 3788, 3788D, 3789, 3789D, 3792, 3922, 3924, 3925, 3925D, 3927, 3912, 3913 & 3913D.	Retail Motor Fuel Dispenser	3700 Series					Analog Volume Only
90-035PN	03/13/90	Bennett Pump Company	4012, 4013, 4022, 4024, 4025, 4027	Retail Motor Fuel Dispenser	4000 Series					Analog Computing
87-077	10/26/87	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-2 and MPD-3			99.999 gal		Superseded by 87-077A2
87-077A2	02/12/90	Gilbarco, Inc.	The Gilbarco model designation consists of a variety of entries based upon the dispenser configuration. The device is identified by the model designation AXXXXXX where the XXXXXX represents various device parameters. These devices are known by the; generic names of MPD-2, MPD-3, and the MPD-ProBlender. Other capacities of series: $999.99 Total Price, $9.999 Unit Price	Retail Motor Fuel Dispenser	AE, AK, AL, AP, AU			99.999 total gal		
87-099	04/07/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	ABXXXX			99.999 gal		Electromechanical Dispenser
88-002	04/07/88	Gilbarco, Inc.	AC4992AS1, AC6093, AC4093	Retail Motor Fuel Dispenser	AC4992S1			60 gal/min		Superseded by 88-226A2
88-003	03/01/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10					Superseded by 88-003A3
88-003A	05/03/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10					Superseded by 88-003A3
88-003A2	02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10					Superseded by 88-003A3

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-022 04/20/88	Gilbarco, Inc.	Retail Motor Fuel Dispenser AC4982AS1, AC6083, AC4093	AC4982S1			99.999 gal		Superseded by 88-226A2
88-022A 05/03/88	Gilbarco, Inc.	Retail Motor Fuel Dispenser AC4982ASI, AC6083, AC4093	AC4982S1			99.999 gal		Superseded by 88-226A2
88-128 06/28/88	Gilbarco, Inc.	Retail Motor Fuel Dispenser	MPD-1			99.999 gal		Superdeded by 89-019A1
88-129 07/25/88	Gilbarco, Inc.	Retail Motor Fuel Dispenser	Salesmaker-4 & 2			99.999 gal		Digital Electromechanical
88-226 10/04/88	Gilbarco, Inc.	Retail Motor Fuel Dispenser	Highline 111 Series			99.999 vol units		Superseded by 88-226.A3
88-226.A3 11/02/90	Gilbarco, Inc.	Retail Motor Fuel Dispenser Generic Name: Highline 111 Series and Salesmaker Series, Includes "High", "Super High"'and "Ultra High" Gallonage Models, Uses Gilbarco "B" or "C" meters ot LC M-5 meter. Electronic Calibration Option available for Ultra High Gallonage dispenser with LC M-5 meter. Standard Flow rate: 13/2 gpm, High, 30/4, Super 40/8, Ultra, 60/12 gpm	AC X X X X X XX	& 88-002	Supercedes:	88-226;-226A;	-226A2;-022;-022A	Digital Computing RMFD
88-226A 02/10/89	Gilbarco, Inc.	Retail Motor Fuel Dispenser	Highline 111 Series			99.999 vol units		Superseded by 88-226.A3
88-226A2 03/13/90	Gilbarco, Inc.	Retail Motor Fuel Dispenser	AC X X X X X XX					Superseded by 88-226.A3
89-019 04/04/89	Gilbarco, Inc.	Retail Motor Fuel Dispenser	MPD - 1			999.99 total pr.		Superseded by 89-019A1
89-019A1 03/13/90	Gilbarco, Inc.	Retail Motor Fuel Dispenser	MPD-1			999.99 TOTAL PRIC		Digital Electromechanical
89-066 07/05/89	Gilbarco, Inc.	Retail Motor Fuel Dispenser	CRIND					Card Reader (in Dispenser)
90-115.A1 11/02/90	Gilbarco, Inc.	Retail Motor Fuel Dispenser Model designations identified by four code positions; See Certificate for possible codes.	Advantage Series			2 x 13 gpm		Elec.Comp.Ret.Motor Fuel Disp.
90-115A2 08/21/90	Gilbarco, Inc.	Retail Motor Fuel Dispenser	The Advantage Series					

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-070 04/18/90	Hasstech, Inc.	Retail Motor Fuel Dispenser	HP-2, HP-22					Nozzle
90-027 02/16/90	Husky Corporation	Retail Motor Fuel Dispenser	V (Coaxial)					Vapor Recovery Nozzle/Balance
90-172 12/18/90	Liquid Controls Corporation	Retail Motor Fuel Dispenser	MA-5-1 & MA-5-2					
90-148 10/18/90	Schlumberger Technologies, Inc.	Retail Motor Fuel Dispenser	EPS R CT X X X XX	$9.999 U.P.		$999.99 Total $	999.99 Vol Units	Dig. Comp. RMFD
	EPS = Basic Model Number, R = Remote submersible pump, CT = Calcutrim, Blank = Standard Construction or V = Vapor Recovery, DS = Hoses on both sides or SS = Hoses on one side, 1 - 4 = Number of Products; 2,3,4 or 6 = Number of Hoses.							
90-148 11/02/90	Schlumberger Technologies, Inc.	Retail Motor Fuel Dispenser	EPS R CT X X X XX			SEE BELOW		Digital Computing
	Generic Name: Calcutrim, Capacities: $999.99 total money, 999.99 volume units, $9.999 unit price							
90-149 10/18/90	Schlumberger Technologies, Inc.	Retail Motor Fuel Dispenser	EPS RC I X X X XX	$9.999 UP		$999.99 Total $	999.99 Vol Units	Elec. Comp. RMFD
	Model designations and suffixes: EPS = Basic Model Number, RC = Remote Calcutron (submersible), I = Intermediate size, Blank = Standard Construction OR L = dispenser longer than 7 feet, 1, 2, or 8 = # hoses - 1 or 4 = # Products DS = Hoses on both side s or SS = Hoses on one side.							
90-149 11/02/90	Schlumberger Technologies, Inc.	Retail Motor Fuel Dispenser	EPS RC I X X X XX			SEE BELOW		Electronic Computing
	Generic Name: Calcutron, Capacities: $999.99 total money, 999.99 volume units, $9.999 unit price.							
88-086 05/04/88	Southwest Pump Company	Retail Motor Fuel Dispenser	2XX0-X-X-X series					Superseded by 88-086A
88-086A 02/10/89	Southwest Pump Company	Retail Motor Fuel Dispenser	2XX0-X-X-X Series			999.999 gal		Digital Electronic
	2020-X-X-X, 2040-X-X-X							
89-125PN 01/30/90	Southwest Pump Company	Retail Motor Fuel Dispenser	640 Series					Electronic Computing
	640-S, 640-T-S, 640-MT-S							
89-161PN 01/30/90	Southwest Pump Company	Retail Motor Fuel Dispenser	660 Series					Electronic Computing
	660, 660-S, 661, 661-S, 661-REM, 661-T-REM, 662, 662-S, 662-REM, 662-S-REM							
91-133 08/07/91	Southwest Pump Company	Retail Motor Fuel Dispenser	4000 Series					

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-133A1 05/05/92	Southwest Pump Company		Retail Motor Fuel Dispenser	4000 Series			see below		Digital Electronic
		See certificate for specific model numbers. Capacities: 999.999 Gallons/Liters, $9999.99 Total Sale, 9.999 Unit Price.							
92-031PN 03/25/92	Sun Refining and Marketing Company		Retail Motor Fuel Dispenser	Series E-511					Electronic Computing
92-015	Suntronic Technology Group		Retail Motor Fuel Dispenser	SM996					IN PROCESS
92-005 03/16/92	Tech 21		Retail Motor Fuel Dispenser	CARD LOCK 1000					Card Activated Fuel Cont. Sys
		Max Volume Display: 999.99; Max Unit Price Display: 9.999							
87-018A 01/11/89	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series			999.999 gal		Digital Electronic
89-017 04/04/89	Tokheim Corporation		Retail Motor Fuel Dispenser	785-HV (high volume)		60 gpm	mx. 60; mn.12 gpm		Diesel Dispenser
89-115 04/25/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262 Series Unistar					Superceded by 89-115A1
89-115A1 04/18/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-X, 262A-X					Digital Electronic
90-014 01/22/90	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series					
90-014A1 05/05/92	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series			see below		Digital Electronic
		311 or 311A, 312 or 312A, 322 or 322A, 324 or 324A, 413 or 413A, 426 or 426A, 614 or 614A & 628 or 628A. Capacities: 999.99 Dollars, 999.999 Volume Units.							
90-020 02/09/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-HV (High Volume)			60 gpm		Electronic Computing
90-144 11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	200 & 330 Series	999.999gal	$9.999/unit	$999.99 Money	9999.9 liters	Digital Comp. RMFD
		Models: 220B, 222B, 330B, 33B. Suffixes: E-External fixed hose connection. V-External two hose connection for vapor recovery. VC-Coaxial hose fitting for vapor recovery. L-Lighted valance. U-Unlighted valance. SA-Stand Alone. K-Customer select cash credit. P-Customer select preset.							
90-145PN 11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	1100 & 1200 Series	$3.999 up	$99.99 Max$	999.9 gal	999.9 liters	Mech. Comp. RMFD
		Models: 1148T, 1150T, 1248, 1250. Suffixes: T, GP, SP, 1, 2, RCFC, AFC-1, PEH, SCS, HS, TPZ, PR, A, S, G, M, GM, VR, KC-4, KC-8, KC-16, WNC, TW, APC, APC-1, RHO, ESI, IBM, PR-SS, OC,							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-021PN		Tokheim Corporation		Retail Motor Fuel Dispenser	162					IN PROCESS
92-076	05/07/92	Tuthill Corporation		Retail Motor Fuel Dispenser	FR712					Digital Ele. Vol. Only Display
91-116	08/02/91	Universel Epsco, Inc.	Part No. 9-30 & Part No. 9-32	Retail Motor Fuel Dispenser	4000M-XX-X					Series 4000 Retail Dispenser
91-117	08/02/91	Universel Epsco, Inc.		Retail Motor Fuel Dispenser	8000M-X-XX					Motor Fuel Dispenser
91-118		Universel Epsco, Inc.		Retail Motor Fuel Dispenser	7000					IN PROCESS
91-119		Universel Epsco, Inc.		Retail Motor Fuel Dispenser	3000					IN PROCESS
86-031	01/08/87	Wayne Division	141U/K, 142U/K, 143U/K, 141-1U/K, 142-1U/K, 143-1U/K	Retail Motor Fuel Dispenser	141U-KP			999.9 x 0.1 gal		Electro-Mechanical Analog
87-035	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/375-1L/19			999.999 gal		Supersedes by 87-035A
87-035A	06/16/89	Wayne Division	Model DS1/375-1L/19G (CC No. 87-035). For use in retail service stations.	Retail Motor Fuel Dispenser	DS1/585-1L/19EG			999.999 Gallons		Digital Electronic
87-036	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/387-1L/19			999.999 gal		Digital retail dispenser
87-036A	06/16/89	Wayne Division	DS1/387/IL/19G (CC No. 87-036). For use in retail service stations.	Retail Motor Fuel Dispenser	DS1/387-1L/19EG			999.999 Gallons		Digital Electronic
88-262	01/26/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L Series			99.999 vol units		Superseded by 88-262A1
88-262.A1 Amend	04/18/91	Wayne Division	Capacity: $999.99 Total Price; 999.999 Volume Units; $9.999 Unit Price.	Retail Motor Fuel Dispenser	DDX-490-L SERIES			see below		Electronic Computing
88-262A1	05 01 89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L-Series			999.999 vol units		Digital Electronic Multi-Pro

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-262A2 05/05/92	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L Series			see below		Digital Electronic Multi-Pro.
		Capacities: $999.99 Total Price, 99.999 Volume Units, 9.999 Unit Price.							
89-011 10/24/89	Wayne Division		Retail Motor Fuel Dispenser	DD1/590-23/G			999.999 total vol		Electronic Computing
89-036 08/17/89	Wayne Division		Retail Motor Fuel Dispenser	PLX-39-IL Series			99.999 vol units		Digital Electronic Multi-Pro.
89-036 amended 04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L SERIES			999.999 Gallons		Electronic Computing Multi-Pro
89-036A1 05/05/92	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L Series			see below		Digital Electronic Multi-Pro.
		Capacities: $999.99 Total Price, 99.999 Volume Units, 9.999 Unit Price.							
89-076 10/24/89	Wayne Division		Retail Motor Fuel Dispenser	DL1/395-1L/19G			999.999 Total Vol		Electronic Computing Blending
89-149 01/10/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/35 Series					High Capacity Digital Comput.
89-149 Amended 04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DLX/35X Series					High Capacity Digital Comput
89-150PN 01/12/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/360,DLX/370 Sers			999.999 total vol		Digital Electronic Multi-Pro.
90-004 02/16/90	Wayne Division	V590DX	Retail Motor Fuel Dispenser	V590D Series			999.999 TOTAL VOL		Digital Electronic Computing
90-005 02/16/90	Wayne Division	V387DX	Retail Motor Fuel Dispenser	V38XD Series			999.999 Total Gal		Digital Electronic Computing
90-005.A1 04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V38XD Series		V38XD Series	999.999 Total Vol		Digital Electronic Computing
90-006 02/16/90	Wayne Division	V490DX	Retail Motor Fuel Dispenser	V490D Series			999.999 total vol		Digital Electronic Multi-Pro.

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-007	02/16/90	Wayne Division	V390DX	Retail Motor Fuel Dispenser	V39XD Series			99.999 Total Vol		Digital Electronic Multi-Pro.
90-007.A1	04/18/91	Wayne Division	Capacities: $999.99 Total Price, 999.999 Total Volume & $9.999 Total Unit Price.	Retail Motor Fuel Dispenser	V39XXX Series			see below		Digital Electronic Multi-Pro.
90-130	11/02/90	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L Series			$999.99 Total Vol		Digital Electronic Multi-Pro.
91-034	04/18/91	Wayne Division	Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.	Retail Motor Fuel Dispenser	V395D Series					Digital Electronic Computing
91-035	04/18/91	Wayne Division	Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.	Retail Motor Fuel Dispenser	V58XXX Series					Digital Electronic Computing
92-085		Wayne Division		Retail Motor Fuel Dispenser	xxxxxx					IN PROCESS
88-279	01/25/89	William M. Wilson's Sons, Inc.	8852, 8853. Capacities: $999.99 Total Money, 999.999 Total Volume, $9.999 Total Value	Retail Motor Fuel Dispenser	Gasboy 8800 Series			see below		Superseded by 88-279A1
88-279A1	05/25/89	William M. Wilson's Sons, Inc.	8852, 8853. Capacities: $999.99 Total Money, 999.999 Total Volume, 9.999 Total Unit Price	Retail Motor Fuel Dispenser	Gasboy 8800			see below		Electronic Computing
88-281	01/25/89	William M. Wilson's Sons, Inc.	8052, 8053, 8652, 8653, 8752, 8753	Retail Motor Fuel Dispenser	Gasboy 8000 Series			999.9 total vl		superseded by 88-281A1
88-281A1	05/25/89	William M. Wilson's Sons, Inc.	8052, 8053, 8652, 8653, 8752, 8753	Retail Motor Fuel Dispenser	Gasboy 8000			999.9		
88-282	01/25/89	William M. Wilson's Sons, Inc.	53 RDX, 2150 RDX, 8553 RDX, 8553 RDX TW	Retail Motor Fuel Dispenser	Gasboy Submersible			999.9 total vol		Mechanical; Volume Only
88-283	01/25/89	William M. Wilson's Sons, Inc.	52, 5200, 53, 5300, 8552, 8552TW, 8553, 8553TW	Retail Motor Fuel Dispenser	Gasboy Self-Con Vol			999.9 total vol		Mechanical; Volume Only

CC No. / Date	Company Name / Other Models	Device Type / Model	Accuracy Class / n	Capacity / Platform size	Comments
88-284 01/25/89	William M. Wilson's Sons, Inc. 150, 85150, 1500 RDX (Dispenser Only)	Retail Motor Fuel Dispenser Gasboy Sup-Sd Vol		999.9 total vol	Volume Only
89-056 05/25/89	William M. Wilson's Sons, Inc. 9152, 9153	Retail Motor Fuel Dispenser 9100		999.9	Mechanical: Volume Only
89-064 07/05/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel Dispenser 425		5 gal delivery	Gallon Stroke Pump
91-019 01/31/91	William M. Wilson's Sons, Inc. For use in applications in which a volume only dispenser is considered suitable. The 9140 Super Speed model is to be used for diesel fuel only.	Retail Motor Fuel Dispenser 9100 Series			RMFD Volume Only
91-021 02/04/91	William M. Wilson's Sons, Inc. VeederRoot Registers: VR-10: $999.99, 999.9 vol, $9.999/vol. 2002E: $99.99, 999.9, $3.999/vol. VR-10 register must be used for applications in which total sales will exceed $99.99, Models: 8052-, 8053-, 8652-, 8653-, 8740, 8752-, 8753-Suffix. See C C for suffixes.	Retail Motor Fuel Dispenser 8000 Series			Mechanical Computing RMFD
91-057 04/05/91	William M. Wilson's Sons, Inc. 2000S-CFN-DET, 2000S-CFN-PPCII, 2000S-CFN-PCU, 2000S-CFN-SCII, 2000S-CFN-L & 2000S-CFN-CRP.	Retail Motor Fuel Dispenser 2000 Series			Gasboy Cash Flow Network II
Retail Motor Fuel Register					
91-095 04/12/91	Bennett Pump Company	Retail Motor Fuel Register SB 100			
90-115 08/23/90	Gilbarco, Inc. $999.00 total price, 999.000 volume units & $9.999 unit price.	Retail Motor Fuel Register Advantage Series		see below	Electronic Computing
91-058 04/05/91	Mobile Computing Corporation 5400-1	Retail Motor Fuel Register 5400-2			Digital Electronic
91-159 03/16/92	Tech 21	Retail Motor Fuel Register 715500 UDC-T/ UDC II			Solid State Electronic
89-033 05/01/89	Tokheim Corporation	Retail Motor Fuel Register 2020			Digital Electronic
89-034 05/01/89	Tokheim Corporation	Retail Motor Fuel Register 2010			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-143PN	10/09/90	Veeder-Root		Retail Motor Fuel Register	2003					RMFD Mechanical Computer
			Pre-NTEP CC based on OWM ROT 498 and 523 (issued to 2002E) and info from manufacturer. 2003 identical to 2002E except left money wheel goes from 0 - 14 instead of 0-9.							

Retail Motor Fuel System

89-100	10/12/89	Applied Technology		Retail Motor Fuel System	1200P, 1200W					
88-256	01/25/89	AutoGas Systems, Inc.	AC 2004 E, AC 2003 M	Retail Motor Fuel System	AT 2002 X					Card Reader/Station Controller
90-116	11/02/90	Dover Corporation	OPW 111-V 22, OPW 111-V 24, OPW 111-V 47 & OPW 111-V 49.	Retail Motor Fuel System	111-V Series					Vapor Recovery Nozzle-balance
86-024	09/25/86	'Gilbarco, Inc.		Retail Motor Fuel System	Modular Electronics					
92-006		TechLink Control Sys., Inc.		Retail Motor Fuel System	1100					IN PROCESS
88-285	01/25/89	William M. Wilson's Sons, Inc.	System Model 2000S: Card readers are CTR-4, CTR-8, CTR-12 and CTR-16 which interface with logic control unit models CTC-4, CTC-8, CTC-12, and CTC-16.	Retail Motor Fuel System	System 2000S					Magnetic or Optical Reader

Service Station Consoles/ECR

87-020	05/22/87	Bennett Pump Company		Service Station Consoles/ECR	M 430					Superseded by 87-020A2
87-020A	04/19/89	Bennett Pump Company	A 430-1	Service Station Consoles/ECR	Access 430					Superseded by 87-020A2
87-020A2	08/21/89	Bennett Pump Company	MI 320, MI 350	Service Station Consoles/ECR	ECR-430 ECR A 430-1					Cash Register/Controller
88-083	05/26/88	Bennett Pump Company		Service Station Consoles/ECR	100			24 dispensers		Electronic Service Station POS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-303	04/19/89	Bennett Pump Company	A 410-1, A 410-2	Service Station Consoles/ECR	A 410-1 and A 410-2					Superseded by 88-303A1
88-303A1	08/21/89	Bennett Pump Company	A 410-1, A 410-2, MI 320, MI 350	Service Station Consoles/ECR	A 410-X*			999.99 vol		Digital Electronic
89-072	10/02/89	Bennett Pump Company		Service Station Consoles/ECR	OMNI-OT			up to 24 dispens.		
90-036PN	03/13/90	Bennett Pump Company	814M, 816M, 818M	Service Station Consoles/ECR	81 Series					Digital
90-162	01/31/91	Bennett Pump Company	For use with electronic RMFD's, M405-*e interfaces with up to 8 hoses, M405-16E interfaces with up to 16 hoses.	Service Station Consoles/ECR	M405-8E & M405-16E			999.99 total vol	9,999.999 total $	RMFD Console
87-025	01/25/89	CANMAX Retail Systems, Inc.	Class 2157, Model 0104: Class 2157, Model 0109	Service Station Consoles/ECR	FULL SERVE					Cash Register Service
92-041	03/26/92	CASIO, INC.		Service Station Consoles/ECR	CE-4600					Stand Alone
92-048		CASIO, INC.		Service Station Consoles/ECR	TK-2600					IN PROCESS
89-069	08/01/89	ESCO Manufacturing, Inc.		Service Station Consoles/ECR	TLC-10XX			799.999 gal		Electronic
92-077		GasBoy (See Winslow under The A.H. Emory Co.)	SST-8	Service Station Consoles/ECR	SST-8 and SST-16					IN PROCESS
86-018	09/02/86	Gilbarco, Inc.	Optional model PA0203XXXX	Service Station Consoles/ECR	PA0188XXXX (T-12 C)					Digital Electronic
86-018A	03/11/87	Gilbarco, Inc.		Service Station Consoles/ECR	PAO203XXXX (T-12 G)					Digital Electronic
86-019A	12 16 87	Gilbarco, Inc		Service Station Consoles/ECR	PA0180XXXXXXX					Cash register/console

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-002	02/04/87	Gilbarco, Inc.		Service Station Consoles/ECR	T-15 PA0189, PA0190					Digital Controller
88-003A3	06/16/89	Gilbarco, Inc.	PAO24NC10	Service Station Consoles/ECR	PAO24TC10			40 gal/min		
89-068	10/12/89	Gilbarco, Inc.		Service Station Consoles/ECR	TS-1000			999.999		Superseded by 89-068A1
89-068A1	02/12/90	Gilbarco, Inc.		Service Station Consoles/ECR	PA02400000000					Electronic
89-070	08/02/89	Gilbarco, Inc.		Service Station Consoles/ECR	PAO250XXXXXXX			799.999 gal		Electronic
87-005	03/24/87	Griffin Tech. Inc.		Service Station Consoles/ECR	RDT-4400					Electronic Cash Register
91-069		Mobile Computing Corporation		Service Station Consoles/ECR	5400-X					IN PROCESS
87-032	07/10/87	NCR Corporation		Service Station Consoles/ECR	2522					Service Station Console
88-257	02/10/89	NCR Corporation		Service Station Consoles/ECR	2126-1400					Electronic
89-092	10/12/89	NCR Corporation		Service Station Consoles/ECR	2113-3XXX					Digital Electronic
92-088		NCR Corporation		Service Station Consoles/ECR	7052					IN PROCESS
92-010	04/08/92	Omron Systems of America		Service Station Consoles/ECR	RS4541					Stand Alone
92-011		Omron Systems of America		Service Station Consoles/ECR	RS5000					IN PROCESS
90-067	04/18/90	Schlumberger Technologies, Inc.		Service Station Consoles/ECR	MMX 3000					Point-of-Sale Terminal

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-067A1 03/31/92	Schlumberger Technologies, Inc.	Generic Name: Micro-Max 3000	Service Station Consoles/ECR	MMX 3000					Digital Electronic
92-070 05/06/92	Sharp Electronics Corporation	ER-3110 (The Model ER-3110 is identical to the ER-3250 but utilizes a flat keyboard).	Service Station Consoles/ECR	ER-3250					
92-071 05/06/92	Sharp Electronics Corporation		Service Station Consoles/ECR	ER-2595					
88-085 04/29/88	Southwest Pump Company	ECS-1-800, -1A-800, -1-1200, -1A-1200, -1-1600, -1A-1600, -1-2000, -1A-2000, -1-2400, -1A-2400	Service Station Consoles/ECR	ECS Series					Digital Service Station Con.
90-013 02/14/90	Southwest Pump Company		Service Station Consoles/ECR	M268 REG., M268 BASE					Digital Electronic
89-160 12/20/89	Sun Electric Corporation	SR-896-1, SP-894, SS-895-1, SS-895, SS-890, SS-960	Service Station Consoles/ECR	SR, SP, SS					Digital Electronic
89-160 Amended 05/04/90	Sun Electric Corporation	System consists of these models: SR-896-1 Island Card Reader (ICR), SP-894 Island Receipt Printer (IRP), SS-895-1 Dual Stand (Island Pedestal), SS-895 Single Stand (Island Pedestal), SM-890 Electronic Cash Register & SM-960. Electric Cash Register (ECR	Service Station Consoles/ECR	see below					Digital Electronic
89-160 Amended 05/04/90	Sun Electric Corporation	SR-894 Island Receipt Printer (IRP), SS895-1 Dual Stand SS-895 Sigle Stand, SM-890 Electronic Cash Register, SM-960 Electric Cash Register (ECR).	Service Station Consoles/ECR	SR-896-1					Digital Electronic
91-142 04/10/91	TEC America, Inc.		Service Station Consoles/ECR	MA 1700					Stand Alone
86-032 10/12/89	Tokheim Corporation	Option: Model 190 printer	Service Station Consoles/ECR	184, MEMS IV					Superseded by 86-032A1
86-032A1 10/24/89	Tokheim Corporation	184-X=- Standard Cash Console: 184M-X=- Master Console (when a satellite is used): 184S-X = Satellite Console (when a master is used) where X is the number of fueling sites	Service Station Consoles/ECR	184 Series (MEMS IV)			999.99 vol units		Digital Electronic
87-079 11/05/87	Tokheim Corporation	191	Service Station Consoles/ECR	185 Series (MEMS V)					Superseded by 87-079A1

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-079A1	10/24/89	Tokheim Corporation	185-X, 185M-X, 185S-X	Service Station Consoles/ECR	185 Series (MEMS V)					Digital Electronic
88-277	01/11/89	Tokheim Corporation	382, 385, 387	Service Station Consoles/ECR	ROC Series					Superseded by 88-277A1
88-277A1	02/09/90	Tokheim Corporation	390, 385, 387, 389	Service Station Consoles/ECR	ROC Series					
87-124	08/17/89	Toledo Scale Corporation		Service Station Consoles/ECR	262	III				Digital Electronic
90-163	03/07/91	Triangle Microsystems, Inc.	Capacities: $9,999.99 (total money), 999.999 (total gallons).	Service Station Consoles/ECR	MPC-8 & MPC-16			see below		Digital Electronic
88-161	07/25/88	Tuthill Corporation	520 or 527-SP, 521 or 528-SP, 540 or 547-SP, 541 or 548-SP, 580 or 587-SP, 581 or 588-SP	Service Station Consoles/ECR	500 Series			9999.99 gal		Service Station Controller
88-263	11/01/88	Wayne Division		Service Station Consoles/ECR	WP/CT					Superseded by 88-263A1
88-263A1	03/13/90	Wayne Division		Service Station Consoles/ECR	WP/CT					Generic Names Wayne "Plus2 & 3
86-005	05/06/86	William M. Wilson's Sons, Inc.		Service Station Consoles/ECR	2000S-CFN-SC					Digital Electronic
91-020	02/06/91	William M. Wilson's Sons, Inc.	Models: 8852-, 8853-, 8840-Suffix, See CC for suffixes. Standard, Super, & Highspeed, Model 8840 for use with diesel only.	Service Station Consoles/ECR	8800 Series	$9.999/vol		$999.99 total $	999.999 total vol	Elec. Comp. RMFD

Software

91-050		CANMAX Retail Systems, Inc.		Software	C-Serve					IN PROCESS
92-053	04/06/92	JWS CORPORATION		Software	Aggregate System					IBM Comp. Ticket Software

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-033	Retail Automation, Inc.	Software	Starpoint					IN PROCESS
Taximeter								
91-168 12/12/91	Argo Instruments, Inc.	Taximeter	1144					Digital Electronic
	Flag Drop: $0.01-$655.35; Fare Increment: $0.01-$655.35; Extras: $0.01-$99.99							
86-029 11/12/86	Centrodyne Corporation of America	Taximeter	630			$999.99		
87-010 04/20/87	Metrometer, Inc.	Taximeter	21R					Single or Multi-rate Taximeter
87-011 04/20/87	Metrometer, Inc	Taximeter	22NP					Single or Multi-rate Taximeter
88-176 08/30/88	Metrometer, Inc.	Taximeter	CCM21R					Dig. Elec. Credit Card Meter
90-077 09/11/90	Pulsar Technology Systems, Inc.	Taximeter	100					Mileage Odometer
90-133 08/31/90	Pulsar Technology Systems, Inc.	Taximeter	2010			See "Other Model"		Digital Eletronic Taximeter
	Flag Drop: $0.01 - $999.99, Fare Incr.: $0.01 - $999.99, Extras : $0.02 - $9.99, Earlier version of 2010 is larger—See CC, Shall be installed using Arthur Allen 4 pulse per revolution pulse transducer (NOT 2 pulse per revolution). See CC for impotant notes on proper sealing.							
91-140 03/16/92	Pulsar Technology Systems, Inc.	Taximeter	2010R					
88-177 02/15/89	Rudda Meter Inc.	Taximeter	RM 1500			$999.99		Digital Electronic
86-003 06/13/86	Schmidt Electronic Laboratories	Taximeter	G2S		99999	$999.99		Digital Electronic
Vehicle Scale								
91-003 01/08/91	Absco Scale Co.	Vehicle Scale	5752	IIIL	10,000	200,000 x 20 lb	60" x 10"	Load Cell Electronic
	CLC: 80,000 lb							

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-003A1 04/17/92	Absco Scale Co.	Vehicle Scale	5752 Series	III L	10,000	100k - 270k lb	30x10" - 90x10"	Load Cell Electronic
91-003P 01/08/91	Absco Scale Co.	Vehicle Scale	5752					
91-161	Agri-Electronic Systems, Inc.	Vehicle Scale	AES1000 Series					IN PROCESS
88-247P 09/22/88	Airway Scale and Mfg Co., Inc.	Vehicle Scale	AW 60T 1070-PE	III L	6,000	120,000 x 20 lb	10' x 70'	Load Cell Weighing Element
	AW 45T 1035-PE, AW 50T 1040-PE, AW 55T 1050-PE, AW 60T 1060-PE, AW 60T 1065-PE, AW 60T 1080-PE, AW 60T 10100-PE, AW 60T 10105-PE. Capacities (lb): 90,000 - 120,000							
88-224 03/27/90	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PRC-I Series	III L	10,000	20,000 lb	70' x 10'	Electronic Load Cell
90-045 06/14/90	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	LP Series	III L	6000	30 & 60 Ton	25'-70' x 10'	Mechanical Lever System
	Models: 3025-LP, 3030-LP, 6035-LP, 6040-LP, 6050-LP, 6060-LP & 6070-LP.							
91-041PN 06/11/91	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	RSC & RSCA Series	III L	10,000	85 - 200	60-72 X 10	Electronic Load Cell
	7250RSC, 6660RSC, 6650RSC, 6070RSC, 6060RSC, 7250RSCA, 6650RSCA, 6060RSCA & 6050RSCA.							
88-012PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	SR and SRL Series	III/III L		10-150 TONS	18'x 9'-100'x 10'	Mech. Lever Weighing Element
	1018 SR: 1522 SR: 2024 SR: 3024 SR: 3034 SR: 30343 SR: 40403 SR: 5045 SR: 5050 SR: 5060 SR: 5070 SR: 501207 SR: 6045 SR: 6050 SR: 6060 SR: 6070 SR: 7550 SR: 7560 SR: 75705 SR: 8060 SR: 8070 SR: 10060 SR: 100100 SR: 15070 SR. Capacity range 10-150 tons							
88-013PN 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	ASR and ASRL	III/III L		30 Tons	12 'x 10 '	Mechanical axle load scales
	206-ASR: 208-ASR: 2010-ASR: 308-ASR: 3010-ASR: 3012-ASR							
88-061PN 10/11/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PRC and SRC Series	III L		60 'to 180'x 10'		Digital Electronic
	Modified Model Numbers XXYYY-PRC-H and XXYYY-SRC-I							
88-135PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PR and PRL Series	III L				Portable Mech. Vehicle Scale
	2020PR, 2030PR, 2530PR, 3030PR, 3540PR, 3550PR, 2020-40PR, 2020-50PR, 2525-50PR, 3030-50PR, 3535-50PR, 2525-60PR, 3030-60PR, 3535-60PR, 2525-65PR, 3030-65PR, 3535-65PR, 2525-80PR, 3030-80PR, 3535-80PR, 2525-100PR, 3030-100PR, 3535-100PR							

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-136PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PSR and PSRL Series	III L		20-100 ton		Portable Mech. Vehicle Scale
	2020 PSR, 3020 PSR, 3025 PSR, 3030 PSR, 4035 PSR, 5035 PSR, 2020-40PSR, 2020-50PSR, 2525-50PSR, 3030-50PSR, 3535-50PSR, 2525-60PSR, 3030-60PSR, 3535-60PSR, 2525-65PSR, 3030-65PSR, 3535-65PSR, 2525-80PSR, 3030-80PSR, 3535-80PSR, 2525-100PSR, 3030-100PSR, 3535-100PSR							
88-224P 10/11/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PRC-I Series	III L	10,000	200,000 lb	70'x 10'	Superseded by 88-224
	Range of capacities from 100,000 to 270,000 lb. Range of platform area from 350' x 350' to 1050' x 1050' (10 to 12 foot widths). CLC 72,000 to 80,000 lb							
88-024 08/08/91	CMI Weighing Equipment	Vehicle Scale	2PS11010	III L				
88-024.A1 08/08/91	CMI Weighing Equipment	Vehicle Scale	2PS11010	III L	10,000	200,000 x 20 lb	110" x10"; 6 secs	Load Cell Electronic
	2PS1510;2PS1610; 2PS2010; 2PS2410; 2PS3010; 2PS3510; 2PS4010; 2PS4610; 2PS6010; 2PS7010;2PS8010; 2PS9010; 2PS9310; 2PS10010; 2PS11010; 2PS11610; 2PS12010; 2PS13010 & 2PS14010							
88-024P 09/09/88	CMI Weighing Equipment	Vehicle Scale	2PS11010	III L	10,000	200,000 x 20 lb	100'x 10'	Vehicle Scale Weighing Element
	2FT11010, 2PS3510 2FT3510, 2PS4010 2FT4010, 2PS4610 2FT4610, 2PS6010 2FT6010, 2PS7010 2FT7010, 2PS8010 2FT8010, 2PS9010 2FT9010, 2PS9310 2FT9310, 2PS10010 2FT10010, 2PS11610 2FT11610, 2PS12010 2FT12010, 2PS13010 2FT13010, 2PS14010 2FT14010; Capacity range 60 to 100 tons							
88-169 09/09/88	CMI Weighing Equipment	Vehicle Scale	2C-XXXX Series	III L	10,000	100 ton	60 'x 10 '	Weighing Element
	2C-4010, -4610, -6010, -7010, -8010, -9010. Capacities (tons): 60 and 100							
88-063P 06/28/88	Durline Scales and Mfg., Inc.	Vehicle Scale	EFT Series	III L	6,000	200,000 x 20 lb	65'x 10'	Load Cell Electronic
	EFTX-35603, -40603, -651004, -701004, -801004, -901004							
88-152 05/01/89	Fairbanks Scales	Vehicle Scale	12-87XX Series	III L	10000	120k & 200 k lb		Load Cell Electronic
	12-8724-S, -8724-C, -8726-S, -8726-C, -8727-S, -8727-C, -8728-S, -8728-C, -8729-S, -8729-C							
88-154PN 06/17/88	Fairbanks Scales	Vehicle Scale	11-3000 Series	III L		15 - 80 tons	22'x 9'- 80'x 10'	Mechanical Lever Vehicle Scale
	11-3116, -3141, -3153A, -3157, -3158, -3381, -3342, -3344, -3446, -3484, -3352, -3354, -3356, -3394, -3482, -3485							
88-158	Fairbanks Scales	Vehicle Scale	11-4300 Series	III L		30-75 ton	10" x 10"	IN PROCESS
	11-4300, -4301, -4302, -4303, -4311, -4306, -4304, -4307, -4308, -4305, & 4309.							
88-158PN 06/17/88	Fairbanks Scales	Vehicle Scale	11-4300 Series	III L		30-75 ton	10 'x 10 '	Mechanical Levertronic
	11-4300, -4301, -4302, -4303, -4311, -4306, -4304, -4307, -4308, -4305, -4309							

CC No.	Date	Company Name	Device Type	Other Models	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-160PN	10/12/88	Fairbanks Scales	Vehicle Scale	13-8241, -8246, -8251, -8261, -8266, -8271, -8276, -8281	13-8200 Series	III L		60 to 80 ton		Portable Mech/Levertronic
88-167PN	10/12/88	Fairbanks Scales	Vehicle Scale	11-7181, 11-7182, 11-7183	11-7100 Series	III L		20 - 30 tons	12'x 10'	Mechanical Lever System
88-297P	01/25/89	Fairbanks Scales	Vehicle Scale	The following model designations carry a prefix of 13- or 14-. The 13- models are mechanical scales, and the 14- models are levertronic (lever system with load cell) scales, e.g. 13-8241 (mechanical) or 14-8241 (levertronic). Models: 8241, 8246, 8251, 8261, 8266, 8276, 8281, 8286, 8291, 8296, 8301	14-8271*	III L	8,000	160,000 x 20 lbs	70' x 10'	Weighing Element
91-055	04/04/91	Fairbanks Scales	Vehicle Scale	the 11-430X-S series weighing elements are mechanical devices and the 14-430X-S weighing elements are levertronic devices.	14-4304 S	III L	10,000	60 ton	60,70,80,90 x 10	Mechanical/Levertronic
91-056		Fairbanks Scales	Vehicle Scale		13-8460-3					IN PROCESS
91-143	03/19/92	Fairbanks Scales	Vehicle Scale	Capacities: 120,000 x 20 lb - 200,000 x 20 lb. FP-4010; FP-6010; FP-7010; FP-8010 & FP-9010	FP-XXXX Series	IIIL	10,000	see below	40 x 10'-90 x 10'	Load Cell Electronic
87-007P	04/30/87	Hardin Industries	Vehicle Scale	Optional lengths 40' - 120'	7080E10	III L	7,000	140k x 20 lb	80'x 10'	Vehicle Scale Weighing Element
89-077	07/05/89	Holtgreven Scale & Electronics Corporation	Vehicle Scale	Scale capacities from 100,000 lb to 200,000 lb. Platform sizes from 300' x 300' to 900' x 900' with a platform width of 10'	FT 2	III L	10,000	200,000 lb	60' x 10'	Electronic Load Cell
88-178	08/30/88	Howe Richardson Division	Vehicle Scale	3450-35-60, 3460-35-60, 3450-45-60, 3460-45-60, 3450-45-100, 3460-45-100, 3450-50-60, 3460-50-60, 3450-50-100, 3460-50-100, 3460-60-60, 3460-60-60, 3450-60-100, 3460-60-100, 3450-70-60, 3460-70-60, 3450-70-100, 3460-70-100, 3450-75-60, 3460-75-60, 3450-75-100, 3460-75-100, 3450-80-60, 3460-80-60, 3450-80-100, 3460-80-100, 3450-100-60, 3460-100-60, 3450-100-100, 3460-100-100. Capacities (lb): 120,000 and 200,000	3460-70-100	III L	10,000	200,000 lb	70 ' x 10 '	Load Cell: Electronic
88-178A1	03/25/92	Howe Richardson Division	Vehicle Scale		34 SERIES	III L	10,000	70K - 200k lb	see certificate	Load Cell: Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-237	09/26/90	J&S Scale Company		Vehicle Scale	MP Series	III L	4,000	60,000 lb	25' x 10'	Vehicle Scale
			MP121030C200: 60,000 lb, MP121230C200: 60,000 lb, MP201030C200: 60,000, MP201230C200: 60,000, MP241030C200: 60,000, MP241230C200: 60,000, MP301030C200: 60,000, MP301230C200: 60,000, MP301040C300: 80,000, MP301240C300: 80,000, MP340140C300: 80,000, MP341240C300: 80,000, MP401040C300: 80,000, MP401240C300, 80,000						
88-238	09/26/90	J&S Scale Company		Vehicle Scale	MP SERIES	III L	8000	120,000 x 20 lb	70' x 10'	Pipe Lever Sys. w/1 load cell
			CLC: 60,000 lb 4 sections; see certificate for othermodels.							
91-004	02/06/91	J&S Scale Company		Vehicle Scale	LP Series	III L	6,000	See CC	See CC	Load Cell Elec.Vehicle Scl WE
			Capacity Range: 30,000 to 150,000 lb. Platform Size Range: 18' x 10' to 100' x 12'. CLC Range: 25,00 lb to 65,000 lb. Concrete or Steel deck, 2 to 4 sections. See CC for details.							
91-006	02/06/91	J&S Scale Company		Vehicle Scale	FT Series	III L	2,000	See CC	See CC	Load Cell Elec.Vehicle Scl WE
			Range of Capacities: 10,000 lb to 24,000 lb. Range of Platform Sizes: 8' x 8' to 22' x 10'. Range of CLC's: 4,000 lb to 9,000 lb, 2 sections. See CC for specific model information.							
90-051	04/25/90	M&R Brand Scale		Vehicle Scale	100 Series	III L	6,000	120,000 x 20 lb	70' x 12'	Lever System
			1005010-50, 1006010-60, 1007010-60, 1008010-60, 1004012-50, 1005012-50, 1006012-60, 1007012-60, 1008012-60, 1003014-30, 1003414-30, 1004014-50, 1005014-50, 1006014-60, 1007014-60, 1008014-60							
91-123		Mantle Industries inc.		Vehicle Scale	C and SPE Series	IIIL	10,000	200,000	120x 10"	IN PROCESS
91-058.A1	09/30/91	Mobile Computing Corporation		Vehicle Scale	5400-3					Digital Electronic
91-105A1	04/17/92	Pacific Scale Co., Inc.	CLC: 40,000 lb	Vehicle Scale	P Series	IIIL	10,000	200,000 x 20 lb	100 x 10	Digital Electronic
88-090	06/28/88	Perkins Scale Corporation		Vehicle Scale	7060	III L	6,000	120,000 x 20 lb	70'x 10'	Mechanical Lever System
88-213PN	11/14/89	Powell All-Steel Scales	See Certificate for models, capacities and platforms	Vehicle Scale	P Series	III L				Mechanical Pit Type
88-214PN	11/09/89	Powell All-Steel Scales		Vehicle Scale	A and PA Series	III L				Portable & Stationary Mechanic
			28PA10, 38PA10, 210PA10, 310PA10, 18PA10, 28PA10, 210PA10, 38PA10, 310PA10, 28A10, 210A10, 38A10, 310A10							

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-215PN 11/21/89	Powell All-Steel Scales	Vehicle Scale	C Series	III L				Mechanical Portable Contractor
	See Certificate for models, capacities and platforms							
88-216PN 11/21/89	Powell All-Steel Scales	Vehicle Scale	PV Series	III L				Portable Mechanical
	1535C12, 1535C14, 1540C12, 1540C14, 1570C12, 1570C14, 1580C14							
88-218PN 11/09/89	Powell All-Steel Scales	Vehicle Scale	RRS Series	III L				Mechanical Lever System
	1560RR10, 1570RR10, 2070RR10, 2084RR10, 2090RR10							
88-219PN 11/21/89	Powell All-Steel Scales	Vehicle Scale	660EL10-C	III L	6000	120,000 x 20 lb	60' x 10'	Load Cell - Low Profile
89-134P 11/09/89	Powell All-Steel Scales	Vehicle Scale	EP and ET Series	III L	6,000	120,000 lb	60' x 10'	Supersedes 84-85 dated 4/21/86
88-290.A1 11/02/90	RSB Engineers/Planners, Inc.	Vehicle Scale	SP 1000 Series	III L	10,000	200,000 lb		Load Cell Electronic
	SP 1011, SP 1012, SP 1013, SP 1014, SP 1015, SP 1016, SP 1017, SP 1003, SP 1004, SP 1005, SP 1006, SP 1007 & SP 1008.							
91-013 03/12/92	Scales Unlimited Inc.	Vehicle Scale	AGES Series	III L	6000	72,000 lb	12.5'-40 x 10"	Load Cell Electronic
	CLC: 48,000 lb, 2 sections							
92-017	Scales Unlimited Inc.	Vehicle Scale	AGES 10010					IN PROCESS
92-039 03/25/92	Sooner Scale, Inc.	Vehicle Scale	701030-6	III L	6000	120K x 20 lb	70" x 10"	Load Cell Electronic
	CLC: 60,000							
88-265P 10/28/88	Southwestern Scale Co., Inc.	Vehicle Scale	LPC and LPS Series	III L	60000	30 tons	70 ' x 10 '	Digital Electronic
	The model designation consists of the platform length and the scale capacity in tons followed by the series designation. Example: 3530-LPS where the scale is 35 feet long with a 30 ton capacity. Optional capacities: 60,000 lb, 100,000 lb, and 150,000 lb. Optional platform sizes: 35' x 10', 60' x 10', and 80' x 10'							
88-273 08/21/90	Southwestern Scale Co., Inc.	Vehicle Scale	6070-PV	III L		120k x 20 lb	70" x 10"	Portable Mechanical
	concentrated load capactiy: 45,000 lb							
88-273P 03/01/89	Southwestern Scale Co., Inc.	Vehicle Scale	6070-PV	III L		120,000x 20 lb	70 x 10'	Portable Electromechanical

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-290 05/01/89	SP Systems, Incorporated SP 1011, -1012, -1013, -1014, -1015, -1016, -1017, -1003, -1004, -1005, -1006, -1007, -1008	Vehicle Scale	SP 1000 Series	III L	10000	200,000 lb	see certificate	Load Cell Electronic
90-101 09/17/90	Syracuse Scale Co, Inc. CLC: 80,000 lb	Vehicle Scale	ALVS-6080	IIIL	8,000	160k x 20 lb	60" x 10" 3 sect.	Load Cell Electronic
88-143PN 06/17/88	The A. H. Emery Company 22-2020, -2520, -2525, -3025, -3030, -4030, -4035, -5035	Vehicle Scale	Econoweigh 22 Series	III L		20 - 50 tons	20'- 35' x 10 '	Mechanical Vehicle Scale
88-144PN 07/17/88	The A. H. Emery Company 24-5050, -5060, -6050, -6060, -6070, -8060, -8070	Vehicle Scale	Econoweigh 24 Series	III L		50-80 ton	50'- 70' x 10'	Mechanical Vehicle Scale
88-145PN 07/17/88	The A. H. Emery Company 34-4040, -5040, -5050, -5060, -6050, -6060, -6070, -8060, -8070, -10060, -10070	Vehicle Scale	Portaweigh 34 Series	III L		40-100 ton	40'-70' x 10'	Portable Mech. Vehicle Scale
88-146PN 07/17/88	The A. H. Emery Company 12-208, -2010, -308, -3010, -3012, -2524, -2534, -3024, -3034, -5034	Vehicle Scale	Roadweigh 12 Series	III L		20 - 50 tons	8'-34' x 10'	Mechanical Vehicle Scale
88-147PN 07/17/88	The A. H. Emery Company 14-5045, -5050, -5060, -5070, -6050, -6060, -6070, -8060, -8070, -10060, -10070	Vehicle Scale	Roadweigh 14 Series	III L		50-100 ton	45'-70'x 10'	Mechanical Vehicle Scale
88-148PN 07/17/88	The A. H. Emery Company 32-208, -2010, -308, -3010, -3012, -2520, -3020, -3025, -3030, -4025, -4030, -4035, -5035, -6035	Vehicle Scale	Portaweigh 32 Series	III L		20-60 tons	8'-35' x 10'	Portable Mechanical V.S.
87-080P 11/30/87	Thurman Scale Company 8510, 8520, 8530, 8540	Vehicle Scale	8530	III L	6,000	120k x 20 lb	70' x 10'	Load Cell Electronic
88-036 04/08/88	Thurman Scale Company Optional Capacities: 120,000 x 20 lb - Gross (35 ton sec.), 200,000 x 20 lb - Gross (45 & 60 ton sec.). Optional Sizes: 40' x 10', 50' x 10', 60' x 10', 70' x 10', 80' x 10', 100' x 10'. Optional Model: 8140 Steel pitless with side rails.	Vehicle Scale	8130 SAM	III L	10,000	200k x 20 lb	70'x 10'	Mechanical Pipe Lever
88-037 03/01/89	Thurman Scale Company Optional Model: 8110 (concrete deck). Optional Capacities: 100,000 x 20 lb, 45 ton sections: 120,000 x 20 lb, 35 and 60 ton sections: 200,000 x 20 lb, 45 and 60 ton sections. Optional Sizes: 30' x 10', 35' x 10', 40' x 10', 50' x 10', 60' x 10', 70' x 10', 80' x 10', 50' x 12', 60' x 12', 70' x 12'	Vehicle Scale	8120	III L	10,000	200k x 20 lb	60 ' x 10 '	Mechanical Pipe-Lever System

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-037A.1		Thurman Scale Company		Vehicle Scale	8120					
89-016P	11/08/89	Thurman Scale Company	CLC: 90,000 lb. Capacities (lb): 120,000 and 200,000	Vehicle Scale	8560	III L	10,000	200,000 x 20 lb	70'x10' (4)sec.	Load Cell Electronic
90-109P	08/07/90	Thurman Scale Company	CLC: 90,000 lb	Vehicle Scale	8550	III L	10,000	200,000 x 20 lb	70" x 10"	Digital Electronic
87-116P	08/17/89	Toledo Scale Corporation		Vehicle Scale	7551	III/III L	6000	120000 x 20 lb	70'x10' 2 section	
88-045	02/28/91	Toledo Scale Corporation		Vehicle Scale	Truckmate MV 1051	III L	10,000	100,000 x 20 lb	100' x 10'	Electronic Weighing Element
88-047	02/28/91	Toledo Scale Corporation	Other platform sizes: 12' x 10' to 70' x 10'. Other capacities: 60,000 to 200,000 lb. Other model: Model 7520 (steel deck). Other section capacity: 30 tons to 55 tons.	Vehicle Scale	7530	III L	10,000	200K x 20 lb	70' x 10'	Electronic Weighing Element
88-048	02/27/91	Toledo Scale Corporation	Platform sizes: 35" x 10 - 70" x 10" ; 4 sections	Vehicle Scale	7540	III L	6000	60-162k lb x 20lb	see below	Load Cell Electronic
88-243A1	12/18/91	Toledo Scale Corporation		Vehicle Scale	7560	III L	10,000	60 - 100 t	117' max.	Load Cell Electronic
88-243P	01/25/89	Toledo Scale Corporation	The model designation is identified by 7560 XX YYYY where the XX represents "CD" for concrete deck or "SD" for steel deck and the YYYY represents the platform length and width. Range of platform lengths 35' to 115'	Vehicle Scale	7560	III L	10,000	60, 100 Tons		Load Cell Electronic
90-046	02/27/91	Toledo Scale Corporation	CLC=60,000lb	Vehicle Scale	7541	III L	10,000	200,000 lb	40x10" to 100x10"	Load Cell Electronic
90-046P	06/14/90	Toledo Scale Corporation		Vehicle Scale	7541	III L	10,000	20,000 lb	40x10" - 100x10"	
92-036	04/16/92	Toledo Scale Corporation	CLC: 100000 & 120000 lb	Vehicle Scale	7565	III L	10,000	120k - 270k lb	see certificate	Electronic Weighing Element

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-045P	06/02/88	Toledo Scale Corporation		Vehicle Scale	Truckmate MV 1051	III L	10,000	200,000 x 20 lb	100 ' x 10 '	Electronic Weighing Element
		Range of capacities from 60,000 to 200,000 lb. Range of platform sizes from 15' x 10' to 150' x 10'								
88-047P	07/17/88	Toledo Scale Corporation		Vehicle Scale	7530	III L	10,000	200 k x 20 lb	70 ' x 10 '	Electronic Weighing Element
		Other platform sizes: 12' x 10' to 70' x 10'. Other capacities: 60,000 lb to 200,000 lb. Other model: Model 7520 (steel deck). Other section capacity: 30 tons to 55 tons								
88-048P	07/17/88	Toledo Scale Corporation		Vehicle Scale	7540	III L	6,000	120,000 x 20 lb	70'x 10'	Electronic V.S. Weigh Element
		Range of capacities from 60,000 to 162,000 lb. Range of platform sizes from 35' x 10' to 70' x 10'. Maximum distance between sections 23'4". Other section capacity: 35 tons, 45 tons								
89-164	04/25/90	UHL Scale Service, Inc.		Vehicle Scale	3512, 2412, 2410	III L	6,000	30,000 lb	24'x10'-35'x12'	Load Cell Electronic
91-029	02/19/91	UHL Scale Service, Inc.		Vehicle Scale	40,60,70 & 80 Series	IIIL	6000	60k - 120 lb	see below	Weighing Element
		Series 40 - 4014, 4012 & 4010. Series 60 - 6014, 6012 & 6010. Series 70 - 7014, 7012 & 7010. Series 80 - 8012. Platform size(s): 40x10-14, 60x10-14, 70x10-14, 80x12.								
91-029A1		UHL Scale Service, Inc.		Vehicle Scale	70 Series					IN PROCESS
87-013P	06/17/87	Unibridge Scale Systems		Vehicle Scale	UBSR 1301040	III L	10,000	200,000 x 20 lb	130' x 10' 5 sect	Electronic Load Cell
88-242P	03/29/89	Unibridge Scale Systems		Vehicle Scale	UBUSR701045	III L	8,000	160,000 x 20 lb	70' x 10'	Pipe Lever
92-045		Unibridge Scale Systems		Vehicle Scale	UBSH121022					IN PROCESS
88-030P	04/07/88	Unibridge Scale Systems		Vehicle Scale	UBSRH701040	III L	10,000	200k x 20 lb	70 ' x 10 '	Electronic Weighing Element
		UBXXH(R)YY40(CC) where XX may be PC, S, or C and where YY denotes length of scale and (R) and (CC) are options.								
88-300P	01/11/90	Webster Scale, Inc.		Vehicle Scale	MT, MTD Series	III L	7,500	80,000-200,000 lb	30x12' to 140x12'	Electromechanical
		MT 30402-12, MT 34403-12, MT 40403-10, MT 40403-12, MTD 40403-10, MT 60404-10, MT 60404-12, MTD 60404-10, MT 70404-10, MT 70404-12, MTD 70404-10, MT 70405-10, MT 70405-12, MT 80405-10, MT 80405-12, MTD 80405-10, MT 100407-10, MT 100406-12, MTD 100406-10 MT 120407-10, MT 120407-12, MT 140408-10, MT 140408-12								

CC No. / Date	Company Name	Device Type / Other Models	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-221 09/11/90	Weigh-Tronix, Inc.	Vehicle Scale	DS & DSFS	III	5,000	500 to 20,000 lb	see below	
		Model Designation: DS XXXX-YY & DSFS-XXXX-YY where XXXX is platform size and XX is capacity in thousands of pounds. DS Series: capacity 500 to 20,000lb, platform: 24 x 24 to 144 x 108. DSFS Series: capacity 500 to 20,000lb, platform 24 x 24 to 84 x 60						
88-307 01/25/89	Weigh-Tronix, Inc.	Vehicle Scale	FMTS 7010-100T	III L	10,000	200,000 lb	70 x 10 ft	Load cell Electronic
		FMTS 4010-70T, -6010-100T, -8010-100T, -10010-100T, -4012-70T, -4710-70T, -4712-70T, -6012-100T, -7012-100T, -8012-100T						
88-307.A1 08/05/91	Weigh-Tronix, Inc.	Vehicle Scale	FMTS Series	III L	10,000	see below	see below	Load Cell Electronic
		FMTS 4010-70T, FMTS 4710-70T, FMTS 6010-100 T, FMTS 8010-100T, FMTS 9310-100T, FMTS 9310-100T, FMTS 10010-100 T, FMTS 4011-70 T, FMTS 4711-70T, FMTS 6011-100T, FMTS 7011-100T, FMTS 8011-100T, FMTS 9311-100T, FMTS 4012-70T, FMTS 4712-70T, FMTS 6012-100T, FMTS 7012-100T, FMTS 8012-100T, FMTS 6010-100THD, FMTS 8010-100THD, FMTS 9310-100THD, FMTS 10010-100THD, FMTS 6011-100THD, FMTS 7011-100THD, FMTS 8011-100THD, FMTS 9311-100THD, FMTS 6012-100THD, FMTS 7012-100THD & FMTS 8012-100 THD. Capacities:140,00 lb - 200,000 lb. Platform: 40 x 10ft, 47 x 10ft, 60 x 10ft, 80 x 10ft, 93 x 10ft, 100 x 10ft, 40 x 11ft, 60-80 x 11ft, 93 x 11ft, 40 x 12 ft, 47 x 12ft, 60-80 x 12 ft. CLC: 70,000 lb - 80,000 LB.						
89-002 02/10/89	Weigh-Tronix, Inc.	Vehicle Scale	MTS 6010-60T	III L	6,000	120,000 x 20 lbs	60 x 10 ft	Load Cell; Electronic
		MTS 3010-30T, MTS 7010-60T, MTS 7012-60T. Capacities (lb): 60,000 and 120,000						
90-079 03/07/91	Weigh-Tronix, Inc.	Vehicle Scale	FTMSC-XXXX-XXXseries	III L	10,000	7k to 140k lb	10-47 x YY ft	Digital Electronic
		CLC: 70,000lb; Load Cell: Weigh-Tronix Model WBT 50.0K.						
90-082 09/11/90	Weigh-Tronix, Inc.	Vehicle Scale	MCTM-7310-100T3	III L	10,000	200,000 x 20 lb	73' x 10'	Digital Electronic
		Other Capacities: The scale consists of three individual weighing devices, each with a separate indicator. The system is equipped with a fourth indicator that totalizes the weights from the three scales. CLC: 70,000 lb						
90-082.A1 04/27/91	Weigh-Tronix, Inc.	Vehicle Scale	MCTM-7310-100T3	III L	10,000	200,000 x 20 lb	73' x 10'	Digital Electronic
		MCTM-71XX-100T3X, MCTM-73XX-100T3X, MCTM-74XX-100T3X, MCTM-76XX-100T3X, MCTM-78XX-100T3X, MCTM-80XX-100T3X, MCTM-81XX-100T3X & MCTM-84XX-100T3X.						
90-108 09/24/90	Weigh-Tronix, Inc.	Vehicle Scale	FCTSXXXX-YYY	III L	10,000	140K - 200K lb	see certificate	Low Profile - Load Cell Elect.
		The specific designations covered by FCTXXXX-YYY meaning XXXX is the platform dimensions in feet range from 40 to 100 ft. and YYY represents the capacity in tons which range from 70T to 100T.						
90-108.A1 08/06/91	Weigh-Tronix, Inc.	Vehicle Scale	FCTSXXXX-YYY	III L	10,000	70k, 140k - 200lb	see below	Low Profile-Load cell Electron
		FCTS1010-35T, FCTS1011-35T, FCTS1012-35T, FCTS1210-35T, FCTS1211-35T, FCTS1212-35T, FCTS2010-35T, FCTS2011-35T, FCTS2012-35T, FCTS2310-35T, FCTS2311-35T, FCTS2312-35T, FCTS4010-70T, FCTS4710-70T, FCTS4710-70T, FCTS4711-70T, FCTS6010-100T, FCTS6011-100T FCTS7010-100T, FCTS7011-100T, FCTS8010-100T, FCTS8011-100T, FTS9310-100T, FCTS10010-100T, FCTS4012-70T, FCTS4712-70T, FCTS6012-100T, FCTS7012-100T & FCTS8012-100T. Platform sizes: 10 x 10-12 ft, 12 x 10-12 ft, 20 x 10-12 ft, 40 x 10-11 ft, 47 x 10-11 ft, 60 s 10-11 ft, 70 x 10-11 ft, 80 x 10-11 ft, 93 x 10-11 ft, 100 x 10 ft, 40 x 12 ft, 47 x 12 ft, 60-80 x 12 ft.						

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-080P	05/03/88	Weigh-Tronix, Inc.	FMTS 4010-60T, -7010-60T, -8010-60T, -4012-60T, -6012-60T, -7012-60T	Vehicle Scale	FMTS 6010-60T	III L	6,000	120,000 lb	60' x 10'	Load Cell Electronic
89-135PN	11/02/89	Weldtec Scales		Vehicle Scale	50-60T	III L	6,000	120,000 lb	50' x 10'	
89-014 PA1	04/24/91	Winslow Scale Company	93-6040, 94-10050, 94-10060, 94-10070, 95-10080, 98-100100, 93-6040-12, 94-8060, 94-8080-12, 94-10080-12, 94-10070-12, 94-10060-12, 94-10080-12. CLC (lb) - 48,000 & 58,000	Vehicle Scale	94-80709	III L	8,000	160k x 20 lb	70' x 20'	Digital Electronic
89-014P	04/04/89	Winslow Scale Company		Vehicle Scale	94-8070	IIIL	8,000	160,000 lb	70' x 10 '	Digital Weighing Element
89-085P	04/24/91	Winslow Scale Company	CLC 48,000 lb 83-4040, 84-6050, 84-6060, 84-6070, 84-6080, 84-60100, 84-8050, 84-8060, 84-8070, 85-8080, 85-10060, 84-10070, 84-10080 & 86-100100.	Vehicle Scale	84-8070	III L	8000	160k x 20 lb	70' x 10	Digital Electronic
92-086		Winslow Scale Company		Vehicle Scale	42, 43 & 44 Series					IN PROCESS

Vehicle Tank & LPG Meter

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
85-065A	06/03/88	Accurate Metering Systems, Inc.		Vehicle Tank & LPG Meter	Diessel RZ 2A			99999.9 gal		Vehicle Tank Meter for Milk
91-139	03/12/92	CASIO, INC.		Vehicle Tank & LPG Meter	SA 2000					Stand Alone
88-043	04/07/88	Gull Inc.	Truck Transaction Computer - Model 1903 001 XXXX, Electronic Pulser - Model 903 003 XXXX, Calibration Module - Model 903 008 XXXX, Remote Indicator - Model 903 009 XXXX	Vehicle Tank & LPG Meter	TTC					Computer System for LPG
88-059	02/16/90	Koltek, Inc.		Vehicle Tank & LPG Meter	K10-A332X			9999.9 gallons		Milk Metering System for Milk
89-141	02/14/90	Liqua-Tech Corporation		Vehicle Tank & LPG Meter	LPM-100			3.5 - 18 gal/min		Gas Measuring Device
86-022	10/27/86	Liquid Controls Corporation		Vehicle Tank & LPG Meter	EC 2000 -Lectrocount					

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-023 05/21/87	Liquid Controls Corporation	Vehicle Tank & LPG Meter	5120					Temperature Volume Compensater
90-168PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-4-CY-10	III				
90-169PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-5-GX-10					
90-173PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-7-X-10					
90-174PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-7-X-11					
90-175PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-7-X-12					
90-176 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	M-7-1,M-7-2 & M-7-3					
90-177PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	M-7-27					
90-178PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	M-15-X					
90-041 04/25/90	Schlumberger Technologies, Inc.	Vehicle Tank & LPG Meter	Type 4					Analog Indicating

Weighbeam

88-137PN 07/25/88	Cardinal/Detecto Scale Mfgr. Co.	Weighbeam	SEE CERTIFICATE	III				Mechanical Type Registering
	Beam Numbers: 182, 170, 170A, 15, 180, 180A, 16, 120, 130, 130A, 140, 150, 160, 161, 162, 163, 3TM, 182M, 13M, 170M-5, 170M-2, 180M-5, 180M-2, 120M-5, 130M-5, 135M, 140M							
88-138PN 07/25/88	Cardinal/Detecto Scale Mfgr. Co.	Weighbeam	SEE CERTIFICATE	III				Direct Reading Full Capacity
	Beam numbers: 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310							
88-139P 07/05/88	Cardinal/Detecto Scale Mfgr. Co.	Weighbeam		III				Compound Full Capacity

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-139PN 07/25/88	Cardinal/Detecto Scale Mfgr. Co.	Beam numbers: 3, 12, 40, 50, 60, 70, 80, 90, 91, 92, 93, 94, 95, 96, 97, 98, 100, 110, 115, 125, 2M, 3M, 12M, 100M, 110M, 50M, 60M, 65M, 70M	Weighbeam	SEE CERTIFICATE	III				Compound Full Capacity
88-173PN 07/05/88	Cardinal/Detecto Scale Mfgr. Co.		Weighbeam		III				Mechanical Type Registering
88-155PN 06/17/88	Fairbanks Scales		Weighbeam	50-5361	III L	10,000	100,000 lb		Type Registering Weighbeam
88-149PN 07/17/88	Winslow Scale Company	TR 10, TRA-50	Weighbeam	TR Series	III/III L		51k & 120k lb		Type Registering Weighbeam
Weight Classifier									
91-163 03/20/92	Cardinal/Detecto Scale Mfgr. Co.	Capacity: 99 lb 15.8 oz x 0.2 oz. MS-15 (15 lb x 0.05 oz); MS-30 (30 lb x 0.1 oz) n-max: 4800 for both.	Weight Classifier	MS-100	III	8000	see below	14.87" x 8.12"	Load Cell, Electronic
90-124 09/26/90	Friden Alcatel	Model 8510-5: 5 lb x 0.1 oz	Weight Classifier	8510	III	1600	10 lb x 0.1 oz	9.5" x 7.5"	Digital Electronic Computing
91-127 03/19/92	Friden Alcatel	n-max: 640 (0-20 lb x 0.5 oz); 1120 (0-70 lb x 1 oz)	Weight Classifier	8865	III	see below	70 lb	14 1/2" x 12 1/2"	Load Cell Electronic
92-049 03/27/92	Friden Alcatel	n-max: 640(0-20 lb); 1120(0-70 lb)	Weight Classifier	8860	III	see below	70 lb	13" x 12"	Load Cell Electronic
87-121A 09/22/88	NCI Weigh-Tronix Inc.		Weight Classifier	4000-1	III	3500	30 x 0.01 lb	12" x 14"	
90-011 01/30/90	NCR Corporation		Weight Classifier	4000-XX1X	III	3,500	30 x 0.01 lb	12" x 14"	Digital Electronic
89-047 10/02/89	Pitney Bowes		Weight Classifier	A238	III		70 lb	12.5" x 14"	
89-048 10/02/89	Pitney Bowes	A523, capacity 3 lb x 0.05 oz	Weight Classifier	5820	III	1600	5 lb x 0.05 oz	8 7/8" x 8"	

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-050 Amended	10/02/90	Pitney Bowes		Weight Classifier	A 610	III		0-2 lb x 0.1 oz	14 3/8" x 9 1/4"	Digital Electronic Computing
			Other capacities: n-320 , 0-99 lb x 0.5 oz, n- 3168							
89-120	01/06/90	Pitney Bowes		Weight Classifier	A 605	III	1600	5 lb X 0.1 oz	8 7/8" x 5 5/8"	Digital Electronic Computing
90-087	02/12/91	Pitney Bowes		Weight Classifier	A 500	III	160	16 x 0.1 oz	9.25" x 5"	Digital Electronic
90-136	09/12/90	Pitney Bowes		Weight Classifier	A120-TA	III	SEE BELOW	SEE BELOW	13" x 14"	Digital Electronic
			N-max: 320 (0-2lb) & 2240 (0-70lb). Capacities: 0-2lb x 0.1oz, 0-70lb x 0.5 oz							
90-146	10/09/90	Pitney Bowes		Weight Classifier	A217	III	3200	100 lb	14 1/8" x 12x 1/2	Digital Electronic
			A218 0.2 lb x .1 or 0-100 lb x .05 oz							
90-146A1	04/06/92	Pitney Bowes		Weight Classifier	A217	III	3200	99 lb	14 1/8" x 12 1/2"	Digital Electronic
90-010	04/25/90	Toledo Scale Corporation	1938, 2038, 2138	Weight Classifier	XX38 Series	III	5,000	25 - 1,000 lb		Load Cell Electronic
87-121A3	01/30/90	Weigh-Tronix, Inc.		Weight Classifier	4000-1, 4100	III	5,000	100 x 0.1 lb	12" x 14"	Digital Elec. Wt. Classfier
			Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 99.95 lb x 0.05 lb: 100 x 0.05 lb or 50 x 0.02 kg: 50 x 0.02 lb or 25 x 0.01 kg. Models 4000-1 and 4100 are identical and models 4110 a 4010-1 are identical							
90-135	03/07/91	Weigh-Tronix, Inc.		Weight Classifier	A120-TA	III	see below	see below	12" x 13"	Digital Electronic Computing
			n-max: 320 (0-2 lb); 2240 (2-70 lb). capacities: 0-2 lb x 0.1 oz / 2-70 lb x 0.5 oz.							
87-121A2	10/28/88	Weigh-Tronix, Inc.		Weight Classifier	4000-1	III	5,000	100 x 0.1lb	12" x 14"	Superseded by 87-121A3
			Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 19.95 lb x 0.05 lb: 100 x 0.05 lb or 50 x 0.05 kg: 50 x 0.02 lb or 25 x 0.01 kg. Optional model 4010-1.							

Wheel Load Weigher

88-004P	04/07/88	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	IIII	400	20k x 50 lb	18 " x 14 "	Superceded by 88-004P 5/15/90

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-004P Amend 05/11/90	General Electrodynamics Corporation	Wheel Load Weigher	MD 500E	IIII	400	20,000 x 50 lb	18" x 14"	Digital Electronic
88-057P 04/07/91	General Electrodynamics Corporation	Wheel Load Weigher	MD 700	IIII	1,200	60k x 50 lb	2'- 7 ' x 30 "	Portable Digtl Axle-Load Weigh
88-057P.A1 04/18/91	General Electrodynamics Corporation	Wheel Load Weigher	MD700	IIII	1,200	60k x 50 lb	2' - 7' x 30"	Portable Digtl Axle-Load Weigh
90-089P 05/31/90	General Electrodynamics Corporation	Wheel Load Weigher	LP400E	IIII	400	20,000 x 50lb	14.5" x 22"	Digital Electronic
90-106P 09/24/90	Intercomp Corporation	Wheel Load Weigher	PT300	IIII	400	20,000 x 50lb	12" x 12"	Digital Electronic
87-076P 10/29/87	Loadometer Corporation	Wheel Load Weigher	Haenni WL101	IIII	400	20k x 50 lb	20' x 14"	Analog Wheel-load Weigher
90-129P 03/07/91	Measurement Systems International ,	Wheel Load Weigher	MSI-5300	IIII	400	20,000 x 50 lb	11" x 10.25"	Digital Electronic
87-078P 12/18/87	PAT Equipment Corporation Model SAW10A-2, Model SAW10C	Wheel Load Weigher	SAW 10A	IIII	400	20k x 50 lb	28.75" x 20"	Digital Wheel-Load Weigher
Wholesale Meter								
90-068 08/21/90	Accurate Metering Systems, Inc.	Wholesale Meter	RZ-3A			35 to 315 gal/min		Digital Electronic
90-068A1 02/07/91	Accurate Metering Systems, Inc.	Wholesale Meter	RZ 3A			35 to 315 gal/min		Digital Electronic
89-101 09/13/90	Brooks Instrument Division Generic name: PetroCount II	Wholesale Meter	0500B1BXX1					Digital Electronic
89-116 10/24/89	Brooks Instrument Division	Wholesale Meter	0501A1BXBX					
90-117 09/11/90	Brooks Instrument Division 004X-XXXXXXXX and 004X-XXXX	Wholesale Meter	PetroCount 44					Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-118	11/02/90	Brooks Instrument Division	Generic Name: Parity Series	Wholesale Meter	Turbo					3-inch & 4-inch
90-118A1	03/26/92	Brooks Instrument Division	Trademark Name: Parity Series	Wholesale Meter	Turbo					3-inch; 4-inch & 6-inch
92-082PN		Brooks Instrument Division	B62DS, B-72DB, B-82DB, B-92DEB.	Wholesale Meter	see below					IN PROCESS
92-083PN		Brooks Instrument Division	BA-31, BA-33, B-40DB, B-50DB, B-60CB, B-61CB, B-61CB-1	Wholesale Meter	see below					IN PROCESS
90-028	04/25/90	Daniel Industries, Inc	Maximum flow rates: 1000 GPM for gasoline, 800 GPM for diesel	Wholesale Meter	LR 3601-1A					Turbine Meter
90-122	08/23/90	Daniel Industries, Inc.		Wholesale Meter	3401-3P					4-inch
89-022	05/02/89	Emark Corporation		Wholesale Meter	455 Series			99,999 Gallons		Digital Electronic
90-012	02/14/90	Emark Corporation	Generic name: HARDiMeter Phase 2	Wholesale Meter	0455-XXXX-001					Digital Electronic
92-029	05/05/92	Emark Corporation	0455-6600-001 (Master Terminal), 0455-6400-001 (Gallons Display), 0455-6400-002 (Liters Display) & 0455-7100-001 (Control Unit).	Wholesale Meter	see below					Digital Electronic
87-012	06/16/87	Engineered Systems, Inc. (ESI)	271 XX	Wholesale Meter	330 XX					Wholesale Terminal Controller
90-164	07/27/91	Graco, Inc.	Maximum Accumulation: 19,999 gallons	Wholesale Meter	(P/N) 222-560	III				Meter & Control Valve Assembly
90-170PN	12/18/90	Liquid Controls Corporation		Wholesale Meter	MA-5-GX-12					

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-179PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-25-2					
90-180PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-30-X					
90-181PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-60-X					
90-182PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-120-X					
90-183PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	MS-7-1, MS-7-2					
91-048PN 04/18/91	Liquid Controls Corporation Flow Rates: 15 to 300 gpm	Wholesale Meter	M-25 Series					
91-120 08/06/91	Liquid Controls Corporation 800 GPM Maximum Flow Rate, 40 GPM Minimum Flow Rate, 150 PSI Maximum Pressure.	Wholesale Meter	M-80-2					Non-Ferrous Aircraft Fueling
92-019	Liquid Controls Corporation	Wholesale Meter	M7					IN PROCESS
92-075 05/06/92	Liquid Controls Corporation Model descriptions see certificate. Device description: Positive Displacement Meter. Vehicle Tank or Stationary Mount.	Wholesale Meter	M5-X, M7-X, & M15-X					Wholesale Measuring Element
89-055 08/17/89	Smith Meter Inc. Marketing Name: AccuLoad II	Wholesale Meter	ALII-XU0-STD-STD-034			99,999 gallons		Digital Electronic
89-055A1 10/02/89	Smith Meter Inc.	Wholesale Meter	ALII-XU-O-STD-034			99,999 gal		
89-098 10/12/89	Smith Meter Inc. Generic Name: MiniLoad	Wholesale Meter	ML-X-XX-XXX-STD					Digital Electronic
92-074 05/06/92	Smith Meter Inc. Device Description: Positive Displacement Meter. Vehicle Tank or Stationary Mount. Product: Liquid Concrete Admixture	Wholesale Meter	I-75					Wholesale Measuring Element

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-151	04/18/91	Tokheim Corporation	Other name: Vehicle or Stationary-Mount. Other Model: 682-15-SS-L-X.	Wholesale Meter	682-15-AF-L-X					Positive Displacement Meter
90-151A2		Tokheim Corporation		Wholesale Meter	682-15-XX-X-X					IN PROCESS
92-012		Tokheim Corporation		Wholesale Meter	682-15-XX-X-X					IN PROCESS

Wire and Cordage Device

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-073	05/06/92	Hauck Engineering	MAX 3000. Marketing Name: Ross Linewinder	Wire and Cordage Device	99999					

LISTING BY CERTIFICATE NUMBER

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
85-065A	06/03/88	Accurate Metering Systems, Inc.		Vehicle Tank & LPG Meter	Diessel RZ 2A			99999.9 gal		Vehicle Tank Meter for Milk
86-001	01/31/86	Toledo Scale Corporation		Floor Scales	4181-1001			1000 x 0.5 lb		Analog Mechanical
86-002	05/21/90	IBM Corporation		POS Scale	4683 Series					Digital Electronic
86-002.A1	03/08/91	IBM Corporation		Cash Register	4683 Series					Electronic Cash Register
86-003	06/13/86	Schmidt Electronic Laboratories		Taximeter	G2S		99999	$999.99		Digital Electronic
86-004	04/18/86	Hugin Sweda, Inc	Model 2835	Cash Register	2845					Digital Electronic
86-005	05/06/86	William M. Wilson's Sons, Inc.		Service Station Consoles/ECR	2000S-CFN-SC					Digital Electronic
86-006	05/06/86	William M. Wilson's Sons, Inc.		Indicating Elements	2001, 2002					Digital Electronic
86-007	05/28/86	Baader North America Corp.	10XX.10, 10XX.20, 10XX.30, 10XX.40	Bench and Counter Scale	1020.30.73	III	3000	300 kg (600 lb)	24" x 19 1/2"	
86-008	05/28/86	Baader North America Corp.	8605.15.00: 8605.15.05: 8610.20.00: 8610.20.01: 8610.20.03: 8610.20.06: 8610.20.07: 8610.20.08: 8615.25.00: 8615.25.05	Indicating Elements	8600 Series		3000			
86-009	06/04/86	Fairbanks Scales	H70-4710-1, H70-4710-2, H70-4714-1, H70-4714-5, H70-4718-1	Bench and Counter Scale	H70-4710-1	III	6000	12 x .002 lb	10" x 10"	
86-010	06/04/86	Fairbanks Scales		Floor Scales	1124D	III	2000	1000 x 0.5 lb		Digital, Load Cell, & Levers
86-011	06/04/86	Fairbanks Scales		Indicating Elements	90-100	III	2000			Digital Load Cell
86-012	06/19/86	Fairbanks Scales		Indicating Elements	90-164	III/III L	10000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-013	06/19/86	Fairbanks Scales		Indicating Elements	H90-167-1	III/III L	10000			Digital Electronic
86-014	06/25/86		Optional capacities: 150 x .05 lb, 600 x .2 lb	Bench and Counter Scale	DS-410		3000	300 x 0.1 lb	15.5" x 15.5"	Digital Electronic
86-014A	11/01/88		Optional capacities: 150 x 0.05 lb, 600 x 0.2 lb	Bench and Counter Scale	DS-410	III	3,000	300 x 0.1 lb		Digital Electronic
86-015	06/25/86	Vertex Industries, Inc.		Grain Test Scale	DWM2-1SE	II	12000	120 x .01 g	4.4" x 3.2" scoop	Mechanical-Equal Arm
86-016A	04/27/88	Esselte Meto		POS Scale	CR 511	III	3,000	30 x 0.01 lb	13.2" x 9.5"	Superseded by 86-016A
86-016A2	02/09/90	Esselte Meto	Model CR511-20, capacity 20 x 0.01 lb: Model CR512-30, capacity 30 x 0.01 lb	POS Scale	CR511; CR512	III	3,000	30 x 0.01 lb	13.2" x 9.5"	Digital Electronic
86-017	09/17/86	Esselte Meto		Computing Scale	CC494	III	1500	7.5 x .005 lb	7.5" x 11.5"	
86-018	09/02/86	Gilbarco, Inc.	Optional model PA0203XXXX	Service Station Consoles/ECR	PA0188XXXX (T-12 C)					Digital Electronic
86-018A	03/11/87	Gilbarco, Inc.		Service Station Consoles/ECR	PAO203XXXX (T-12 G)					Digital Electronic
86-019	09/02/86	Gilbarco, Inc.	Marketing name is TCR-G Series	Cash Register	PAO180 0000 100					Cash Register/Console
86-019A	12/16/87	Gilbarco, Inc.		Service Station Consoles/ECR	PA0180XXXXXXX					Cash register/console
86-020	11/04/86	Sanyo Business Systems Corp.	580-6B, 580-12B, 580-14B	Cash Register	580					Digital Electronic
86-021	09/09/86	Measurement Systems International		Hanging Scale	3260	III	2500	250 x 0.1 lb		Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-022	10/27/86	Liquid Controls Corporation		Vehicle Tank & LPG Meter	EC 2000 -Lectrocount					
86-022.A1	01/03/91	Liquid Controls Corporation		Cash Register	EC2000					Electronic Registering Meter
			The EC2000 systems consists of an E2600 series remote electronic counter assembly and an E2520-2 Supervisory Console.							
86-023	09/29/86	Bizerba United States, Inc.		Computing Scale	Pro 7000	III	3000	30 x 0.01 lb	15" x 10.25"	
86-024	09/25/86	Gilbarco, Inc.		Retail Motor Fuel System	Modular Electronics					
86-025	10/15/86	Liquid Controls Corporation		LPG Liquid Meter	MA-2-CX-10			9999.9 X 0.1 gal		
86-026	10/15/86			Computing Scale	DS 430	III	3,000	30 x 0.01 lb	11" x 12.5"	Digital Electronic
86-027	11/12/86	Sterling Scale Company, Inc.		Indicating Elements	6000 Plus	III L	10000			
86-028	10/14/86	Bizerba United States, Inc.		Computing Scale	Pro 7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
			Pro 7400. Other capacity: 15-30 lb x 0.01 lb							
86-028A	11/05/87	Bizerba United States, Inc.		Computing Scale	PRO7400, PRO7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
			Other capacity 15-30 lb x 0.01 lb: 30 lb x 0.01 lb							
86-029	11/12/86	Centrodyne Corporation of America		Taximeter	630			$999.99		
86-030	12/04/86	John Chatillon & Sons, Inc.		Hanging Scale	Type 027	III	640	20 lb x 1/2 oz	Scoop	Superseded by 86-030A
			0723TG, 0723TAS, 0720T							
86-030A	06/02/88	John Chatillon & Sons, Inc.		Hanging Scale	027/A	III	640	20lb x 1/2oz	Pan ETC	Mechanical Hanging Dial Scale
86-031	01/08/87	Wayne Division		Retail Motor Fuel Dispenser	141U-KP			999.9 x 0.1 gal		Electro-Mechanical Analog
			141U/K, 142U/K, 143U/K, 141-1U/K, 142-1U/K, 143-1U/K							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-032	10/12/89	Tokheim Corporation	Option: Model 190 printer	Service Station Consoles/ECR	184, MEMS IV					Superseded by 86-032A1
86-032A1	10/24/89	Tokheim Corporation	184-X=- Standard Cash Console: 184M-X=- Master Console (when a satellite is used): 184S-X = Satellite Console (when a master is used) where X is the number of fueling sites	Service Station Consoles/ECR	184 Series (MEMS IV)			999.99 vol units		Digital Electronic
86-033	12/04/86	Alkon Corporation		Indicating Elements	LCI-1	III/III L	1,000			
86-034	01/08/87	W.R. Grace & Co.		Dry Measure	536			1 dry quart		Polystyrene Foam Berry Basket
86-035	12/17/86	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738	III/III L	10,000			Digital Electronic
86-035A	03/25/88	Cardinal/Detecto Scale Mfgr. Co.	738 BA (Batch Aid)	Indicating Elements	738	III/III L	10,000			Digital Electronic
86-035A2	04/18/90	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738	III/III L	10,000			Digital Electronic
86-035A3	07/29/91	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738/738 SCD	III/IIIL	10,000			Digital Electronic
86-036	12/19/86	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	10K	III/III L	10000			Digital Electronic
86-037	12/16/87	Revere Transducers, Inc.	Other capacities: 1k, 2.5k, 4k, 5k, 10k	Load Cell	5123	III	3k S, 5k M	1k - 10k lb		Single ended shear beam.
86-037P	01/26/87	Revere Transducers, Inc.	Capacities (lb): 1k, 2.5k, 4k, 5k, 10k	Load Cell	B5123	III	3k S, 5k M	1k - 10k lb		Superseded by 86-037
86-038	03/28/91	Revere Transducers, Inc.	The specific models of load cells covered by this Certificate are 5223-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for individual load cells comply with Handbook 44.	Load Cell	5223-B10	III L	10,000	50K, 65K, 100K		Double Ended Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-0388A1		Revere Transducers, Inc.		Load Cell	5223-B10	III L	10,000 M	50k to 200k lb		IN PROCESS
86-038P	01/26/87	Revere Transducers, Inc.		Load Cell	B5223	III L	10000 M	50k, 65k, 100k lb		Superseded by 86-038PA12/10/87
86-038PA	12/10/87	Revere Transducers, Inc.		Load Cell	5223	III L	10000 M	50k, 65k, 100k lb		Double Ended Shear Beam
86-039	03/28/91	Revere Transducers, Inc.		Load Cell	5103-B10	III L	10,000	30K to 250K lb		Double Ended Shear Beam
		The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.								
86-039P	01/26/87	Revere Transducers, Inc.		Load Cell	5103	III L	10,000 M	50k-150k lb		Superseded by 86-039PA 7/25/88
86-039P	07/25/88	Revere Transducers, Inc.		Load Cell	5103	III L	10000 M	10k to 100k lb		Double Ended Shear Beam
		The specific models of load cells covered by this Certificate are 5103-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. Range of capacities (lb) from to 100 K.								
86-040P	01/26/87	Revere Transducers, Inc.		Load Cell	C692B	III L	10000 M	25k, 50k, 100k lb		Superseded by 86-040P 12/10/87
86-040P Amended	12/10/87	Revere Transducers, Inc.		Load Cell	692B	III L	10000 M	25k, 50, 100k lb		Multi-Column Compression
86-041	03/01/89	Revere Transducers, Inc.		Load Cell	SSB	III	3,000 S	500 to 5,000 kg	1k to 10k lb	Single Ended Shear Beam
		SSB-.5t-C3, -1t-C3, -2t-C3, -2.5t-C3, -5t-C3: SSB-1-III/3, -2-III/3, -5-III/3, -10-III/3								
86-041.A1	03/28/91	Revere Transducers, Inc.		Load Cell	SSB	III & IIIL	3,000	500k - 5000 kg		Single Ended Shear Beam
		Capicity- 1,000 to 10,000 lb. The specific models of load cells covered by this certificate are SSB-X-Y-Z where X, Y, & Z, as applicable are model numbering codes denoting capactiy, classification, electrical connection. Other Models: SSB-.5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, kSSB-5-III/3 and SSB-10-III/3.								
86-041P	01/02/86	Revere Transducers, Inc.		Load Cell	SSB	III	3000 S	500 - 5,000 kg	1k to 10k lb	Superseded by 86-041
		SSB-.5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, SSB-5-III/3, SSB-10-III/3								
86-042	01/08/87	Kubota Corporation		Computing Scale	FP-900	III	3000	30 x 0.01 lb	400 x 252 mm	Digital Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-042A1 02/12/90	Kubota Corporation	Other capacity: 30 x 0.01 lb	Computing Scale	FP-900 SERIES	III	5,000	50 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A2 01/24/91	Kubota Corporation	capacities: 30 x 0.01 lb & 50 x 0.01 lb. Model designations: Model FP-900, Model FP-910, Model FP-950 & Model FP-960.	Computing Scale	FP-900 Series	III	5,000	see below	400 x 252 mm	Digital Electronic
86-043 09/30/88	Sensortronics		Load Cell	60001A	III/III L	5K,10K S	750-7500 lb		Type S Load Cell
86-043 Amended 03/27/91	Sensortronics	Capacity: SC-Class III, 5000/SCells, Class III L, 10,000. 60001A25, 60001A50, 60001A75, 60001A100, 60001A150, 60001A200, 60001A300, 60001A500, 60001A750, 60001A1K, 60001A1.5K, 60001A2K, 60001A2.5K, 60001A3K, 60001A4K, 60001A5K, 60001A7.5K, 60001A10K, 60 001A15K, 60001A20K, 60001A25K & 60001A30K.	Load Cell	60001A-XX	III/III L	see below	25 - 20,000 lb		S-Beam Tension
86-043P 12/10/87	Sensortronics		Load Cell	60001A	III/IIIL	5K/10K S	250 -2500 lb		Superseded by 86-043
86-043PA1 05/25/89	Sensortronics	Capacities (lb): 250: 500: 10,000: 15,000: 20,000	Load Cell	60001A	III/III L	5000 S	250 to 20,000 lb		Superseded by 86-043
86-044 05/24/88	Sensortronics		Load Cell	65023A	III	5000 M	1000 to 10000 lb		Shear Beam Compression
86-044.A2	Sensortronics		Load Cell	65023A	III	3kS/5kM	1000 to 10000 lb		IN PROCESS
86-044A1 05/25/89	Sensortronics		Load Cell	65023A	III	3000 S	1000 - 10000 lb		Shear Beam, Compression
86-044P 12/10/87	Sensortronics		Load Cell	65023A	III	5,000 S	1k - 10k lb		Superseded by 88-044
86-045 05/24/88	Sensortronics		Load Cell	65040A	III L	10,000 M	25k-125k lb		Double Ended Shear Beam
86-045P 12/10/87	Sensortronics		Load Cell	65040A	IIIL	10,000 M	25k - 125k		Superseded by 86-045
86-046 02 10 89	Sensortronics	Capacities (lb) 20,000 25,000 30,000 40,000: 50,000: 60,000: 75,000: 90,000: 100,000: 125,000	Load Cell	65058A	III L	10,000 M	20,000-125,000 lb		Superseded by 86-046.A1

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
86-046.A1 07/01/91	Sensortronics	Load Cell	65058	III L	10,000 M	20k - 200k lb		Double Ended Shear Beam
86-046P 12/10/87	Sensortronics	Load Cell	65058A	III	10,000 M	20k - 125k		Superseded by 86-046
86-046PA 07/25/88	Sensortronics	Load Cell	65058A	III L	10,000 M	20k-125k lb		Superseded by 86-046
87-001 03/13/87	Mettler Instrument Corporation	Jewelers' Balance	PM Series/49	II	40,000	4000 x 0.01g	6.5" dia	Digital
87-001A 03/01/89	Mettler Instrument Corporation	Jewelers' Balance	PM/49 & CM/49 Series	I and II		110g to 16,006 g		Digital Electronic
	n, class I - 120,000: n, class II - 20,000: PM2000C/49 (Class I): PM1200/49 (Class I): PM6100/49 (Class I): CM200/49 (Class II): PM400C/49 (Class II): PM15/49 (Class II)							
87-002 02/04/87	Gilbarco, Inc.	Service Station Consoles/ECR	T-15 PA0189, PA0190					Digital Controller
87-002.A1 07/06/90	Gilbarco, Inc.	Cash Register	TCR-15 Systems					Digital Electronic
	includes: T-15 Console PA0189; C-15 Controller Model PA0190 & C-2 Controller Model PA0211							
87-003 04/07/87	Flex-Weigh Corporation	Indicating Elements	DWM-IV	III/III L	10,000			Superseded by 87-003A
87-003A 05/21/87	Flex-Weigh Corporation	Indicating Elements	DWM IV	III/III L	10,000			Digital Indicating Element
87-004 04/06/87	Mettler Instrument Corporation	Jewelers' Balance	PJ Series/49	II	41,000	4100 x 0.1 g	6.5" dia	Grain Test Scale
	PJ300/49, PJ3000/49, PJ400/49, PJ4000/49, PJ6000/49, PJ360/49, PJ3600/49							
87-004A 05/24/88	Mettler Instrument Corporation	Jewelers' Balance	PJXXXXG Series	II	41,000	4100 x 0.1 g	6.5" dia.	Digital Electronic
	PJ600G, PJ4000G, PJ6000G, PJ3600G							
87-004A2 03/29/89	Mettler Instrument Corporation	Jewelers' Balance	PJ Series	II	41,000	610g to 15,000		Digital Electronic
	PJ600/49: PJ6/49: PJ12/49: PJ1220/49: PJ15/49							
87-005 03 24 87	Griffin Tech Inc	Service Station Consoles/ECR	RDT-4400					Electronic Cash Register

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-006	03/19/87			Computing Scale	SM-15	III	3,000	30 x 0.01 lb	10.5" x 14.5"	Digital Computing Scale
87-007P	04/30/87	Hardin Industries	Optional lengths 40' - 120'	Vehicle Scale	7080E10	III L	7,000	140k x 20 lb	80'x 10'	Vehicle Scale Weighing Element
87-008	04/14/87	Kubota Corporation		Computing Scale	LA 230	III	3,000	30 x 0.01 lb	27x37cm	Digital Computing Scale
87-009				NO DEVICE TYPE						NOT ISSUED
87-010	04/20/87	Metrometer, Inc.		Taximeter	21R					Single or Multi-rate Taximeter
87-011	04/20/87	Metrometer, Inc.		Taximeter	22NP					Single or Multi-rate Taximeter
87-012	06/16/87	Engineered Systems, Inc. (ESI)	271 XX	Wholesale Meter	330 XX					Wholesale Terminal Controller
87-013P	06/17/87	Unibridge Scale Systems		Vehicle Scale	UBSR 1301040	III L	10,000	200,000 x 20 lb	130' x 10' 5 sect	Electronic Load Cell
87-014	06/12/87	NCR Corporation		POS Scale	7824	III	3,000	30 x 0.01 lb	13"x 12"	Scanner/Scale
87-015	06/16/87	Scale Data Systems		Printer	4000					Inbound/outbound vehicle scale
87-016	05/12/87	Toledo Scale Corporation		Indicating Elements	8146	III/III L	10,000			Digital Indicating Element
87-016A1	08/05/91	Toledo Scale Corporation		Indicating Elements	8146 & 8146D	III/III L	10,000			Digital Element
87-017	05/12/87	Toledo Scale Corporation		Computing Scale	8425	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-018A	01/11/89	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series			999.999 gal		Digital Electronic
87-019	05/21/87	Vertex Industries, Inc.		Prescription Balance	DRX-3	III	6,000	60 x 0.01g	3" dia.	Mechanical Analog Balance

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-020	05/22/87	Bennett Pump Company		Service Station Consoles/ECR	M 430					Superseded by 87-020A2
87-020A	04/19/89	Bennett Pump Company	A 430-1	Service Station Consoles/ECR	Access 430					Superseded by 87-020A2
87-020A2	08/21/89	Bennett Pump Company	MI 320, MI 350	Service Station Consoles/ECR	ECR-430 ECR A 430-1					Cash Register/Controller
87-021	05/21/87	Fairbanks Scales	H90-3042, H90-3042B	Indicating Elements	H90-3043	III/III L	6,000			Digital Indicating Element
87-022	05/20/87	Electronic Scales International	JK901aa, JK903aa, JK951aa, JK953aa	Computing Scale	JK900 Series	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-023	05/21/87	Liquid Controls Corporation		Vehicle Tank & LPG Meter	5120					Temperature Volume Compensater
87-024	02/10/89	NCR Corporation	Class 2157, Model 0104: Class 2157, Model 0109	Cash Register	2157					Digital Electronic
87-025	01/25/89	CANMAX Retail Systems, Inc.	Class 2157, Model 0104: Class 2157, Model 0109	Service Station Consoles/ECR	FULL SERVE					Cash Register Service
87-026	08/25/87	Baader North America Corp.		Floor Scales	3020.10.02	III	3,000	300 kg	36"x36"	Elec. Load Cell Weighing Elem.
87-027	07/16/87	Cardinal/Detecto Scale Mfgr. Co.	6600-2, 6600-5, 6600-10, 6600-50, 6600-100	Bench and Counter Scale	6600 Series	III	5,000	100x0.02 lb	8.25" x 14.5"	Digital Bench Scale
87-028	07/13/87	Cardinal/Detecto Scale Mfgr. Co.		Bench and Counter Scale	AP-20	III	1,999	19.99x0.01	6.75" x 5.25"	Supersedes by 87-028A1
87-028A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 X 9.91 lb	6.75 x 5.25 "	Digital Bench Scale
87-029	07/14/87	Western Scale Company Limited		Indicating Elements	DF 2000	III/III L	5,000			Digital Indicating Element

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-030	07/14/87	TEC America, Inc.		Cash Register	MA-1190	N/A				Electronic Cash Register
87-031	07/14/87	Weigh-Tronix, Inc.		Indicating Elements	5788	III/III L	10,000			Digital Indicating Element
87-032	07/10/87	NCR Corporation		Service Station Consoles/ECR	2522					Service Station Console
87-033	07/16/87	Cardinal/Detecto Scale Mfgr. Co.	6600-2, 6600-5, 6600-10, 6600-50, 6600-100	Bench and Counter Scale	6600 Series	III	5,000	100 x 0.02lb	8.25" x 14.5"	Digital Bench Scale
87-034	07/16/87	Cardinal/Detecto Scale Mfgr. Co.		Bench and Counter Scale	AP-20	III	1,999	19.99 x 0.01 lb	6.75" x 5.25"	Superseded by 87-034A1
87-034A1	01/06/90	Cardinal/Detecto Scale Mfgr Co	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 x 9.91 lb	6.75" x 5.25"	Digital Bench Scale
87-035	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/375-1L/19			999.999 gal		Supersedes by 87-035A
87-035A	06/16/89	Wayne Division	Model DS1/375-1L/19G (CC No. 87-035). For use in retail service stations.	Retail Motor Fuel Dispenser	DS1/585-1L/19EG			999.999 Gallons		Digital Electronic
87-036	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/387-1L/19			999.999 gal		Digital retail dispenser
87-036A	06/16/89	Wayne Division	DS1/387/IL/19G (CC No. 87-036). For use in retail service stations.	Retail Motor Fuel Dispenser	DS1/387-1L/19EG			999.999 Gallons		Digital Electronic
87-037P	09/14/87	Astec Industries		Hopper Scale	SEB	III L	3,750	75 x 0.02 ton		Portable Hopper Scale
87-038	09/01/87	Weigh-Tronix, Inc.	3401	Computing Scale	3400	III	3,000	30 x 0.01 lb	12"x12"	Digital Computing Scale
87-038A	09/22/88	Weigh-Tronix, Inc.	Model 3400-X, Model 3400 PLU	Computing Scale	3400	III	3,000	30 x 0.01 lb	12 " x 12 "	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-039	09/25/87	Seltec Corporation		Indicating Elements	AD500	III L	10,000			Superseded by 87-039A
87-039A	10/28/88	Seltec Corporation	BL 500, AB 500, CB 500	Indicating Elements	AD 500	III L	10,000			Digital Electronic
87-040	09/15/87	Micro Motion, Inc.	D25, D40, D100, D150, D300, D600	Mass Flow Meter	FlowScale					Superseded by 87-040.A1
87-040.A1	01/03/91	Micro Motion, Inc.		Mass Flow Meter	D Series Sensor					Digital Electronic
Mass Flow Transmitter Models: FSXXXXXX (FlowScale), RFT9712XXXX (Remote Flow Transmitter). Sensor Model Numbers: DX025XXXXX, DX040XXXXX, DX065XXXXX, DX100XXXXX, DX150XXXXX, DX300XXXXX & DX600XXXXX.										
87-041	09/29/87	A&D Engineering, Inc	FV-30KA2, FV-60KA2, FV-150KA1	Bench and Counter Scale	FV-60KA1	III	3100	60 x .02 kg	15.4" x 20.8"	Superseded by 87-041A
87-041A	04/19/89	A&D Engineering, Inc	FV-30KA2, FV-60KA2, FV-150KA1	Bench and Counter Scale	FV-60KA1	III	3,100	60 x .02 kg		Digital Bench Scale
87-042	09/14/87	Weigh-Tronix, Inc.	5790R, 5790S	Indicating Elements	5790	III/III L	5,000			Digital Indicating Element
87-043	09/14/87	TEC America, Inc.	SL-39-15L-N	Computing Scale	SL-39-30L-N	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-044	09/14/87	TEC America, Inc.		Computing Scale	SL-37-15L-N	III	1,500	15 x 0.01 lb		Digital Computing Scale
87-045	09/14/87	TEC America, Inc.		Cash Register	MA-290					Electronic Cash Register
87-046	09/14/87	TEC America, Inc.		Computing Scale	SL 59-30L	III	3000	30 x 0.01 lb	240 mm x 350 mm	Digital Electronic
87-047	09/14/87	TEC America, Inc.		Prepackaging Scale	SL 31-50R	III	5,000	50 x 0.01 lb	27x40 cm	Digital Prepackaging Scale
87-048	09/14/87	TEC America, Inc.		Computing Scale	SL 43-100	III	4,999	99.98x0.02lb	15-5/8" x 12"	Digital Weighing Element

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-049 09/14/87	TEC America, Inc.	Computing Scale	SL-66-30-L	III	3,000	30 x 0.01 lb	9.5" x 13.75"	Digital Computing Scale
87-049 Amended 11/05/90	TEC America, Inc.	Computing Scale	SL-60-30-L	III	3,000	30 x 0.01 lbs	9.5" x 13.75"	Digital Electronic
87-049A1	TEC America, Inc.	Computing Scale	SL-66-30-1	III				NOT ISSUED
87-049A2 08/27/91	TEC America, Inc. SL-6600-30-9	Computing Scale	SL-66-30-1	III	3,000	30 x 0.0l lbs	9.5"x 13.75"	Digital Electronic
87-050 09/29/87	Omron Systems of America RS 8510	Cash Register	RS 8500					Stand Alone Cash Register
87-051 04/05/89	Revere Transducers, Inc.	Load Cell	9363	III/III L	3k/10k S	100-10,000 lb		Superseded by 87-051 12/20/89
	Class III, Model code 9363-A3-YYYY: Class IIIL, Model code 9363-B10-XXX-YYYY.							
87-051 12/20/89	Revere Transducers, Inc.	Load Cell	9363	III/III L	3k0/10k S	100 - 10,000 lb		Tension S-Cell,Stainless Steel
87-051.A1 03/28/91	Revere Transducers, Inc.	Load Cell	9363-A3 & 9363-B10	III & IIIL	see below	100 - 10,000 lb		Tension S-Cell
	Capacity: Single Cell, Class III: 3,000 & Single Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 9363-A3-XXX-YYYY: for Class III L, models 9363-B10-XXX-YYYY where XXX is the capacity code a nd YYYY is a designator for the electrical cable length, wiring color code, and private label variations.							
87-051.A2 03/19/92	Revere Corp (See Revere Transducers, Inc.)	Load Cell	9363-A3 & 9363-B10	III/III L	see below	100 - 10,000 lb		Tension S-Cell, Stnless Steel
	n-max: S/C-Class III: 3000; S/C-Class III L: 10000							
87-051PA 07/25/88	Revere Transducers, Inc.	Load Cell	9363	III/III L	3k/1Ok S	3000 - 10000 lb		Superseded by 87-051
	Class III, Models 9363-A3-XXX-YYYY: Class III L, Models 9363-B10-XXX-YYYY. Capacities (lb): 3,000: 5,000: 10,000							
87-052P 12/10/87	Sensortronics	Load Cell	60048A	III	5,000 S	100 - 1k lb		Bending Beam
	Capacities (lb): 100, 200, 400, 500, 1000							
87-053 01/26/89	Sensortronics	Load Cell	65061A	III L	10,000 M	10k - 100k		Double Ended Shear Beam
	Capacities (lb): 10,000: 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 100,000							

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-053P 12/10/87	Sensortronics		Load Cell	65061A	III L	10000 M	10K to 100K lb		Superseded by 87-053
87-054P 12/10/87	Sensortronics	Capacities: 2500, 5000, 10000, 15000, 25000	Load Cell	65016A	III L	10,000 M	2.5k - 25k		Shear Beam Center Loaded Cell
87-055 08/17/89	Hottinger Baldwin Measurements, Inc	BLC-YYYXX500 thru BLC-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 500: 1,250: 2,000: 2,500: 5,000	Load Cell	BLC	III	3,000 S,M	500 to 5000 lb		Bending Beam
87-055P 09/29/87	Hottinger Baldwin Measurements, Inc	Capacity range 500 - 5,000 lb	Load Cell	BLC	III	3,000 S,M			Superseded by 87-055
87-056P 11/25/87	Interface, Inc.		Load Cell	SSM	III/III L	6K,10K S			Superseded by 87-056P Ammended
87-056P 03/14/88	Interface, Inc.	SSM-xxx-100A, SSM-xxx-100C, SSM-xxx-100E, SSM-xxx-100G, SSM-xxx-100J, SSM-xxx-100M, SSM-xxx-100R, SSM-xxx-250A, SSM-xxx-250C, SSM-xxx-250E, SSM-xxx-250G, SSM-xxx-250J, SSM-xxx-250M, SSM-xxx-250R, SSM-xxx-500A, SSM-xxx-500C, SSM-xxx-500E, SSM-xxx-500G, SSM-xxx-500J, SSM-xxx-500M, SSM-xxx-500R, SSM-xxx-1000A, SSM-xxx-1000C, SSM-xxx-1000E, SSM-xxx-1000G, SSM-xxx-1000J, SSM-xxx-1000M, SSM-xxx-1000R	Load Cell	SSM Series	III/III L	6K,10K S			Load Cell
87-056PA1 05/15/90	Interface, Inc.	The specific models of load cells covered by this certificate are SSM-XXX-YYYYS where XXX is a two or three character alphanumeric code used to designate variations such as cable type or length, YYYY is the capacity of the load cell in pounds, and S is the unique character identifying this series from the previous certificate (CC No. 88-056P). Capacities from 100 to 1000 lbs.	Load Cell	SSM-S	III/III L	6k, 10k S	6000 - 10000		Load Cell
87-057 05/24/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 to 10000 lb		Superseded by 87-057A3
87-057A2 05/02/89	Artech Industries, Inc.		Load Cell	20210	III	4,500 S	25 - 10,000 lb		Superseded by 87-057A3
87-057A3 05/11/90	Artech Industries, Inc.	Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000, 25,000, 30,000, 35,000, 40,000	Load Cell	20210	III, III L	5k, 10k S	25 - 40,000 lb		Type "S" - Load Cell
87-057P 09/29/87	Artech Industries, Inc.	Capacities (lb): 50, 100, 250, 500, 1000, 2500, 3000, 5000, 10000	Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-057PA 01/27/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
87-057PA3 02/12/90	Artech Industries, Inc.		Load Cell	20210	III, III L	5K,10K S	25 to 20,000 lb		Superseded by 87-057A3
87-058 05/24/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 to 10000 lb		Superseded by 87-058A2
87-058.A3 03/07/91	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000	1,000 to 10k lb		Shear Beam
		The specific models of load cells covered by this certificate are identified by the capacity of each load cell.							
87-058A2 05/02/89	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000 M	1k - 10k lb		Shear Beam
		Specific models of load cells are identified by the capacity. See Certificate. Optional model families: 30210 and 30310-xx-C/B							
87-058P 09/29/87	Artech Industries, Inc.		Load Cell	30310	III	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-058PA 01/27/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-059 04/06/92	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	SB SERIES	III/III L	III5kM/	2.5k - 20k lb		Stainless Steel Shear Beam
		Class III-MC-5000; Class III L-SC-10000							
87-059P 11/25/87	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	SB-5000S	III	5,000 M	2.5k - 20k lb		Shear Beam
		SB-2500S, SB-5000S, SB-10 000S, SB-20 000S							
87-059P.A 01/22/88	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	SB-5000S	III L	10,000 S	2.5 - 20k lb		Shear Beam Load Cell
		SB-2500S, SB-5000S, SB-10 000S, SB-20 000S							
87-059P.A1 02/20/91	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	SB-5000S	III	MC-5000	2500 - 20,000 lb		Shear Beam
		SB-2500S, SB-5000S, SB-10000S & SB-20000S							
87-060 06/28/88	BLH Electronics, Inc.		Load Cell	C2P1	III L	4,500 M	20k-200k lb		
		Capacities: 20k, 50k, 100k, 200k							
87-060P 03/10/88	BLH Electronics, Inc.		Load Cell	C2P1	III	3000 S	20000 - 200000 lb		WITHDRAWN
		Capacities (lb): 20k, 50k, 100k, 200k							

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-060PA 01/27/88	BLH Electronics, Inc.	Capacities (lb): 20k, 50k, 100k, 200k	Load Cell	C2P1	III L	10000 M	20000 - 200000 lb		Superseded by 87-060
87-061 06/28/88	BLH Electronics, Inc.	Capacities (lb): 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450 - 45000 lb		Shear Beam Load Cell
87-061P 09/29/87	BLH Electronics, Inc.	Capacities: 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450-4500 lb		Superseded by 87-061
87-062 10/27/87	Bennett Pump Company	6012, 6013, 6022, 6025, 6024, 6027	Retail Motor Fuel Dispenser	6000 Series			99.999 gal.		Digital RFD
87-063 04/05/89	Revere Transducers, Inc.	For Class III, Models 363-A3-XXX-YYYY: For Class III L, Models 363-B10-XXX-YYYY, where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities: 100, 200, 300, 500, 750, 1.5k, 2k, 3k, 5k, 10k	Load Cell	363	III/III L	3k,10k S	100-10,000 lb		Superseded by 87-063 12/20/89
87-063 Amended 12/20/89	Revere Transducers, Inc.		Load Cell	363	III/III L	3K,10K S	100 - 10,000 lb		Tension S-Cell
87-063.A1 03/28/91	Revere Transducers, Inc.	Capacity: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 363-A3-XXX-YYYY: for Class III L, models 363-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.	Load Cell	363-A3 & 363-B10	III & IIIL	see below	100 - 10,000 lb		Tension S-Cell
87-063.A2 03/19/92	Revere Corp (See Revere Transducers, Inc.)	n-max: S/C-Class III: 3000; S/C-Class III L: 10000	Load Cell	363-A3 & 363-B10	III/III L	see below	100 - 10,000 lb		Tension S-Cell
87-063PA 07/25/88	Revere Transducers, Inc.	For Class III, Models 363-A3-XXX-YYYY: for Class III L, Models 363-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities (lb): 3 k, 5 k, 10 k	Load Cell	363	III/III L	3k,10k S	3000 - 10000 lb		Superseded by 87-063
87-064 09/29/87	NCI Weigh-Tronix Inc.	3451	Computing Scale	3450	III	3000	30 x 0.01 lb	12" x 14"	Digital Electronic
87-064A 09/22/88	NCI Weigh-Tronix Inc.		Computing Scale	3450	III	3,000	30 x 0.01 lb		Digital Computing Scale

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-065	09/29/87		SM-60A	Computing Scale	SM-60	III	3,000	30 x 0.01 lb	11" x 15.5"	Digital Computing Scale
87-066	09/29/87	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/IIIL	6K,10K			Digital Indicating Element
87-066A	05/25/89	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/III L	6K,10K			Digital Electronic
87-067	10/14/87	Antonson/Meto, Inc.		Computing Scale	823	III	3,000	30 x 0.01 lb	12" x 14.5"	Digital Computing Scale
87-068	08/17/89	Toledo Scale Corporation		Computing Scale	8422	III	5000	50 x 0.01 lb	9.5" x 14.5"	Digital Electronic
87-069	04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	5,000	50 x 0.01 lb	12.5" x 14"	Digital Electronic
87-070	12/29/87	Ishida Scales Mfg. Co., Ltd.	NOVA-300L	Computing Scale	NOVA-150L	III	3,000	15 x .005 lb	285mm x 223mm	Digital Computing Scale
87-071	12/30/87	Avery Weighing Technology	Optional capacity: 30 x 0.01 lb	Bench and Counter Scale	3359	III	3,000	60 x .02 lb	350mm x 350mm	Digital Bench Scale
87-071A	09/22/88	Avery Weighing Technology	Optional capacities: 30 x 0.01 lb, 60 x 0.02 lb	Bench and Counter Scale	3359	III	2,000	100 x 0.05 lb	350 mm x 350 mm	Digital Electronic
87-072	03/10/88	Pelouze Scale Company		Bench and Counter Scale	PS75LR	III	750	75 x 0.1 lb	18'x 13"	Superceded by 87-072A2
87-072.A2 Amend	09/11/90	Pelouze Scale Company	PS75LR: 75 x 0.1 lb or 34 x 0.05 kg, PS75LRX: 75 x 0.1 lb or 34 x 0.05 kg, PS75LR1: 75 x 0.05 lb, PS75L: 75 x 0.01 lb, PS75L1: 75 x 0.05 lb.	Bench and Counter Scale	PS75L	III	1,500	See other models	18" x 13"	Shipping Scale
87-072A	09/11/90	Pelouze Scale Company	PS75LR, 75 x 0.1 lb: PS75LRX, 75 x 0.1 lb: PS75LR1, 75 x 0.05 lb: PS75L, 75 x 0.1 lb: PS75L1, 75 x 0.05 lb	Bench and Counter Scale	PS75L Series	III	1500	75 x 0.1 lb	18'x 13"	Superceded by 87-072A2
87-072A2	04 25 90	Pelouze Scale Company		Bench and Counter Scale	PS75LRX	III	1500	75 x 0.05 lb	18" x 13"	Shipping Scale

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-073	12/30/87	Analogic Corporation		Indicating Elements	AN5315	III/III L	10,000			Digital Indicating Element
87-074	12/30/87	Analogic Corporation		Indicating Elements	AN5316	III/III L	10,000			Digital Indicating Element
87-075	12/30/87	Analogic Corporation		Indicating Elements	AN5322	III/III L	10,000			Digital Indicating Element
87-076P	10/29/87	Loadometer Corporation		Wheel Load Weigher	Haenni WL101	IIII	400	20k x 50 lb	20' x 14"	Analog Wheel-load Weigher
87-077	10/26/87	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-2 and MPD-3			99.999 gal		Superseded by 87-077A2
87-077A2	02/12/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AE, AK, AL, AP, AU			99.999 total gal		
			The Gilbarco model designation consists of a variety of entries based upon the dispenser configuration. The device is identified by the model designation AXXXXXX where the XXXXXX represents various device parameters. These devices are known by the; generic names of MPD-2, MPD-3, and the MPD-ProBlender. Other capacities of series: $999.99 Total Price, $9.999 Unit Price							
87-078P	12/18/87	PAT Equipment Corporation	Model SAW10A-2, Model SAW10C	Wheel Load Weigher	SAW 10A	IIII	400	20k x 50 lb	28.75" x 20"	Digital Wheel-Load Weigher
87-079	11/05/87	Tokheim Corporation	191	Service Station Consoles/ECR	185 Series (MEMS V)					Superseded by 87-079A1
87-079A1	10/24/89	Tokheim Corporation	185-X, 185M-X, 185S-X	Service Station Consoles/ECR	185 Series (MEMS V)					Digital Electronic
87-080P	11/30/87	Thurman Scale Company	8510, 8520, 8530, 8540	Vehicle Scale	8530	III L	6,000	120k x 20 lb	70' x 10'	Load Cell Electronic
87-081	11/25/87	Kubota Corporation		Computing Scale	LA-ONE	III	3,000	30 x 0.01 lb	14.6" x 10.8"	Digital Computing Scale
87-081A1	10/13/89	Kubota Corporation	LA-ONE, capacity 30 x .01 lb n:3000	Computing Scale	LA-150	III	5000	50 x .01 lb	14.6" x 10.8"	Digital Electronic
87-082	12/18/87	BLH Electronics Inc		Indicating Elements	LCI	III/III L	10,000			Digital Indicating Element

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-083P 04/07/88	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	50K-HDD	III L	10,000 M	50,000 lb		Column Compression Load Cell
87-084 10/02/89	Toledo Scale Corporation Specific load cells are identified by the load cell capacities. Capacities (lb): 500, 1000, 2000	Load Cell	725	III	6,000 M	500 - 2k lb		Bending Beam Load Cell
87-084.A1 02/26/91	Toledo Scale Corporation	Load Cell	725	III	6,000	500 - 2000 lb		Bending Beam
87-084P 07/17/88	Toledo Scale Corporation Capacities (lb): 500, 1000, 2000	Load Cell	725 family	III	6000 M	500 to 2000 lb		Superseded by 87-084
87-085 03/10/88	Revere Transducers, Inc. Capacities (kg): 20, 50, 100, 200, 500, 1000	Load Cell	SHB	III	3,000 S	20 - 1000 kg		Bending Beam and Shear Beam
87-085.A1 03/28/91	Revere Transducers, Inc. The specific models of load cells covered by this certificate are SHB-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.	Load Cell	SHB	III & IIIL	S-Cell: 3000	20 - 1,000 kg		Bending Beam & Shear Beam
87-086 03/10/88	Revere Transducers, Inc. Capacities: (kg) 10, 20, 30, 50, 100: (lb) 30, 50, 75, 125, 250	Load Cell	LCU	III	3,000 S	10 - 100 kg	30 - 250 lb	Bending Beam Load Cell
87-086.A1 03/28/91	Revere Transducers, Inc. The specific models of load cells covered by this certificate are LCU-X-Y-Z wherre X, Y, & Z, as applicalbe, are model numbering codes denoting capacity, classification, and electrical connection.	Load Cell	LCU	III & IIIL	S-Cell: 3000	10-100kg/10-250lb		Bending KBeam
87-087 08/17/89	Hottinger Baldwin Measurements, Inc BBS-YYYXX500 thru BBS-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500	Load Cell	BBS	III	3,000 S	50 to 2500 lb		Bending Beam
87-087P 03/10/88	Hottinger Baldwin Measurements, Inc BBS-YYYXX500 thru BBS-YYYXX699 where YYY is the load cell capacity and XX is the cable length; Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500	Load Cell	BBS	III	3000 S	50 lb to 2500 lb		Superseded by 87-087
87-088 08/17/89	Hottinger Baldwin Measurements, Inc UIT-YYYXX500 thru UIT-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000	Load Cell	UIT	III	3,000 S	50 to 3000 lb		Bending Beam
87-088P 03/10/88	Hottinger Baldwin Measurements, Inc U1T-YYYXX500 thru U1T-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 50, 100, 200, 300, 500, 1000, 2000, 3000	Load Cell	U1T	III	3000 S	50 to 3000 lb		Superseded by 87-088

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-089P 02/10/89	Hottinger Baldwin Measurements, Inc		Load Cell	USB	III	3,000 S	200 - 5k lb		Superseded by 87-089P.A1
		USB-YYYXX500 thru USB-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities 200: 500: 1,000: 2,000: 5,000: 10,000							
87-089P.A1 09/26/90	Hottinger Baldwin Measurements, Inc		Load Cell	USB	III	3000	200 to 10,000 lb		Universal , Tension
		The specific models of load cells coverred by this certificate are USB-YYYXX500 through USB-YYYXX699 where YYY is the load cell capacity & XX is the cable length.							
87-090 08/30/88	Weigh-Tronix, Inc.		Load Cell	WBP & WBR	III	5,000 M	500-5,000 lb		Bending Beam
		WBP-0.50K, -1.25K, -2.50K, -5.00K, -1000, -2000. Capacities: 500 - 2000 lb							
87-090.A2 09/24/90	Weigh-Tronix, Inc.		Load Cell	WBP, WBR, WBL	III	5000	500 - 50,000 lb		Shear Beam
87-090.A3 03/07/91	Weigh-Tronix, Inc.		Load Cell	WBP, WBR, WBL	III	5,000	500 to 50,000 lb		Bending Beam
		The only diffierence b/t the WBP, WBR, & WBL is in the end mounts. These differences are not considered to be metrologically significant. Models: WBP-.500K, WBP-1.25, WBP-2.50K, WBP-5.00K, WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K, WBR-1000, WBR-2000, WBL-500K, WBL-1.25K, WBL-2.50K & WBL-5.00K.							
87-090A 07/25/88	Weigh-Tronix, Inc.		Load Cell	WBP	III	5000 M	10000 to 50000 lb		Bending Beam
		WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K: Capacities (lb): 10,000: 20,000: 25,000: 50,000							
87-090P 12/29/87	Weigh-Tronix, Inc.		Load Cell	WBP	III	5000 M	500 to 5000 lb		Supersed by 87-090A
		WBP-0.50K, WBP-1.25K, WBP-2.50K, WBP-5.00K: Capacities (lb): 500, 1250, 2500, 5000							
87-090PA 04/20/88	Weigh-Tronix, Inc.		Load Cell	WBR	III	5000 M	500 to 5000 lb		Superseded by 87-090A
		WBR-1000, WBR-2000: Capacities (lb): 1000, 2000							
87-091 03/10/88	W.R. Grace & Co.		Dry Measure	24P			1 dry pint		Polystyrene Foam Berry Basket
87-092 05/03/88	John Chatillon & Sons, Inc.		Hanging Scale	0024/A	III	960	30lb x 1/2 oz	Pan	Mechanical Hanging Scale
87-093 12/30/87	Weigh-Tronix, Inc.	2520-1	Bench and Counter Scale	3835	III	5,000	250 x .05 lb	20" x 20"	Superseded by 87-093A1
87-093A1 02/16/90	Weigh-Tronix, Inc.		Floor Scales	3835	III	5,000	250 x 0.05 lb	20" x 20"	Digital Electronic

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-094 05/24/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000 M	5k - 50k lb		Double Ended Shear Beam
87-094.A1 03/07/91	Artech Industries, Inc.	The specific models of load cells covered by this certificate are identified by the capacity of each load represented.	Load Cell	70210	III/III L	5,000	5,000 to 50k lb		Double Ended Shear Beam
87-094A2	Artech Industries, Inc.	Class III, M, n = 5,000, Capacity 5,000 to 50,000 lb Class III L, M, n = 10,000, Capacity 5,000 to 200,000 lb	Load Cell	70210	III/III L	see below	see below		IN PROCESS
87-094P 01/27/88	Artech Industries, Inc.	Capacities (lb) 5,000: 10,000: 20,000: 50,000	Load Cell	70210	III/III L	5000 M	5000 to 50000 lb		Superseded by 87-094
87-095 07/25/88	Weigh-Tronix, Inc	WBP- 125K, WBP- 250K Capacities (lb): 125, 250	Load Cell	WBP	III	5000 M	125 and 250 lb		Bending Beam
87-095.A1	Weigh-Tronix, Inc.		Load Cell	WBP					IN PROCESS
87-095P 01/11/88	Weigh-Tronix, Inc.	WBP-XXXX where XXXX is the code for the capacity of the load cell. Capacities (lb): 125, 250	Load Cell	WBP	III	5000 M	125 and 250 lb		Superseded by 87-095
87-096 08/17/89	Hottinger Baldwin Measurements, Inc	PLC-YYYXX500 thru PLC-YYYXX699 and PLX-YYYXX500 thru PLX-YYYXX699, where YYY is the load cell capacity and XX is the cable length. PLC-2XX, -5XX, -10XX, -20XX, -30XX, -50XX, -70XX, -100XX, -200XX: PLX-5XX, -10XX	Load Cell	PLC & PLX Series	III	3,000 S	2 to 200 lb		
87-096PA 04/29/88	Hottinger Baldwin Measurements, Inc	PLX-YYYXX500 thru PLX-YYYXX699, where YYY is the load cell capacity and XX is the cable length. Models: PLC-2XX, PLC-5XX, PLC-10XX, PLC-20XX, PLC-30XX, PLC-50XX, PLC-70XX, PLC-100XX, PLC-200XX, PLX-5XX, PLX-10XX. PLC capacity range 2 to 200 lb; PLX capacity range 5 to 10 lb	Load Cell	PLC & PLX Series	III	3000 S	2 to 200 lb		Superseded by 87-096
87-097 01/11/88	Metro Equipment Corporation	BD-25M-XXX, BD-50D-XXX, BD-50M-XXX, BD-125PK-XXX, BD-100M-XXX, BD-250-XXX	Bench and Counter Scale	BD-125PK-XXX	III	560	125 lb x 4oz	13 1/2" x 20 1/2"	Mechanical Dial Bench Scale
87-098 10/02/89	Toledo Scale Corporation	Capacities: 1000, 2500, 5000, 10000, 20000	Load Cell	742	III	6,000 M	1k - 20k lb		Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-098.A1	02/26/91	Toledo Scale Corporation		Load Cell	742	III	MC-6,000	1000 - 20,000 lb		Shear Beam
		The specific load cells covered by this certificate, the accuracy classes, and number of divisions for each cell, are identified by the load cell capacity.								
87-098P	07/17/88	Toledo Scale Corporation	Capacities (lb)- 1,000: 2,500: 5,000: 10,000: 20,000	Load Cell	742	III	6000 M	1000 to 20000 lb		Superseded by 87-098
87-099	04/07/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	ABXXXX			99.999 gal		Electromechanical Dispenser
87-100	08/17/89	Toledo Scale Corporation		Computing Scale	8421	III	5,000	50 x 0.01 lb	10.75" x 14.6"	Digital Electronic
87-101	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	8423	III	5000	50 x 0.01 lb		Bench Scale
87-102	04/12/88	Toledo Scale Corporation		Computing Scale	8430	III	600	6 x 0.01 lb	9" x 7"	Digital Computing Scale
87-103	03/25/88	Toledo Scale Corporation		Computing Scale	8431	III	3,000	30 x 0.01 lb	9.25" x 14.25"	Digital Computing Scale
87-103A	06/14/90	Toledo Scale Corporation		Computing Scale	8431	III	3000	30 x 0.01 lb	9.24" x 14.25"	Digital Electronic
87-104	08/21/90	Toledo Scale Corporation		Indicating Elements	8140	III/III L	10,000			Digital Indicating Element
87-105	07/25/88	Toledo Scale Corporation		Indicating Elements	M8141	III/III L	10,000			Digital Electronic
87-105.A1	07/22/91	Toledo Scale Corporation		Indicating Elements	M8141/8141	III/IIIL	10,000			Digital Electronic
87-106	04/07/88	Toledo Scale Corporation		Indicating Elements	8142	III/III L	10,000			Digital Indicating Element
87-107	10/02/89	Toledo Scale Corporation		Indicating Elements	M 5000	III	10000	2000 x 0.02 lb		Digital Indicating
87-108	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	2095	III	10000	400 x 0.5 lb	20" x 20"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-109	06/16/89	Toledo Scale Corporation		Floor Scales	2185	III	8,000	1,600 X 0.2 lb	24 X 30 in	Load Cell Weighing Element
87-110	08/17/89	Toledo Scale Corporation		Floor Scales	2136	III	2000	1000 x 0.5 lb	19" x 28"	Lever System Load Cell
87-111	08/17/89	Toledo Scale Corporation		Floor Scales	2036	III	2500	250 x 0.1 lb	19" x 20"	Lever System Load Cell
87-112	08/17/89	Toledo Scale Corporation		Floor Scales	4182	III	2000	1000 x 0.5 lb		Portable Mechanical Beam Scale
87-113	01/11/88		DS-260, DS-261	Bench and Counter Scale	DS-260	III	3,000	300 x 0.1 lb	700 x 600 mm	Digital Bench Scale
87-114	01/11/88			Computing Scale	DS-380	III	3,000	30 x 0.01 lb	8" x 12.25"	Digital Computing Scale
87-115	12/29/87	Advance Scale Company		Printer	Auto-Scale 4000					Inbound/outbound vehicle scale
87-116P	08/17/89	Toledo Scale Corporation		Vehicle Scale	7551	III/III L	6000	120000 x 20 lb	70'x10' 2 section	
87-117	03/10/88	Western Scale Company Limited		Indicating Elements	DF-1000	III/III L	10,000			Digital Indicating Element
87-118	02/17/88			Prepackaging Scale	DPS 6000	III	3,000	30 x .01 lb	341 mm x 284 mm	Digital Prepackaging Scale
87-119	05/25/89	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		Bending Beam
87-119A2	10/01/91	Weigh-Tronix, Inc.		Load Cell	WBT	III L				
87-119P	02/17/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-75.0 K: Capacities (lb): 37,500: 75,000	Load Cell	WBT	III L	10000 M	37500 to 75000 lb		Superseded by 87-119
87-119PA	07/25/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		Superseded by 87-119

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
87-120	07/25/88	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500	Load Cell	WBC	III L	6,000 S	250 to 2500 lb		Bending Beam
87-120P	02/17/88	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500: Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III L	10000 S	250 to 2500 lb		Superseded by 87-120
87-121	03/01/88	Weigh-Tronix, Inc.		POS Scale	4000-1	III	3,500	30 x 0.01 lb	12" x 14"	Superseded by 87-121A3
87-121.A4	06/13/91	Weigh-Tronix, Inc.	Load Cell Model: Mark III E or Mark XVI. Capacities: 9.995 x 0.005 lb, 15 x 0.005 lb, 29.99 x 0.01 lb, 30 x 0.01 lb, 50 x 0.02 lb, 99.95 x 0.05 lb, 100 x 0.05 lb.	Indicating Elements	4000-1 & IS-4100	III	3500	see below	12" x 14"	Digital Electronic
87-121A	09/22/88	NCI Weigh-Tronix Inc.		Weight Classifier	4000-1	III	3500	30 x 0.01 lb	12" x 14"	
87-121A2	10/28/88	Weigh-Tronix, Inc.	Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 19.95 lb x 0.05 lb: 100 x 0.05 lb or 50 x 0.05 kg: 50 x 0.02 lb or 25 x 0.01 kg. Optional model 4010-1.	Weight Classifier	4000-1	III	5,000	100 x 0.1lb	12" x 14"	Superseded by 87-121A3
87-121A3	01/30/90	Weigh-Tronix, Inc.	Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 99.95 lb x 0.05 lb: 100 x 0.05 lb or 50 x 0.02 kg: 50 x 0.02 lb or 25 x 0.01 kg. Models 4000-1 and 4100 are identical and models 4110 a 4010-1 are identical	Weight Classifier	4000-1, 4100	III	5,000	100 x 0.1 lb	12" x 14"	Digital Elec. Wt. Classfier
87-122	02/17/88	TEC America, Inc.		Computing Scale	SL-57-30l-n	III	3,000	30 x 0.01 lb	240 mm x 350 mm	Digital Computing Scale
87-123	05/03/88	National Semiconductor		Cash Register	300	III	3,000	30 x 0.01 lb	14.2" x 12.7"	Digital Cash Register
87-124	08/17/89	Toledo Scale Corporation		Service Station Consoles/ECR	262	III				Digital Electronic
88-001	03/01/88	Avery Weighing Technology		Computing Scale	A600	III	1,500	15 x .01 lb	13.75" x 8.75"	Superseded by 88-001A1
88-001A1		Avery Weighing Technology		Computing Scale	A600	III	3000	15 & 30 x 0.01 lb	13.75" x 8.75"	IN PROCESS

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-002 04/07/88	Gilbarco, Inc.	AC4992AS1, AC6093, AC4093	Retail Motor Fuel Dispenser	AC4992S1			60 gal/min		Superseded by 88-226A2
88-003 03/01/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10					Superseded by 88-003A3
88-003A 05/03/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10					Superseded by 88-003A3
88-003A2 02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10					Superseded by 88-003A3
88-003A3 06/16/89	Gilbarco, Inc.	PAO24NC10	Service Station Consoles/ECR	PAO24TC10			40 gal/min		
88-004P 04/07/88	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	IIII	400	20k x 50 lb	18 " x 14 "	Superceded by 88-004P 5/15/90
88-004P Amend 05/11/90	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	IIII	400	20,000 x 50 lb	18" x 14"	Digital Electronic
88-005 03/10/88	NCR Corporation		Cash Register	2061-54XX					Stand Alone ECR
88-006 03/10/88	NCR Corporation		Cash Register	2157-30XX					Digitial Cash Register
88-007 06/01/88	NCR Corporation	7050-XXXX, 7051-XXXX, 7070-XXXX, 7053-XXXX	POS Scale	7050 Series					Digital Electronic System
88-008 10/02/89	Toledo Scale Corporation	Specific load cells are identified by the load cell capacity. Capacities: 1k, 3k, 5k, 10k, 20k, 45k	Load Cell	743	III/III L	5K,10K M	1k to 45k lb		
88-008.A1 02/26/91	Toledo Scale Corporation	Capacity: Class III, MC-5000/Class III L MCells-10,000	Load Cell	743	III & IIIL	see below	1000 - 45,000 lb		Shear Beam
88-008A2 10/29/91	Toledo Scale Corporation	Capacity: Class III, MC-5000/Class III L, MC-10,000	Load Cell	743	III/III L	see below	1,000 - 45,000 lb		Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-008P	07/17/88	Toledo Scale Corporation		Load Cell	743	III/III L	5k,10k M	1k to 45k lb		Superseded by 88-008
88-009	03/09/91	Toledo Scale Corporation		Load Cell	752	III L	MC-10,000	50k to 100k		Compression
88-009P	11/14/88	Toledo Scale Corporation		Load Cell	752	III L	6000 M	50k to 100k lb		Superseded by 88-009PA1
88-009PA1	10/02/89	Toledo Scale Corporation	Capacities (lb): 50k, 100k	Load Cell	752	III L	10,000 M	50k-100k lb		Compression
88-010PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	56BSR, 58BSR, 59BSR, 5SBSR, 108BSR, 109BSR, 10SBSR, 15SBSR, 20SBSR, 30SBSR	Floor Scales	BSR and BSRL	III		5-150 TON	VARIOUS	Dormant Industrial Scale
88-011PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	FS-1F, -2F, -2.5F, -3F, -4, -5, -6, -7, -8, -9, -10, -11	Hopper Scale	FS Series	III/III L		5000 - 300000 LB		Floor Tank & Hopper Mech. lev.
88-012PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	1018 SR: 1522 SR: 2024 SR: 3024 SR: 3034 SR: 30343 SR: 40403 SR: 5045 SR: 5050 SR: 5060 SR: 5070 SR: 501207 SR: 6045 SR: 6050 SR: 6060 SR: 6070 SR: 7550 SR: 7560 SR: 75705 SR: 8060 SR: 8070 SR: 10060 SR: 100100 SR: 15070 SR. Capacity range 10-150 tons	Vehicle Scale	SR and SRL Series	III/III L		10-150 TONS	18'x 9'-100'x 10'	Mech. Lever Weighing Element
88-013PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	206-ASR: 208-ASR: 2010-ASR: 308-ASR: 3010-ASR: 3012-ASR	Vehicle Scale	ASR and ASRL	III/III L		30 Tons	12 'x 10 '	Mechanical axle load scales
88-014PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	OLP-505F, -505, -404F, -404	Floor Scales	OLP Series	III		4,000	60 " x 60 "	Overhead Mech. Plat. Scale
88-015PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	6050-RSA, 6060-, 6070-, 6650-, 6660-, 7250-, 6080-, 6670-, 7260-, 7270-, 6680-, 7280-	Railroad Track Scale	RS, RSL, RSA & RSAL	III/III L		150-300 TONS	60'x 10'-72'x 10'	Railway Track Vehicle Scale
88-016PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	SH-1, -2, -3, -3.5, -4, -5, -6, -7, -8. Capacity range 1,000 to 100,000 lbs	Hopper Scale	SH Series	III/III L		1,000 - 100,000lb		Suspension Hopper Lever Sys.
88-017PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	31, LS51208, LS51408, LS51608, LS1016, LS1018, LS1022, 1030 S, 1530 S, 2026 S	Livestock Scale	LS Series	III/III L		1.5 - 20 ton	8 x 3 - 26 x 14'	Mechanical Weighing Element

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-018P 03/14/88	Superior Load Cell		Load Cell	AW900	III L	5000 M	20K to 100K lb		Superseded by 88-018PA
88-018P2 09/26/88	Superior Load Cell	AW 900 and DSB-20 Series	Load Cell	AW900	III L	5,000 M	20 k to 100 k lb		Superseded by 88-018PA
88-018PA 04/07/88	Superior Load Cell	The two model series are DSB-20 and AW900. The model designation will have a suffix reflecting the capacity of the load cell.	Load Cell	AW900	III L	10,000 M	20k- 100k lb		Superseded by 89-006P
88-019 06/28/88	Kubota Corporation		Bench and Counter Scale	KA-10-HB	III	3,500	150 x 0.05lb	13.9" x 19.7"	Digital Electronic
88-020 03/01/88	Weigh-Tronix, Inc.		Indicating Elements	560	III/III L	10,000			Digital Indicating Element
88-021 03/07/88	Ishida Scales Mfg. Co., Ltd.	MT-150, MT-60	Floor Scales	MT-300	III	3000	300 x 0.1 lb	550 mm x 400 mm	Digital Electronic
88-021A 01/25/89	Ishida Scales Mfg. Co., Ltd.	MT-150 Capacity 150 x 0.05 lbs. MT-60 Capacity 60 x 0.02 lbs	Bench and Counter Scale	MT-300	III	3,000	300 x 0.1 lb	550 mm x 400 mm	Digital Electronic
88-022 04/20/88	Gilbarco, Inc.	AC4982AS1, AC6083, AC4093	Retail Motor Fuel Dispenser	AC4982S1			99.999 gal		Superseded by 88-226A2
88-022A 05/03/88	Gilbarco, Inc.	AC4982ASI, AC6083, AC4093	Retail Motor Fuel Dispenser	AC4982S1			99.999 gal		Superseded by 88-226A2
88-023 03/24/88	A&D Engineering, Inc.		Indicating Elements	AD 4321A & B	III/III L	10,000			Digital Electronic
88-023.A1 03/07/91	A&D Engineering, Inc.	AD 4321 SS; AD 4321 MS	Indicating Elements	AD 4321A & AD 4321B	III/III L	10,000			Digital Electronic
88-024 08/08/91	CMI Weighing Equipment		Vehicle Scale	2PS11010	III L				

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-024.A1 08/08/91	CMI Weighing Equipment	2PS1510;2PS1610; 2PS2010; 2PS2410; 2PS3010; 2PS3510; 2PS4010; 2PS4610; 2PS6010; 2PS7010;2PS8010; 2PS9010; 2PS9310; 2PS10010; 2PS11010; 2PS11610; 2PS12010; 2PS13010 & 2PS14010	Vehicle Scale	2PS11010	III L	10,000	200,000 x 20 lb	110" x10"; 6 secs	Load Cell Electronic
88-024P 09/09/88	CMI Weighing Equipment	2FT11010, 2PS3510 2FT3510, 2PS4010 2FT4010, 2PS4610 2FT4610, 2PS6010 2FT6010, 2PS7010 2FT7010, 2PS8010 2FT8010, 2PS9010 2FT9010, 2PS9310 2FT9310, 2PS10010 2FT10010, 2PS11610 2FT11610, 2PS12010 2FT12010, 2PS13010 2FT13010, 2PS14010 2FT14010; Capacity range 60 to 100 tons	Vehicle Scale	2PS11010	III L	10,000	200,000 x 20 lb	100'x 10'	Vehicle Scale Weighing Element
88-025 03/01/88	Weigh-Tronix, Inc.		Computing Scale	1150; 1151; 3420	III				UPC Labeling System
88-026 03/01/88	Weigh-Tronix, Inc.	3401 (remote display)	Computing Scale	3420	III	3,000	30 x 0.01 lb	12 " x 12 "	Digital Electronic
88-027 03/24/88	Scientech, Inc.		Jewelers' Balance	5550	II	50,000	50 x 0.01 g	4.5 " Diameter	Digital Electronic
88-028 03/01/88	Cardinal/Detecto Scale Mfgr. Co.	PC-10, -10 kg, -11, -11 kg, -20, -20 kg, -21, -21 kg, -30 kg, -31, -31 kg	Computing Scale	PC-30	III	3,000	30 x 0.01 lb	13 " x 8 "	Digital Computing Scale
88-028A1 08/21/90	Cardinal/Detecto Scale Mfgr. Co.		Computing Scale	PC-30A	III	3,000	30 x 0.01 lbs	13" x 8"	Digital Electronic
88-028A2 05/05/92	Cardinal/Detecto Scale Mfgr. Co.	PC-10A, PC-10kg A, PC-11A, PC-11kg A, PC-20A, PC-20kg A, PC-21A, PC-21kg A, PC-30A, PC-30kg A, PC-31A, PC-31kg A. Capacities: 6 x 0.002 lb, 3 x 0.001 kg, 15 x 0.005 lb, 30 x 0.01 kg.	Computing Scale	PC Series	III	3,000	see below	13" x 8"	Digital Electronic
88-029 04/07/88	K-Tron	9010, 9010 N, 9010 P, 9020, 9020 N, 9020 P, 9030, 9030 U	Computing Scale	9010	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-030P 04/07/88	Unibridge Scale Systems	UBXXH(R)YY40(CC) where XX may be PC, S, or C and where YY denotes length of scale and (R) and (CC) are options.	Vehicle Scale	UBSRH701040	III L	10,000	200k x 20 lb	70 ' x 10 '	Electronic Weighing Element
88-031 03/10/88	A&D Engineering, Inc.		Indicating Elements	AD4316	III/III L	10,000			Digital Indicating Element
88-032 11/01/88	John Chatillon & Sons Inc	7280 XHTR	Hanging Scale	7280XHT	III	600	150 x 1/4 lb		Dial hanging scale

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-033	03/07/91	Hottinger Baldwin Measurements, Inc		Load Cell	SB2 & SB3	III	see below	1,000 to 200,000		Shear Beam
			capacity: multiple cells: 3,000 or 5,000 depending on capacity							
88-033P	07/08/88	Hottinger Baldwin Measurements, Inc		Load Cell	SB2 & SB3	III	3,000 M	1k - 200K lb		Shear Beam Load Cell
			SB2-YYYXX500 through SB2-YYYXX699 and SB3-YYYXX500 through SB3-YYYXX699 where YYY is the load cell capacity and XX is the cable length.							
88-033P.A1	03/15/91	Hottinger Baldwin Measurements, Inc		Load Cell	SB2 & SB3	III				
88-034P	04/07/88	Superior Load Cell		Load Cell	LSB- and AW600-XXK	III L	5000 M	2500 to 20000 lb		Superseded by 88-034PA2
			Capacity (lb): 2,500, 5,000, 10,000, 15,000, 20,000							
88-034PA2	02/23/90	Superior Load Cell		Load Cell	LSB & AW600 Series	III L	10,000 M	2.5 k -20 k lb		WITHDRAWN
88-035	03/23/88	Esselte Meto		Computing Scale	BLP 804	III	3,000	30 x 0.01 lb	255 mm x 355 mm	Digital Electronic
88-036	04/08/88	Thurman Scale Company		Vehicle Scale	8130 SAM	III L	10,000	200k x 20 lb	70'x 10'	Mechanical Pipe Lever
			Optional Capacities: 120,000 x 20 lb - Gross (35 ton sec.), 200,000 x 20 lb - Gross (45 & 60 ton sec.). Optional Sizes: 40' x 10', 50' x 10', 60' x 10', 70' x 10', 80' x 10', 100' x 10'. Optional Model: 8140 Steel pitless with side rails.							
88-037	03/01/89	Thurman Scale Company		Vehicle Scale	8120	III L	10,000	200k x 20 lb	60 ' x 10 '	Mechanical Pipe-Lever System
			Optional Model: 8110 (concrete deck). Optional Capacities: 100,000 x 20 lb, 45 ton sections: 120,000 x 20 lb, 35 and 60 ton sections: 200,000 x 20 lb, 45 and 60 ton sections. Optional Sizes: 30' x 10', 35' x 10', 40' x 10', 50' x 10', 60' x 10', 70' x 10', 80' x 10', 50' x 12', 60' x 12', 70' x 12'							
88-037A.1		Thurman Scale Company		Vehicle Scale	8120					
88-038P	04/07/88	Interface, Inc.		Load Cell	SSB	III	3,000 S	50 - 250 lb		Shear Beam Load Cell
			Capacities (lb): 50, 100, 250							
88-039	09/26/88	Weigh-Tronix, Inc.		Load Cell	WBC	III	3,000 S	250 to 2500 lb		Bending Beam
			Capacities (lb): 250, 500, 1000, 2500							
88-039P	04/07/88	Weigh-Tronix, Inc.		Load Cell	WBC	III L	5,000 S	250 - 25k lb		Superseded by 88-039
			Capacities (lb): 250, 500, 1000, 2500							

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-040P 04/07/88	Interface, Inc.	Load Cell	MB Series	III	3,000 S	10 - 100 lb		Shear Beam Load Cell
		MB-XXX-10A, -25A, -50A, -75A, -100A						
88-041 04/29/88	Revere Transducers, Inc.	Load Cell	STS	III	3000 S	50 to 2500 lb		Superseded by 88-041 3/29/89
88-041 Amended 03/29/89	Revere Transducers, Inc.	Load Cell	STS	III	3,000 S	50 to 2,500 lb		S-Type, Tension
		Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500						
88-041.A1 03/28/91	Revere Transducers, Inc.	Load Cell	STS	III & IIIL	IIII3kIIIL10K	50 - 2500 lb		S-Type Tension
		The specific models of load cells covered by this certificate are STS-X-Y-Z where X, Y & Z, as applicable are model numbering codes denoting capacity, classification, and electrical connection.						
88-042 03/01/89	Revere Transducers, Inc.	Load Cell	STS	III L	10,000 S	50 to 2,500 lb		S-Type, Tension
		STS-XX-A-IIIL-10S where the XX is the capacity of the load cell in thousands of pounds. Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500						
88-042.A1 03/28/91	Revere Transducers, Inc.	Load Cell	STS	III L	S-Cell 10000	50 to 2500 pds		S-Type, Tension
		The specific modsels of load cells covered by this certificate are STS-X-Y-Z where S, Y and Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.						
88-043 04/07/88	Gull Inc.	Vehicle Tank & LPG Meter	TTC					Computer System for LPG
		Truck Transaction Computer - Model 1903 001 XXXX, Electronic Pulser - Model 903 003 XXXX, Calibration Module - Model 903 008 XXXX, Remote Indicator - Model 903 009 XXXX						
88-044 03/29/88	Howe Richardson Division	Indicating Elements	9000	III	10,000			Digital Indicating Element
88-045 02/28/91	Toledo Scale Corporation	Vehicle Scale	Truckmate MV 1051	III L	10,000	100,000 x 20 lb	100' x 10'	Electronic Weighing Element
88-045P 06/02/88	Toledo Scale Corporation	Vehicle Scale	Truckmate MV 1051	III L	10,000	200,000 x 20 lb	100 ' x 10 '	Electronic Weighing Element
		Range of capacities from 60,000 to 200,000 lb. Range of platform sizes from 15' x 10' to 150' x 10'						
88-046 08/30/88	Weigh-Tronix, Inc.	Load Cell	WBM	III L	6,000 M	37,500 -50,000 lb		Bending Beam
		WBM-37.5K, WBM-50.0K, WBM-75.0K Capacities (lb): 37,500 - 75,000						

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-047	02/28/91	Toledo Scale Corporation		Vehicle Scale	7530	III L	10,000	200K x 20 lb	70' x 10'	Electronic Weighing Element
			Other platform sizes: 12' x 10' to 70' x 10'. Other capacities: 60,000 to 200,000 lb. Other model: Model 7520 (steel deck). Other section capacity: 30 tons to 55 tons.							
88-047P	07/17/88	Toledo Scale Corporation		Vehicle Scale	7530	III L	10,000	200 k x 20 lb	70 ' x 10 '	Electronic Weighing Element
			Other platform sizes: 12' x 10' to 70' x 10'. Other capacities: 60,000 lb to 200,000 lb. Other model: Model 7520 (steel deck). Other section capacity: 30 tons to 55 tons							
88-048	02/27/91	Toledo Scale Corporation		Vehicle Scale	7540	III L	6000	60-162k lb x 20lb	see below	Load Cell Electronic
			Platform sizes: 35" x 10 - 70" x 10" ; 4 sections							
88-048P	07/17/88	Toledo Scale Corporation		Vehicle Scale	7540	III L	6,000	120,000 x 20 lb	70'x 10'	Electronic V.S. Weigh Element
			Range of capacities from 60,000 to 162,000 lb. Range of platform sizes from 35' x 10' to 70' x 10'. Maximum distance between sections 23'4". Other section capacity 35 tons, 45 tons							
88-049	02/27/91	Toledo Scale Corporation		Floor Scales	2255	III	5000	20,000 lb	5" x 7'	Load Cell Electronic
88-049P	07/17/88	Toledo Scale Corporation		Floor Scales	2255	III	5,000	20,000 lb	5' x 7'	Eletronic Floor Scale
			Optional capacity: 10,000 lb. Optional platforms: 4' x 4', 5' x 5'							
88-050	02/27/91	Toledo Scale Corporation		Floor Scales	2295	III	5000	20,000 lb	5" x 6"	Load Cell Electronic
			Toledo Model 742 (CC# 87-0989.A1)							
88-050P	07/17/88	Toledo Scale Corporation		Floor Scales	2295	III	5,000	20,000 lb	5' x 6'	Electronic Floor Scale
88-051	04/27/88	Hobart Corporation		Computing Scale	1841	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-052	04/27/88	Hobart Corporation		Prepackaging Scale	1865	III	3,000	30 x 0.01 lb		Digital Prepackaging Scale
88-053	04/27/88	Hobart Corporation	1871	Computing Scale	1870	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-054	03/24/88	Kubota Corporation		Computing Scale	LA-320	III	3,000	15 x O.01 lb	294 mm x 205 mm	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-054A1	06/14/90	Kubota Corporation	Model LA-315	Computing Scale	LA-320	III	3000	20 x .01 lb	294 x 205 mm	Digital Electronic
88-055	03/24/88	Kubota Corporation		Computing Scale	LA-250	III	5,000	50 x .01 lb	270 mm x 370mm	Digital Electronic
88-056	05/26/88	Avery Weighing Technology		Prepackaging Scale	B700	III	3,000	30 x 0.01 lb	12" x 15.25"	Digital Prepackaging Scale
88-057P	04/07/91	General Electrodynamics Corporation		Wheel Load Weigher	MD 700	IIII	1,200	60k x 50 lb	2'- 7 ' x 30 "	Portable Digtl Axle-Load Weigh
88-057P.A1	04/18/91	General Electrodynamics Corporation		Wheel Load Weigher	MD700	IIII	1,200	60k x 50 lb	2' - 7' x 30"	Portable Digtl Axle-Load Weigh
88-058	04/07/88	MOBBA	LX, LS, LP1000, LD1000, LCB1000	Computing Scale	LD1000	III	3,000	30 x 0.01 lb	15.5" x 10.5"	Digital Computing Scale
88-059	02/16/90	Koltek, Inc.		Vehicle Tank & LPG Meter	K10-A332X			9999.9 gallons		Milk Metering System for Milk
88-060	05/03/88	John Chatillon & Sons, Inc.		Hanging Scale	0028/A	III	960	30lb x 1/2oz	Pan	Mechanical Dial
		Optional Capacities: 60 lb x 1 oz, 30 lb x 1/2 oz, 15 kg x 0.02 kg. Other Distributor: Hobart Corporation, Models: PR30-1, -30-2, -30-3								
88-061PN	10/11/88	Cardinal/Detecto Scale Mfgr. Co.	Modified Model Numbers XXYYY-PRC-H and XXYYY-SRC-I	Vehicle Scale	PRC and SRC Series	III L		60 'to 180'x 10'		Digital Electronic
88-062	04/27/88	Esselte Meto		Computing Scale	CB493	III	1,500	15 x 0.01 lb	8 " x 12.5 "	Digital Computing Scale
88-063P	06/28/88	Durline Scales and Mfg., Inc.	EFTX-35603, -40603, -651004, -701004, -801004, -901004	Vehicle Scale	EFT Series	III L	6,000	200,000 x 20 lb	65'x 10'	Load Cell Electronic
88-064	04/27/88	Esselte Meto		Computing Scale	CP 501	III	3,000	30 x 0.01 lb	13.75" x 9.5"	Digital Computing Scale
88-065	04/20/88	Esselte Meto		Computing Scale	CS 491-1	III	3,000	30 x 0.01 lb	13.75 " x 9.5 "	Digital Computing Scale

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-066	04/20/88	Condec Consolidated Controls	UMC 2000-66, -2002-66, -2004-66, -2000 XX-XX, -2002 XX-XX, -2004 XX-XX, -2006 XX-XX, -2008 XX-XX, -2010 XX-XX, -2012 XX-XX	Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Indicating Element
88-067	05/03/88	National Semiconductor		Cash Register	545		3,000	30 x 0.01 lb		Digital Cash Register
88-068P	05/26/88	Superior Load Cell	AW200, AW200A, SSB-1k, SSB-2.5k, SSB-5k	Load Cell	AW200 & SSB	III L	10,000 M	1k - 5k lb		Superseded by 88-068PA2
88-068PA2	08/02/89	Superior Load Cell	AW200-1K, AW200-2.5K, AW200-5K, AW200A-1K, AW200A-2K, AW200A-2.5K, AW200A-4K, AW200A-5K, AW201A-1K, AW201A-2K, AW201A-2.5K, AW201A-4K, AW201A-5K, AW202-1K, AW202-2K, AW202-2.5K, AW202-4K, AW202-5K	Load Cell	AW200 & SSB	III L	10,000 M	1k - 5k lb		Single Ended Shear Beam
88-069	04/27/88	Hobart Corporation	5018 RSD, 5018V; 5018V2	POS Scale	5018	III	3,000	30 x 0.01 lb		Digital Point-of-Sale Scale
88-069A1	09/24/90	Hobart Corporation	5018 RSD, 5018V, 5018V2.	POS Scale	5018	III	3,000	30 x 0.01 lb		Digital Point-of-Sale Scale
88-070	06/28/88	Condec Consolidated Controls		Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
88-071	08/30/88	Fairbanks Scales	23-2500A, H23-2500A, 23-2502A, H23-2502A, 23-2503A, H23-2503A	Floor Scales	23-25XXA Series	III	5,000	5000-10000lb		Load Cell Electronic
88-072	08/30/88	Fairbanks Scales		Floor Scales	23-2554A	III	2,500	2500 x 1 lb	4' x 5'	Load Cell Electronic
88-072A1	09/24/90	Fairbanks Scales	23-2554A; 23-2554B; 23-2554C	Floor Scales	23-2554	III	5,000	1,000 to 5,000		Load Cell Electronic
88-073	08/30/88	Fairbanks Scales		Indicating Elements	90-161A	III/III L	10,000			Digital Electronic
88-074	09/12/88	Fairbanks Scales	H70-4000-2, -4050-2, -4100A, -4100B	Bench and Counter Scale	H70-4XXX	III	5,000	40 - 200 lb		Bench Scale weighing element

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-075	09/22/88	Fairbanks Scales	70-4170, capacity 600 x 0.2 lb, 1000 x 0.5 lb	Bench and Counter Scale	70-4070	III	2,000	200 x 0.1 lb	17 " x 22 "	Digital Electronic
88-076	01/26/89	Fairbanks Scales	90-167-XX	Indicating Elements	90-164-XX	III/III L	10,000			Digital Electronic
88-077	10/21/88	Fairbanks Scales		Floor Scales	1125D	III	5,000	1000 x 0.2lb	23.5" x 17.75 "	Lever system, load cell
88-078	01/25/89	Fairbanks Scales		Indicating Elements	90-110	III/III L	5,000			Digital Electronic
88-079	01/26/89	Fairbanks Scales		Indicating Elements	90-3045	III/III L	10,000			Digital Electronic
88-080P	05/03/88	Weigh-Tronix, Inc.	FMTS 4010-60T, -7010-60T, -8010-60T, -4012-60T, -6012-60T, -7012-60T	Vehicle Scale	FMTS 6010-60T	III L	6,000	120,000 lb	60' x 10'	Load Cell Electronic
88-081	05/03/88	Ohaus Corporation	I 20W	Indicating Elements	I 10	III	10,000			Superseded by 88-081A1
88-081A1	02/14/90	Ohaus Corporation	I 20W	Indicating Elements	I 10	III\ IIIL	10,000			Digital Electronic
88-082	05/25/89	Revere Transducers, Inc.	Capacities (kg): 10,000, 25,000, 40,000, 60,000, 100,000	Load Cell	CSP	III/III L	3k,10k S	25k to 200k lb	1Ok to 100k kg	Multi-Column Compression
88-082.A1	03/28/91	Revere Transducers, Inc.	Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. Capacity: 10k - 100k kg & 25k - 200 k kg. The specific models of load cells covered by this certificate are CSP-X-Y-Z where X, Y & Z, as applicable, are model numbering codes denoting capaci ty, classification, and electrical connection.	Load Cell	CSP	III & IIIL	see below	see below		Multi-Column Compression
88-082P	09/09/88	Revere Transducers, Inc.		Load Cell	CSP	III/III L	3k,10k S	25K to 200K lb		superseded by 88-082
88-083	05/26/88	Bennett Pump Company		Service Station Consoles/ECR	100			24 dispensers		Electronic Service Station POS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-084	06/08/88	Systems Associates, Incorporated	NP1260, -2000, -2600	Railroad Track Scale	NP Series	III L	4,000	200,000 x 100 lb		Digital Railroad Scale
88-085	04/29/88	Southwest Pump Company	ECS-1-800, -1A-800, -1-1200, -1A-1200, -1-1600, -1A-1600, -1-2000, -1A-2000, -1-2400, -1A-2400	Service Station Consoles/ECR	ECS Series					Digital Service Station Con.
88-086	05/04/88	Southwest Pump Company		Retail Motor Fuel Dispenser	2XX0-X-X-X series					Superseded by 88-086A
88-086A	02/10/89	Southwest Pump Company	2020-X-X-X, 2040-X-X-X	Retail Motor Fuel Dispenser	2XX0-X-X-X Series			999.999 gal		Digital Electronic
88-087	06/13/88	General Electronic Systems, Inc.		Indicating Elements	4535	III	10,000			Digital Checkweigh Indicating
88-088	06/13/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000			Digital Indicating Element
88-088P	05/26/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000			Superseded by 88-088
88-089	05/25/89	Revere Transducers, Inc.	Capacities (lb): 100, 250, 500, 1000, 2500, 5000	Load Cell	BSP	III/III L	3k,10k S	100 to 5,000 lb		S-Type, Tension/Compression
88-089.A1	03/28/91	Revere Transducers, Inc.	Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are BSP-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connecti on.	Load Cell	BSP	III & IIIL	see below	100 - 5,000 lb		Universal, Bending & Shear
88-089P	09/29/88	Revere Transducers, Inc.		Load Cell	BSP	III/III L	3k,10k S	100 to 5,000 lb		Superseded by 88-089
88-090	06/28/88	Perkins Scale Corporation		Vehicle Scale	7060	III L	6,000	120,000 x 20 lb	70'x 10'	Mechanical Lever System
88-091	11/02/90	Toledo Scale Corporation		Load Cell	760	III L	10,000	22,5 to 45,000 kg		Column Compression
88-091P	06/02/88	Toledo Scale Corporation	Capacities (kg): 22,500, 45,000	Load Cell	760	III L	10,000 M	22.5 and 45 kg		Column Compression Load Cell

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-092	09/09/88	Hecon Corporation		Printer	A0 516 Series					Ticket Printer
88-093	09/09/88	Hecon Corporation		Printer	A0 543					Ticket Printer
88-094P	09/09/88	Hecon Corporation	AO 522 XXX, A6 522 XXX, AO 523 XXX, A6 523 XXX	Printer	AO AND A6 Series					Electronic Modular
88-095	06/08/88	A&D Engineering, Inc.		Indicating Elements	AD 4323	III/III L	10,000			Digital Indicator
88-096	11/03/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	13/A	III		130lb x 4oz	13.5 " x 19 "	Mechanical Lever-Spring Dial
88-096A1	10/24/89	John Chatillon & Sons, Inc.	Type 15	Bench and Counter Scale	13/A	III	520	520 x 1 lb	13.5" x 19"	Mechanical Lever Spring Dial
88-097	06/08/88	Applied Forces Corporation		Indicating Elements	F3, F4, F5, and F6	III/III L	10,000			Digital Indicator
88-097A1	09/11/90	Applied Forces Corporation		Indicating Elements	F3, F4, F5, F6	III/III L	10,000			Digital Electronic
88-098	07/17/88	Measurement Systems International		Crane Scale	MSI-4260-01	III L	5000	50,000 x 10 lb		Superseded by 88-098A
88-098A	04/19/89	Measurement Systems International	Range of capacities: 5k to 70k lb	Crane Scale	MSI-4260-01	III L	5,000	50,000 x 10 lbs		Digital Crane Scale
88-099	06/28/88	Wisconsin Electrical Mfgr. Co., Inc	HMB-3000	Indicating Elements	HML-3000	III L	10,000			Digital Electronic
88-100	06/28/88	Flex-Weigh Corporation	FLB2424-.5K, -2424-1K, -3030-.5K, -3030-1K, -3030-1.5K, -3030-2K, -3636-1K, -3636-2K, -3636-5K, -3846-1K, -3846-2K, -3846-5K, -3846-10K, -4848-1K, -4848-2K, -4848-5K, -4848-10K, -4860-1K, -4860-2K, -4860-5K, -4860-10K, -4872-1K, -4872-2K, -4872-5K, -4872-10K, -6060-1K, -6060-2K, -6060-5K, -6060-10K, -6072-5K, -6072-10K	Floor Scales	FLB	III	5,000	500 - 10k lb		Flexure Lever, Load Cell
88-100A1	03/16/92	Flex-Weigh Corporation		Indicating Elements	FLB SERIES	III	5,000	500 - 10,000 lb	24"x24" - 72"x96"	Flexure Lever, Load Cell

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-101				NO DEVICE TYPE						NOT ISSUED
88-102	07/25/88	Electronic Scales International	JK701aa, -702aa, -703aa, -704aa, -705aa, -706aa	Computing Scale	JK700	III	3,000	30x .01 lb	10 " x 16 "	Digital Electronic
88-103	05/24/88	Pacific Scale Co., Inc.	TNL 3636-2K, Capacity 2,000 x .5 lbs	Floor Scales	TNL 4848-2K	III	4,000	2000 x 0.5 lb	48 " x 48 "	Full Electronic
88-104	05/25/88	Weigh-Tronix, Inc.	BS 1414, BS 1818, BS 2424	Bench and Counter Scale	BS 2020	III	5,000	100 x .02 lb	20 "x 20 "	Elect. Bench Scale Weigh Ele.
88-104A1	01/25/89	Weigh-Tronix, Inc.	BS 2424	Bench and Counter Scale	BS 2020	III	5,000	See models field	See models field	Electronic Weighing Element
88-105	05/24/88	Omron Systems of America		Cash Register	RS 5510					Superseded by 88-105A
88-105A	09/22/88	Omron Systems of America	RS 5515	Cash Register	RS 5510 & RS 5541					Stand Alone
88-106	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	854F-50P, -50K, -50PK, -100P, -100PK	Floor Scales	854F-100P	III	2,000	1,000 lb	19 " x 28 "	Mechanical Lever Floor Scale
88-106A1	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	500 - 1000 lb; 200 - 500 kg	Bench and Counter Scale	854P	III	2,000	see below	19" x 28"	Full Mechanical
88-107	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	854F-50P, -50K, -50PK, -100P, -100PK	Floor Scales	854F-100P	III	2,000	1,000 lb	19 " x 28 "	Mechanical Lever Floor Scale
88-108	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	954F-100P, -50K, -100PK	Floor Scales	954F-100P	III	4,000	2,000lb	28 " x 28 "	Mechanical Lever Floor Scale
88-108A1	08 21 '90	Cardinal/Detecto Scale Mfgr. Co.	Levertronic: 8950F, 5950F - Full Mechanical: 954F-100P, 954F-500K, 954F-100PK	Floor Scales	954F	III	4,000	2000 lb	28"x28"	Mechanical portable floor scal

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-109	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	954F-100P, -50K, -100PK	Floor Scales	954F-100P	III	4,000	2,000 lb	28 " x 28 "	Mechanical Lever Floor Scale
88-109A1	03/26/92	GSE, Inc.	4430; 4432; 4434; 4442; 4444; 4446; 4450; 4452; 4454	Bench and Counter Scale	4400 Series	III	3000	20 - 1000 lb	12"x12" - 24"x24"	Digital Electronic
88-110	06/09/88	Cardinal/Detecto Scale Mfgr. Co.		Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
88-111	06/09/88	Cardinal/Detecto Scale Mfgr. Co.		Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
88-112	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4 x 0.001 lb	8 " Diameter	Digital Bench Scale
88-113	06/09/88	Cardinal/Detecto Scale Mfgr. Co.	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4lb - 80lb	8" Diameter	Digital Bench Scale
88-114	06/08/88	Pennsylvania Scale Company		Indicating Elements	5600	III/III L	5,000			Digital Indicating Element
88-114.A1		Pennsylvania Scale Company		Indicating Elements	5600					IN PROCESS
88-115	06/17/88	Pennsylvania Scale Company		Printer	PS400					Dot Matrix Ticket Printer
88-116	06/17/88	Pennsylvania Scale Company		Printer	PS400-T					Dot Matrix Ticket Printer
88-117	06/17/88	Pennsylvania Scale Company		Printer	P100					Dot Matrix Tape Printer
88-118	06/02/88	IBM Corporation	4683-001 POS terminal (Primary), 4683-002 POS terminal (Satellite)	POS Scale	4680 Series					POS System/Controller
88-119	09 09 88	Sartorius Corporation	L420S-*U2, L220S-*U2, L220S-XU2, L2200S-*U2, L2200S-XU2, L310-*U2, L310-XU2, L610-*U2, L610-XU2	Jewelers' Balance	L Series	II	42,400	424 g	5" dia.	Grain Test Scale

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-120	09/09/88	Sartorius Corporation	U6100-*U2, U6100-XU2, U6-*U2, U6-XU2, X1493-*U2, X1493-XU2, X1493-*U2.1, X1493-XU2.1	Jewelers' Balance	U and X Series	II	6,100	6,100 g	5" dia.	Digital Electronic
88-121	09/09/88	Sartorius Corporation	E4800S-*U2, I4800S-*U2, I1000S-*U2, E12000S-*U2, E12S-*U2, I12000-*U2, I12S-*U2, I6800-*U2, I6-*U2	Jewelers' Balance	E and I Series	II	48,400	4840 g	235 mm x 190 mm	Grain Test Scale
88-122	09/09/88	Sartorius Corporation	P500-*U2, P5-*U2	Jewelers' Balance	P Series	II	5,050	505 g	110 mm Diameter	Grain Test Scale
88-123	09/09/88	Sartorius Corporation	H51-*U2, H120-*U2, H310-*U2, G150D-*U2	Jewelers' Balance	H and G Series	II	31,000	31 g	63 mm Diameter	Grain Test Scale
88-124	09/09/88	Sartorius Corporation	I24-*U2, I16000-*U2	Bench and Counter Scale	I Series	II	24,200	24.2 kg	11.75 " x 9.25 "	Digital Electronic
88-125	09/09/88	Sartorius Corporation	Class II scales: F61S-*U2**B, F61S-XU2**B, F150S-*U2, F150S-XU2, F300S-*U2, F300S-XU2. Class III scales: F61S-*U3**B, F61S-XU3**B	Bench and Counter Scale	F Series	II/III	15,150	61 kg	23.5 " x 31.5 "	Digital Electronic
88-126	05/25/89	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	3k,10k S	50,000 lb		Single Column Tension
88-126.A1	03/28/91	Revere Transducers, Inc.	Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are LCT-50-X-Y-Z where X, Y, & Z as applicable, are model numbering codes denoting capactiy, classification, and electrical connection.	Load Cell	LCT-50	III & IIIL	see below	50,000 lb		Single Column Tension
88-126P	07/25/88	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	3k,10k S	50,000 lb		Superseded by 88-126
88-127				NO DEVICE TYPE						NOT ISSUED
88-128	06/28/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-1			99.999 gal		Superdeded by 89-019A1
88-129	07/25/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Salesmaker-4 & 2			99.999 gal		Digital Electromechanical

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-130 03/12/92	Cardinal/Detecto Scale Mfgr. Co.	XTD-4638; XTD-4848; XTD-6048; XTD-6060; XTD-7248; XTD-7260; XTD-7654; XTD-8460 & XTD-9672	Bench and Counter Scale	XTD & ETD SERIES	III		6500	see certificate	Dormant Mechanical
88-130PN 08/31/88	Cardinal/Detecto Scale Mfgr. Co.	XTD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	Floor Scales	XTD and ETD Series	III		6500 lb		Dormant Mechanical
88-131 03/12/92	Cardinal/Detecto Scale Mfgr. Co.	XD-4638; XD-4848; XD-6048; XD-6060; XD-7248; XD-7260; XD-7654; XD-8460 & XD-9672	Bench and Counter Scale	XD Series	III		6500	see certificate	Dormant Mechanical
88-131PN 08/31/88	Cardinal/Detecto Scale Mfgr. Co.	XD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	Floor Scales	XD Series	III		6500 lb		Dormant Mechanical
88-132PN 08/31/88	Cardinal/Detecto Scale Mfgr. Co.	SCD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672, -10884, -12096	Floor Scales	SCD and SCDF Series	III		12,500 lb		Dormant Mechanical
88-133PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	3200, 3250, 3300, 3025, 3050, 3075, 3500	Indicating Elements	3000 Series	III	1,200			Mechanical Dial Indicator
88-134PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	2200 DB, 2200 AB, 2201 DD, 2201 AD, 2202 DE, 2202 AE, 2202 DEDX, 2202 AEDX, 2203 DF, 2203 AF, 2203 ADFDX, 2203 AFDX, 2205 DJ	Bench and Counter Scale	2200 Series	III		50 - 125 lb	18" x 20"	Mechanical Dial Bench Scale
88-135PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	2020PR, 2030PR, 2530PR, 3030PR, 3540PR, 3550PR, 2020-40PR, 2020-50PR, 2525-50PR, 3030-50PR, 3535-50PR, 2525-60PR, 3030-60PR, 3535-60PR, 2525-65PR, 3030-65PR, 3535-65PR, 2525-80PR, 3030-80PR, 3535-80PR, 2525-100PR, 3030-100PR, 3535-100PR	Vehicle Scale	PR and PRL Series	III L				Portable Mech. Vehicle Scale
88-136PN 06/17/88	Cardinal/Detecto Scale Mfgr. Co.	2020 PSR, 3020 PSR, 3025 PSR, 3030 PSR, 4035 PSR, 5035 PSR, 2020-40PSR, 2020-50PSR, 2525-50PSR, 3030-50PSR, 3535-50PSR, 2525-60PSR, 3030-60PSR, 3535-60PSR, 2525-65PSR, 3030-65PSR, 3535-65PSR, 2525-80PSR, 3030-80PSR, 3535-80PSR, 2525-100PSR, 3030-100PSR, 3535-100PSR	Vehicle Scale	PSR and PSRL Series	III L		20-100 ton		Portable Mech. Vehicle Scale
88-137PN 07/25/88	Cardinal/Detecto Scale Mfgr. Co.	Beam Numbers: 182, 170, 170A, 15, 180, 180A, 16, 120, 130, 130A, 140, 150, 160, 161, 162, 163, 3TM, 182M, 13M, 170M-5, 170M-2, 180M-5, 180M-2, 120M-5, 130M-5, 135M, 140M	Weighbeam	SEE CERTIFICATE	III				Mechanical Type Registering
88-138PN 07/25/88	Cardinal/Detecto Scale Mfgr. Co.	Beam numbers: 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310	Weighbeam	SEE CERTIFICATE	III				Direct Reading Full Capacity

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-139P 07/05/88	Cardinal/Detecto Scale Mfgr. Co.	Weighbeam		III				Compound Full Capacity
88-139PN 07/25/88	Cardinal/Detecto Scale Mfgr. Co.	Weighbeam	SEE CERTIFICATE	III				Compound Full Capacity
	Beam numbers: 3, 12, 40, 50, 60, 70, 80, 90, 91, 92, 93, 94, 95, 96, 97, 98, 100, 110, 115, 125, 2M, 3M, 12M, 100M, 110M, 50M, 60M, 65M, 70M							
88-140PN 07/25/88	Thurman Scale Company	Indicating Elements	320 and 325	III	1,200			Dial Indicator
88-141PN 07/25/88	Thurman Scale Company	Hopper Scale	TTS Series	III				Mecahnical Lever System
	TTS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14. Capacity range 1,000 to 100,000 lb							
88-142PN 07/25/88	Thurman Scale Company	Hopper Scale	TBS Series	III				Hopper and Tank Scales
	TBS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13							
88-143PN 06/17/88	The A. H. Emery Company	Vehicle Scale	Econoweigh 22 Series	III L		20 - 50 tons	20'- 35' x 10 '	Mechanical Vehicle Scale
	22-2020, -2520, -2525, -3025, -3030, -4030, -4035, -5035							
88-144PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Econoweigh 24 Series	III L		50-80 ton	50'- 70' x 10'	Mechanical Vehicle Scale
	24-5050, -5060, -6050, -6060, -6070, -8060, -8070							
88-145PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Portaweigh 34 Series	III L		40-100 ton	40'-70' x 10'	Portable Mech. Vehicle Scale
	34-4040, -5040, -5050, -5060, -6050, -6060, -6070, -8060, -8070, -10060, -10070							
88-146PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Roadweigh 12 Series	III L		20 - 50 tons	8'-34' x 10'	Mechanical Vehicle Scale
	12-208, -2010, -308, -3010, -3012, -2524, -2534, -3024, -3034, -5034							
88-147PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Roadweigh 14 Series	III L		50-100 ton	45'-70'x 10'	Mechanical Vehicle Scale
	14-5045, -5050, -5060, -5070, -6050, -6060, -6070, -8060, -8070, -10060, -10070							
88-148PN 07/17/88	The A. H. Emery Company	Vehicle Scale	Portaweigh 32 Series	III L		20-60 tons	8'-35' x 10'	Portable Mechanical V.S.
	32-208, -2010, -308, -3010, -3012, -2520, -3020, -3025, -3030, -4025, -4030, -4035, -5035, -6035							
88-149PN 07/17/88	Winslow Scale Company	Weighbeam	TR Series	III/III L		51k & 120k lb		Type Registering Weighbeam
	TR 10, TRA-50							

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-150 03/13/90	John Chatillon & Sons, Inc.	PBB 135, PBB 52, PBB 52kg, PBB 26kg	Bench and Counter Scale	PBB Series	III	See Below	135 lb - 35 kg	12" x 17"	Superseded by 88-150 5/4/90
88-150 Amended 05/04/90	John Chatillon & Sons, Inc.	PBB 135 135 lb, PBB 52 52 lb, PBB 52KG 52kg, PBB 26KG 26, kg	Bench and Counter Scale	PBB Series	III		26 kg - 135 lb	12" x 17"	Mechanical Lever System
88-150PN 06/28/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series	III		135lb - 52kg	12 " x 17 "	Superseded by 88-150
88-151 08/07/91	John Chatillon & Sons, Inc.		Floor Scales	HB-1000-BA	III L	2000	1000 x 0.5 lb	18" x 27"	Mechanical Lever System
88-151PN 06/28/88	John Chatillon & Sons, Inc.	HB 1000-BM. Capacity 500 kg x 0.2 kg	Floor Scales	HB-1000-BA	III	2,000	1k x 0.5 lb	18 " x 27 "	Portable Mechnical Lever Sys.
88-152 05/01/89	Fairbanks Scales	12-8724-S, -8724-C, -8726-S, -8726-C, -8727-S, -8727-C, -8728-S, -8728-C, -8729-S, -8729-C	Vehicle Scale	12-87XX Series	III L	10000	120k & 200 k lb		Load Cell Electronic
88-153PN 06/17/88	Fairbanks Scales		Livestock Scale	11-3300 Series	III L		10 tons	8' - 9' x 15'	Mechanical Livestock Scale
88-154PN 06/17/88	Fairbanks Scales	11-3116, -3141, -3153A, -3157, -3158, -3381, -3342, -3344, -3446, -3484, -3352, -3354, -3356, -3394, -3482, -3485	Vehicle Scale	11-3000 Series	III L		15 - 80 tons	22'x 9'- 80'x 10'	Mechanical Lever Vehicle Scale
88-155PN 06/17/88	Fairbanks Scales		Weighbeam	50-5361	III L	10,000	100,000 lb		Type Registering Weighbeam
88-156PN 06/17/88	Fairbanks Scales	41-3132, -3132-A02, -3132-A03, -3132-A21	Floor Scales	41-3132 Series	III	2000	1,000lb	18" x 27"	Portable Mech Floor Scale
88-157PN 06/17/88	Fairbanks Scales	The following model designations carry a prefix of 11- or 14-. The 11- models are mechanical scales. The 14- models are levertronic (lever system with load cell) scales (e.g. 11-6186A is mechanical and 14-6186A is levertronic). Models: 6186A, 6187A,; 6188A, 6189A, 6190W, 6190, 6192A, 6197A, 6198, 6199.	Livestock Scale	11-6100 Series	III L		5 - 20 ton	14 'x 8 '	Mechanical Levertronic
88-158	Fairbanks Scales	11-4300, -4301, -4302, -4303, -4311, -4306, -4304, -4307, -4308, -4305, & 4309.	Vehicle Scale	11-4300 Series	III L		30-75 ton	10" x 10"	IN PROCESS

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-158PN 06/17/88	Fairbanks Scales	11-4300, -4301, -4302, -4303, -4311, -4306, -4304, -4307, -4308, -4305, -4309	Vehicle Scale	11-4300 Series	III L		30-75 ton	10 'x 10 '	Mechanical Levertronic
88-159PN 06/17/88	Fairbanks Scales	14-2000, -2001, -2003, -2004, -2005	Floor Scales	14-2000 Series	III	8,000	8,000lb		Weighing Element
88-160PN 10/12/88	Fairbanks Scales	13-8241, -8246, -8251, -8261, -8266, -8271, -8276, -8281	Vehicle Scale	13-8200 Series	III L		60 to 80 ton		Portable Mech/Levertronic
88-161 07/25/88	Tuthill Corporation	520 or 527-SP, 521 or 528-SP, 540 or 547-SP, 541 or 548-SP, 580 or 587-SP, 581 or 588-SP	Service Station Consoles/ECR	500 Series			9999.99 gal		Service Station Controller
88-162 07/17/88	Gilbarco, Inc.		Printer	PAO 16300					Dot Matrix Tape Printer
88-163 07/25/88	Hugin Sweda, Inc.	5430	Cash Register	5420					Electronic Stand Alone
88-164 07/25/88	Hugin Sweda, Inc.	The 6700 cash register consists of: Model 6731 printer, Model 6710 keyboard, Model 6711 paging keyboard with programmable "paging" keys	Cash Register	6700					Electronic Stand Alone or CPU
88-165			NO DEVICE TYPE						NOT ISSUED
88-166P 08/30/88	Cardinal/Detecto Scale Mfgr. Co.	Capacities (lb): 250, 500, 1000	Load Cell	Z	III/III L	5K,10K S	250 - 1000 lb		Tension
88-167PN 10/12/88	Fairbanks Scales	11-7181, 11-7182, 11-7183	Vehicle Scale	11-7100 Series	III L		20 - 30 tons	12'x 10'	Mechanical Lever System
88-168PN 10/12/88	Fairbanks Scales	V18-1015-220, V22-1015-220, V35-10353325, V20-1015-220	Livestock Scale	V Series	III L				Mechanical Lever System
88-169 09/09/88	CMI Weighing Equipment	2C-4010, -4610, -6010, -7010, -8010, -9010. Capacities (tons): 60 and 100	Vehicle Scale	2C-XXXX Series	III L	10,000	100 ton	60 'x 10 '	Weighing Element

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-170	09/22/88	Avery Weighing Technology		Computing Scale	A100E	III	3,000	30 x 0.01 lb	13.5 " x 11 "	Digital Electronic
88-171	08/30/88	Berkel Incorporated		Computing Scale	688LS	III	3,000	30 x 0.01 lb	13.5 " x 11 "	Digital Electronic
88-172	08/30/88	Tele-Weight, Inc.		Indicating Elements	F-4V	III/III L	10,000			Livestosk Scale Indicator
88-172 A1	11/02/90	Tele-Weight, Inc.		Indicating Elements	TW-1	II/III L	10,000			Livestock Scale Indicator
88-172 A2	11/02/90	Tele-Weight, Inc.		Indicating Elements	TW-1	III L	10,000			Digital Electronic
88-172.A3	04/17/92	Tele-Weight, Inc.		Indicating Elements	TW-1	III L	10,000			Digital Electronic
88-173	04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	5,000	100 x 0.02 lb	12.5" X 14"	Digital Electronic
88-173PN	07/05/88	Cardinal/Detecto Scale Mfgr. Co.		Weighbeam		III				Mechanical Type Registering
88-174	08/31/88			Prepackaging Scale	DPS-2600/AW-2600	III	3,000	30 x 0.01 lb	13.25" x 11.25"	Superceded by 88-174A1
88-174A1	03/27/90		IL-2600	Prepackaging Scale	DPS-2600/AW-2600	III	3,000	30 x 0.01 lb	13-1/4" x 11-1/4"	Digital Electronic
88-175	11/01/88	Analogic Corporation		Indicating Elements	ITG 3030	III/III L	10,000			Digital Electronic
88-176	08/30/88	Metrometer, Inc.		Taximeter	CCM21R					Dig. Elec. Credit Card Meter
88-177	02/15/89	Rudda Meter Inc.		Taximeter	RM 1500			$999.99		Digital Electronic
88-178	08/30/88	Howe Richardson Division		Vehicle Scale	3460-70-100	III L	10,000	200,000 lb	70 ' x 10 '	Load Cell: Electronic

3450-35-60, 3460-35-60, 3450-45-60, 3460-45-60, 3450-45-100, 3460-45-100, 3450-50-60, 3460-50-60, 3450-50-100, 3460-50-100, 3450-60-60, 3460-60-60, 3450-60-100, 3460-60-100, 3450-70-60, 3460-70-60, 3450-70-100, 3460-70-100, 3450-75-60, 3460-75-60, 3450-75-100, 3460-75-100, 3450-80-60, 3460-80-60, 3450-80-100, 3460-80-100, 3450-100-60, 3460-100-60, 3450-100-100, 3460-100-100. Capacities (lb): 120,000 and 200,000

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-178A1	03/25/92	Howe Richardson Division		Vehicle Scale	34 SERIES	III L	10,000	70K - 200k lb	see certificate	Load Cell: Electronic
88-179	09/22/88	Avery Weighing Technology	8638, 8636	Computing Scale	1770	III	3,000	30 x 0.01 lb	9.5 " x 11.5 "	Digital Electronic
88-179.A1	03/07/91	Berkel Incorporated		Computing Scale	1770	III	3,000	30 x 0.01 lb	9.5" x 11.5"	Digital Computing
88-180	09/23/88	Avery Weighing Technology	1791A, 1791C, 1791E	Computing Scale	1791	III	3,000	30 x 0.01 lb	344 mm x 280 mm	Digital Electronic
88-181	08/30/88	Berkel Incorporated	680 CW MKII	Bench and Counter Scale	680 MKII	III	3,000	30 x 0.01 lb	384 mm x 280 mm	Digital Electronic
88-182	08/30/88	Ohio Valley Scale & Equipment Corp .		Floor Scales	PLP-3026-1.2	III	2,400	1200 x 0.5lb	30" x 38.6"	Portable Electro-mechanical
88-183	09/22/88	Exact Equipment Corporation	960S, 960T, 960L	Prepackaging Scale	960	III	3,000	30 x 0.01 lb	16 " x 10 "	Digital Computing
88-184	09/22/88	Exact Equipment Corporation		Prepackaging Scale	920	III	5000	50 x 0.01 lb	270 mm x 400 mm	Superseded by 88-184A
88-184A	05/01/89	Exact Equipment Corporation		Prepackaging Scale	951	III	5,000	50 x 0.01 lb	270 mm x 400 mm	Digital Electronic
88-185	11/14/88	CompuWeigh		Bulkweighing System	Compudraft Ser 2000	III				
88-185A1		CompuWeigh		Bulkweighing System	Compudraft Ser 2000	III				IN PROCESS
88-186	08/30/88	John Chatillon & Sons, Inc.	DPA150, capacity 150 x 0.05 lb. DPA600, capacity 600 x 0.2 lb	Bench and Counter Scale	DPA300	III	3,000	300 x 0.1 lb	15.5 " x 15.5 "	Digital Electronic
88-187	11/01/88	Sartorius Corporation		Jewelers' Balance	X1493-X	II	6,100	6,100 x 0.1g	5.9" x 4.6"	Explosion Proof Electronic
88-188	10/28/88	GSE, Inc.		Indicating Elements	620	III	2,500			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-188A1	03/26/92	GSE, Inc.		Indicating Elements	620	III	3000			Digital Electronic
88-189	01/25/89	GSE, Inc.		Bench and Counter Scale	622	III	5,000	10 to 100 lb		Digital Electronic
88-190	12/20/88	GSE, Inc.	4430, 4432, 4434, 4442, 4444, 4446, 4450, 4452, 4454	Bench and Counter Scale	4400 Series	III	2,500	20 lb to 1,000 lb	12-18" to 24-24"	Digital Electronic
88-191	10/28/88	Toledo Scale Corporation		Printer	350					Electronic Programmable Label
88-192	09/22/88	Toledo Scale Corporation		Printer	8804					Dot Matrix
88-193	10/28/88	Toledo Scale Corporation		Printer	8840-1					Dot Matrix
88-194	09/22/88	Toledo Scale Corporation		Printer	8860					Thermal Electronic
88-195	10/28/88	Toledo Scale Corporation		Printer	314T					Electronic Label Printer
88-196	09/22/88	Toledo Scale Corporation		Printer	8855					Dot Matrix Tape
88-197	09/22/88	Toledo Scale Corporation		Printer	MP 750					Electronic Dot Matrix Ticket
88-198				NO DEVICE TYPE						NOT ISSUED
88-199				NO DEVICE TYPE						NOT ISSUED
88-200				NO DEVICE TYPE						NOT ISSUED
88-201				NO DEVICE TYPE						NOT ISSUED
88-202	10/04/88	Mettler Instrument Corporation		Grain Test Scale	PM 2200-1/49	II	21,000	0 - 200 x 0.01 g	13cm diameter	Digital Electronic
88-203	09/13/88	Ohaus Corporation	LB30, LB60, LB100, LB150. Capacities (lb): 30 - 150	Bench and Counter Scale	LB100	III	5,000	100 x 0.02 lb	14" x 17"	Load Cell Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-204	09/22/88	Ohaus Corporation	WB10, WB25. Capacities (lb): 10 and 25	Bench and Counter Scale	WB50	III	5,000	50 x 0.01 lb	12" x 12"	Load Cell Electronic
88-205	09/13/88	Ohaus Corporation	WBS 10 and WBS 25. Capacities (lb): 10 and 25	Bench and Counter Scale	WBS50	III	2,500	50 x 0.02 lb	12" x 12"	Load Cell Electronic
88-206	09/29/88	Metro Equipment Corporation		Indicating Elements	SEP-12K	III/III L	10,000			Digital Electronic
88-207	09/29/88	Metro Equipment Corporation		Indicating Elements	POLO-12K	III/III L	10,000			Digital Electronic
88-208				NO DEVICE TYPE						NOT ISSUED
88-209				NO DEVICE TYPE						NOT ISSUED
88-210				NO DEVICE TYPE						NOT ISSUED
88-211				NO DEVICE TYPE						NOT ISSUED
88-212				NO DEVICE TYPE						NOT ISSUED
88-213PN	11/14/89	Powell All-Steel Scales	See Certificate for models, capacities and platforms	Vehicle Scale	P Series	III L				Mechanical Pit Type
88-214PN	11/09/89	Powell All-Steel Scales	28PA10, 38PA10, 210PA10, 310PA10, 18PA10, 28PA10, 210PA10, 38PA10, 310PA10, 28A10, 210A10, 38A10, 310A10	Vehicle Scale	A and PA Series	III L				Portable & Stationary Mechanic
88-215PN	11/21/89	Powell All-Steel Scales	See Certificate for models, capacities and platforms	Vehicle Scale	C Series	III L				Mechanical Portable Contractor
88-216PN	11/21/89	Powell All-Steel Scales	1535C12, 1535C14, 1540C12, 1540C14, 1570C12, 1570C14, 1580C14	Vehicle Scale	PV Series	III L				Portable Mechanical
88-217	05 28 '91	Powell All-Steel Scales	5651WS, 6751WS, 6851WS, 68101WS, 68201WS, 610201WS, & 610301WS. Capacities: 7,000 lb, 20,000 lb, 27,000 lb & 40,000 lb. Platforms: 6' x 5', 6' x 7', 6' x 8' & 6' x 10'	Floor Scales	IWS Series	III/III L		see below	see below	Mechanical

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-217PN 11/21/89	Powell All-Steel Scales	5651WS, 6751WS, 6851WS, 68101WS, 68201WS, 610201WS, 610301WS	Floor Scales	IWS Series	III				Mech. Industrial Warehouse
88-218PN 11/09/89	Powell All-Steel Scales	1560RR10, 1570RR10, 2070RR10, 2084RR10, 2090RR10	Vehicle Scale	RRS Series	III L				Mechanical Lever System
88-219PN 11/21/89	Powell All-Steel Scales		Vehicle Scale	660EL10-C	III L	6000	120,000 x 20 lb	60' x 10'	Load Cell - Low Profile
88-220			NO DEVICE TYPE						NOT ISSUED
88-221 09/11/90	Weigh-Tronix, Inc.	Model Designation: DS XXXX-YY & DSFS-XXXX-YY where XXXX is platform size and XX is capacity in thousands of pounds. DS Series: capacity 500 to 20,000lb, platform: 24 x 24 to 144 x 108. DSFS Series: capacity 500 to 20,000lb, platform 24 x 24 to 84 x 60	Vehicle Scale	DS & DSFS	III	5,000	500 to 20,000 lb	see below	
88-222 11/09/89	Weigh-Tronix, Inc.	see certificate for specific models, capacities, & platform sizes.	Floor Scales	LP Series	III		see certificate	see certificate	Digital Electronic Low Profile
88-222PN 10/11/88	Weigh-Tronix, Inc.	LP 3636-02, -4848-05, -6060-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -7272-10, -7272-20, -8460-10, -8460-20, -9660-10, -9660-20, -9672-20, -9672-30, -10884-20, -10884-40, -108144-20. LPF 3636-02, -4848-05, -6060-10, -6060-20, -724 8-05, -7248-10, -7260-10, -7260-20, -8460-10, -8460-20. LPFS 3636-02, -4848-05, -6060-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -8460-10, -8460-20	Floor Scales	LP Series	III		see certificate	see certificate	Digital Electronic Low Profile
88-223 01/27/92	Weigh-Tronix, Inc.	MRS-24-01, MRS-24-02, MRS-48-01 & MRS-48-02. Capacities: 1,000x0.5 lb, 2,000x1.0 lb.	Monorail Scale	MRS Series	III	2000	See below		Digital Electronic
88-223PN 10/11/88	Weigh-Tronix, Inc.	MRS-24-01, -24-02, -48-01, -48-02	Monorail Scale	MRS Series	III	2,000			Digital Electronic
88-224 03/27/90	Cardinal/Detecto Scale Mfgr. Co.		Vehicle Scale	PRC-I Series	III L	10,000	20,000 lb	70' x 10'	Electronic Load Cell
88-224P 10/11/88	Cardinal/Detecto Scale Mfgr. Co.	Range of capacities from 100,000 to 270,000 lb. Range of platform area from 350' x 350' to 1050' x 1050' (10 to 12 foot widths). CLC 72,000 to 80,000 lb	Vehicle Scale	PRC-I Series	III L	10,000	200,000 lb	70'x 10'	Superseded by 88-224
88-225 01-25-89	Condec Consolidated Controls		Indicating Elements	UMC 555AAAA	III/III L	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-225.A1	01/03/91	Eaton Corporation		Indicating Elements	UMC555-XXXX Series	III/III L	10,000			Digital Electronic
88-226	10/04/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Highline 111 Series			99.999 vol units		Superseded by 88-226.A3
88-226.A3	11/02/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC X X X X X XX	& 88-002	Supercedes:	88-226;-226A; -226A2;-022;-022A		Digital Computing RMFD
Generic Name: Highline 111 Series and Salesmaker Series, Includes "High", "Super High"'and "Ultra High" Gallonage Models, Uses Gilbarco "B" or "C" meters ot LC M-5 meter. Electronic Calibration Option available for Ultra High Gallonage dispenser with LC M-5 meter. Standard Flow rate: 13/2 gpm, High, 30/4, Super 40/8, Ultra, 60/12 gpm										
88-226A	02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Highline 111 Series			99.999 vol units		Superseded by 88-226.A3
88-226A2	03/13/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC X X X X X XX					Superseded by 88-226.A3
88-227	09/22/88	Ohaus Corporation	GJ-4400-L, GT-4000-L, GJ-4000-L	Jewelers' Balance	GT 4400-L	II	40,000	0 - 400 x 0.01 g	6.5" Diameter	Digital Electronic
88-228	09/13/88	Ohaus Corporation	PL30, PL60, PL100, PL150	Bench and Counter Scale	PL Series	III	5,000	30 to 150 lb	18" x 18"	Load Cell Electronic
88-229	09/13/88	Ohaus Corporation		Indicating Elements	PBI	III	5,000			Digital Electronic
88-230	09/12/88	Weigh-Tronix, Inc.	DS 3030A-01, capacity 1000 lbs	Bench and Counter Scale	DS 2424A-005	III	5,000	500 lbs	2' x 2'	Electronic Load Cell
88-231	11/01/88	Int. Weighing Systems, Inc	NCD 1400 FT	Indicating Elements	NCD 1400	III/III L	10,000			Digital Electronic
88-232	10/28/88	Weigh-Tronix, Inc.	-4848-5, -4848-10, -4860-5, -4872-10, -6060-5, -6060-10, -6060-20, -6072-10, -6084-10, -6084-20, -6084-30	Floor Scales	STE and SLE	III	5,000	5K, 10K, 20K, 30K	see certificate	Electronic Load Cell
88-232A	04/19/89	Weigh-Tronix, Inc.	-4848-5, -4848-10, -4860-5, -4860-10, -4872-5, -4872-10, -6060-5, -6060-10, -6060-20, -6072-10, -6084-10, -6084-20, -6084-30	Floor Scales	STE and SLE	III	5,000	5k to 30k lb	48"x48" - 60"x84"	Electronic Load Cell

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-233	09/22/88	Fargo Electronic Services Inc.		Printer	SP 2000					Dot Matrix
88-234	09/13/88	Control Logic Corporation		Printer	CLC 1100 & CLC 1200					Dot Matrix
88-235	09/12/88	Weigh-Tronix, Inc.		Indicating Elements	WI-120	III/III L	10,000			Digital Electronic
88-235A	04/04/89	Weigh-Tronix, Inc.	WP-230, WP 231	Indicating Elements	WI-120	III/III L	10,000			Digital Electronic
88-236	09/22/88	Weigh-Tronix, Inc.	575R, 575S	Indicating Elements	575	III/III L	5,000			Digital Electronic
88-237	09/26/90	J&S Scale Company		Vehicle Scale	MP Series	III L	4,000	60,000 lb	25' x 10'	Vehicle Scale
		MP121030C200: 60,000 lb, MP121230C200: 60,000 lb, MP201030C200: 60,000, MP201230C200: 60,000, MP241030C200: 60,000, MP241230C200: 60,000, MP301030C200: 60,000, MP301230C200: 60,000, MP301040C300: 80,000, MP301240C300: 80,000, MP340140C300: 80,000, MP341240C300: 80,000, MP401040C300: 80,000, MP401240C300, 80,000								
88-238	09/26/90	J&S Scale Company	CLC: 60,000 lb 4 sections; see certificate for othermodels.	Vehicle Scale	MP SERIES	III L	8000	120,000 x 20 lb	70' x 10'	Pipe Lever Sys. w/1 load cell
88-239P	01/25/89	The A. H. Emery Company		Load Cell	136	III L	10,000 M	75,000		Hydraulic
88-240	09/22/88	Metro Equipment Corporation	SX 10KIB, SX 10KOB	Indicating Elements	SX-10K	III/III L	10,000			Digital Electronic
88-240A1	01/10/92	Metro Equipment Corporation	SX-2002	Indicating Elements	SX-2000	III\IIIL	10,000			Digital Electronic
88-241	01/25/89	GSE, Inc.		Indicating Elements	622R	III	2,500			Digital Electronic
88-241A1	09/11/90	GSE, Inc.	n-max: 5000 class III; 10,000 class IIIL	Indicating Elements	622R	III/IIIL	see below			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-242P	03/29/89	Unibridge Scale Systems		Vehicle Scale	UBUSR701045	III L	8,000	160,000 x 20 lb	70' x 10'	Pipe Lever
88-243		Toledo Scale Corporation		Vehicle Scale	7560					NOT ISSUED
88-243A1	12/18/91	Toledo Scale Corporation		Vehicle Scale	7560	III L	10,000	60 - 100 t	117' max.	Load Cell Electronic
88-243P	01/25/89	Toledo Scale Corporation		Vehicle Scale	7560	III L	10,000	60, 100 Tons		Load Cell Electronic
			The model designation is identified by 7560 XX YYYY where the XX represents "CD" for concrete deck or "SD" for steel deck and the YYYY represents the platform length and width. Range of platform lengths 35' to 115'							
88-244	11/01/88	NCR Corporation	4522 K010	Computing Scale	4522	III	3,000	30 x 0.01 lb	12" x 14"	Digital Electonic
88-245	11/01/88	NCR Corporation	4526-K001, 4524	Computing Scale	4526-0102	III	3,000	30 x 0.01 lb	12" x 12"	Digital Electronic
88-246	02/15/89	Unibridge Scale Systems		Floor Scales	UNBELSR0605	III	5,000	5,000 x 1 lb	6' x 5'4"	Electronic load cell
88-246.A1	02/12/91	Unibridge Scale Systems		Floor Scales	UBE SERIES	III	5000	25,000 x 5 lb	14' x 10"	Electronic, Load Cell
88-247P	09/22/88	Airway Scale and Mfg Co., Inc.		Vehicle Scale	AW 60T 1070-PE	III L	6,000	120,000 x 20 lb	10' x 70'	Load Cell Weighing Element
			AW 45T 1035-PE, AW 50T 1040-PE, AW 55T 1050-PE, AW 60T 1060-PE, AW 60T 1065-PE, AW 60T 1080-PE, AW 60T 10100-PE, AW 60T 10105-PE. Capacities (lb): 90,000 - 120,000							
88-248	10/11/88	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3,999	3999 x 1 g	6.75" x 5.25"	Superseded by 88-248A1
88-248A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3999	3999 X 1 g	6.75"x 5.25"	
88-249	10/11/88	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3,999	3999 x 1 g	6.75" x 5.25"	Superseded by 88-249A1

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-249A1 01/06/90	Cardinal/Detecto Scale Mfgr. Co. AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4k	III	3999	3999 X 1g	6.75 X 5.25 "	Digital Electronic
88-250 09/22/88	Omron Systems of America RS 81-00, RS 81-30	Cash Register	RS 81-31					Stand Alone
88-251 10/13/88	Ishida Scales Mfg. Co., Ltd. MT-30S, MT-15S	Bench and Counter Scale	MT-60S	III	3,000	60 x 0.02 lb	329 mm x 309 mm	Digital Electronic
88-252 10/28/88	Weigh-Tronix, Inc. Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg	Bench and Counter Scale	3825	III	5,000	100 x.02 lbs	12" x 14"	Digital Electronic
88-253 02/10/89	Marsh Scale Inc MCS-14, MCS-20, SMCS-18, MCS-25. Capacities (lb): 10,000 and 20,000	Livestock Scale	MCS and SMCS Series*	III L				Mechanical Lever System
88-253 Amended 06/06/91	Marsh Scale, Inc. MCS-14, MCS-20, SMCS-18 & MCS-25. CLC: 5,700 lb & 11,700 lb. Platforms: 14' x 8', 20' x 8', 18' x 6'8" & 25' x 8'.	Livestock Scale	MCS/SMCS SERIES	III L		see below	see below	Mechanical Lever System
88-254 05/02/89	General Electronic Systems, Inc. Freedom I	Indicating Elements	Freedom II	III/III L	10,000			Digital Electronic
88-255 11/01/88	Avery Weighing Technology	Computing Scale	A100	III	3,000	30 lb	13.5" x 11"	Digital Electronic
88-256 01/25/89	AutoGas Systems, Inc. AC 2004 E, AC 2003 M	Retail Motor Fuel System	AT 2002 X					Card Reader/Station Controller
88-257 02/10/89	NCR Corporation	Service Station Consoles/ECR	2126-1400					Electronic
88-258P 02/10/89	Thurman Scale Company Capacities (lb): 1000, 2500, 5000	Floor Scales	3500	III	2500	5,000 lb	3' x 3' - 5' x 7'	Electronic Load Cell
88-259 01/25/89	Toledo Scale Corporation	Indicating Elements	8530	III/III L	10K			Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-260	02/10/89	Sterling Scale Company, Inc.		Indicating Elements	DW650	III/III L	5K,10K			Digital indicating element
88-261	02/10/89	NCR Corporation		POS Scale	2127					Pt. of Sale Products
88-261A	06/05/91	NCR Corporation	2127-F033/K027	POS Scale	2127					Terminal System
88-262	01/26/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L Series			99.999 vol units		Superseded by 88-262A1
88-262.A1 Amend	04/18/91	Wayne Division	Capacity: $999.99 Total Price; 999.999 Volume Units; $9.999 Unit Price.	Retail Motor Fuel Dispenser	DDX-490-L SERIES			see below		Electronic Computing
88-262A1	05/01/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L-Series			999.999 vol units		Digital Electronic Multi-Pro
88-262A2	05/05/92	Wayne Division	Capacities: $999.99 Total Price, 99.999 Volume Units, 9.999 Unit Price.	Retail Motor Fuel Dispenser	DDX-490-1L Series			see below		Digital Electronic Multi-Pro.
88-263	11/01/88	Wayne Division		Service Station Consoles/ECR	WP/CT					Superseded by 88-263A1
88-263A1	03/13/90	Wayne Division		Service Station Consoles/ECR	WP/CT					Generic Names Wayne "Plus2 & 3
88-264	01/26/89	Stress-Tek, Incorporated		Hanging Scale	ST-300	III	1,500	300 lb		Digital Electronic
88-265P	10/28/88	Southwestern Scale Co., Inc.	The model designation consists of the platform length and the scale capacity in tons followed by the series designation. Example: 3530-LPS where the scale is 35 feet long with a 30 ton capacity. Optional capacities: 60,000 lb, 100,000 lb, and 150,000 lb. Optional platform sizes: 35' x 10', 60' x 10', and 80' x 10'	Vehicle Scale	LPC and LPS Series	III L	60000	30 tons	70 ' x 10 '	Digital Electronic
88-266	10/21/88	Fairbanks Scales		Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
88-266.A1	03/07/91	Fairbanks Scales	PB9000; PB9000-1 & 1124-1	Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-267	10/28/88	Omron Systems of America	RS 4041	Cash Register	RS 4030					Stand Alone
88-268	10/28/88	Weigh-Tronix, Inc.	Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg	Bench and Counter Scale	3815	III	5,000		12" x 14"	Digital Electronic
88-269	03/01/89	TEC America, Inc.		Cash Register	MA 1900					Digital Electronic
88-270	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-39-50-N	III	5,000	50 x .01 lb.	350 mm x 240 mm	Digital electronic
88-271	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-37-08L	III	1,500	7.5 x .005 lb.	300 mm x 230 mm	Digital Electronic
88-272	11/14/88	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	5000	15 lb - 100 lb	8"x8", 12"x16.5"	Superseded by 88-272A
88-272A	04/19/89	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	5,000	15 lb to 100 lb	8"x8", 12"x16.5"	Load Cell, Electronic
88-273	08/21/90	Southwestern Scale Co., Inc.	concentrated load capactiy: 45,000 lb	Vehicle Scale	6070-PV	III L		120k x 20 lb	70" x 10"	Portable Mechanical
88-273P	03/01/89	Southwestern Scale Co., Inc.		Vehicle Scale	6070-PV	III L		120,000x 20 lb	70 x 10'	Portable Electromechanical
88-274P	01/26/89	P.O.M. Incorporated		Parking Meter	"E" (ECON-O-METER)			2 hrs x 6 min		Parking Meter
88-275				NO DEVICE TYPE						NOT ISSUED
88-276	01/20/89	Cardinal/Detecto Scale Mfgr. Co.		Printer	740 and 750					Electronic Dot Matrix
88-277	01/11/89	Tokheim Corporation	382, 385, 387	Service Station Consoles/ECR	ROC Series					Superseded by 88-277A1
88-277A1	02/09/90	Tokheim Corporation	390, 385, 387, 389	Service Station Consoles/ECR	ROC Series					

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-278		Hottinger Baldwin Measurements, Inc		Load Cell	BLC (1.5 mv/v)					IN PROCESS
88-278P	01/25/89	Hottinger Baldwin Measurements, Inc		Load Cell	BLC*	III	3K S,5K M	500 to 5,000 lb		Bending Beam
		BLC-YYYXX500 thru BLC-YYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 500, 1250, 2000, 2500, 5000								
88-278P.A1	09/26/90	Hottinger Baldwin Measurements, Inc		Load Cell	BLC & TLC	III	see below	500 to 5000 lb		Bending Beam
		Capacity: single cell, 3000 - multiple cell, 5000. The specific load cells covered by this certificate are: BLC-YYYXX500 through BLC-YYYXX699 for cells with 1.5m V/V output, BLC-YYYXX700 through BLC-YYYXX790 for cells with 2.0 mV/V output, TLC-YYYXX700 through TLC-YYYXX790 for cells with 2.0 mV/V output, BLC-YYYXX800 through BLC-YYYXX990 for cells with 3.0 m V/V output where YYY is the load cell capacity and XX is the cable length.								
88-278P.A2	11/02/90	Hottinger Baldwin Measurements, Inc		Load Cell	BLC & TLC	III	see below	500 to 5,000 lb		Bending Beam
		n-max: singel cell 3,000, mutiple cell 5,000. The specific load cells covered by this certificate are: BLC-YYYXX500 through BLC-YYYXX699 for cells with 1.5 mV/V output, BLC-YYYXX700 through BLC-YYYXX790 for cells with 2.0 mV/V output, TLC-YYYXX700 through TLC-YYYXX790 for cells with 2.0 mV/V ooutput: BLC-YYYXX800 through BLC-YYYXX990 for cells with 3.0 mV/V output where YYY is the load cell capactiy & XX is the cable length.								
88-279	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy 8800 Series			see below		Superseded by 88-279A1
		8852, 8853. Capacities: $999.99 Total Money, 999.999 Total Volume, $9.999 Total Value								
88-279A1	05/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy 8800			see below		Electronic Computing
		8852, 8853. Capacities: $999.99 Total Money, 999.999 Total Volume, 9.999 Total Unit Price								
88-280	02/10/89	NCR Corporation		Cash Register	2760 FSS					Digital Electronic
88-281	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy 8000 Series			999.9 total vl		superseded by 88-281A1
		8052, 8053, 8652, 8653, 8752, 8753								
88-281A1	05/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy 8000			999.9		
		8052, 8053, 8652, 8653, 8752, 8753								
88-282	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy Submersible			999.9 total vol		Mechanical; Volume Only
		53 RDX, 2150 RDX, 8553 RDX, 8553 RDX TW								
88-283	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy Self-Con Vol			999.9 total vol		Mechanical; Volume Only
		52, 5200, 53, 5300, 8552, 8552TW, 8553, 8553TW								

CC No.	Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-284	01/25/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel Dispenser	Gasboy Sup-Sd Vol			999.9 total vol		Volume Only
		150, 85150, 1500 RDX (Dispenser Only)							
88-285	01/25/89	William M. Wilson's Sons, Inc.	Retail Motor Fuel System	System 2000S					Magnetic or Optical Reader
		System Model 2000S: Card readers are CTR-4, CTR-8, CTR-12 and CTR-16 which interface with logic control unit models CTC-4, CTC-8, CTC-12, and CTC-16.							
88-286			NO DEVICE TYPE						NOT ISSUED
88-287			NO DEVICE TYPE						NOT ISSUED
88-288P	02/10/89	General Electronic Systems, Inc.	Floor Scales	Pro-Weigh 84-A	III	5,000	1,000 -20,000 lb	36x36 to 60x84"	Load Cell Electronic
		Platform Sizes (W" x L"): 36 x 36, 48 x 48, 48 x 60, 48 x 72, 60 x 60, 60 x 72, 60 x 84							
88-288P.A1		General Electrodynamics Corporation	Floor Scales	Pro-Weigh 84-A					
88-289	02/10/89	Mettler Instrument Corporation	Bench and Counter Scale	Mettler Multirange	II/III L	15000			Superseded by 88-289A
88-289A	03/01/89	Mettler Instrument Corporation	Bench and Counter Scale	Mettler Multirange	II/III	15,000	see certificate	see certificate	Digital Electronic
		Class III Scales: KA15, KB60, KC120, KC240. Class II Scales: KA15, KB60, KC120							
88-290	05/01/89	SP Systems, Incorporated	Vehicle Scale	SP 1000 Series	III L	10000	200,000 lb	see certificate	Load Cell Electronic
		SP 1011, -1012, -1013, -1014, -1015, -1016, -1017, -1003, -1004, -1005, -1006, -1007, -1008							
88-290.A1	11/02/90	RSB Engineers/Planners, Inc.	Vehicle Scale	SP 1000 Series	III L	10,000	200,000 lb		Load Cell Electronic
		SP 1011, SP 1012, SP 1013, SP 1014, SP 1015, SP 1016, SP 1017, SP 1003, SP 1004, SP 1005, SP 1006, SP 1007 & SP 1008.							
88-290A1	08/21/90	RSB Engineers/Planners, Inc.	Indicating Elements	SP 1000 Series	III L	10,000	see below	see below	Load Cell Electronic
		see certificate for specific models, capacities and platform sizes.							
88-291	01/25/89	Weigh-Tronix, Inc.	Floor Scales	DFE and FLE Series	III	3k-5k	500 to 20000 lb	24x24 - 96x120 in	Superseded by 88-291A1

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-291A1	10/02/89	Weigh-Tronix, Inc.		Floor Scales	DFE and FLE Series	III		500 to 20,000 lb	24x24 - 96x120 in	
		The model designation consists of the series name (i.e. DFE or FLE) followed by the platform size and the scale capacity in thousands of pounds. Example: DFE-2424-.5, where the platform size is 24" x 24" and the scale capacity is 500 lb. Range of capacities 500 lb to 20,000 lb								
88-291A2	05/31/91	Weigh-Tronix, Inc.		Floor Scales	DFE & FLE Series	III	5000	500 to 20,000 lb	24x24 - 60x72	Load Cell Electronic
		XXX-2424-.5, XXX-2424-1, XXX-3030-1, XXX-3030-2, XXX-3030-5, XXX-3636-2, XXX-3636-5, XXX-4848-2, XXX-4848-5, XXX-4848-10, XXX-4860-2, XXX-4860-5, XXX-4860-10, XXX-6060-2, XXX-6060-5, XXX-6060-10, XXX-4872-2, XXX-4872-5, XXX-4872-10, XXXX-4872-20, XXX-607 2-2, XXX-6072-5, XXX-6072-10, XXX-6072-20, XXX-6084-5, XXX-6084-10, XXX-6084-20, XXX-96120-20 & XXX-96120-20.								
88-292	01/25/89	Rice Lake Weighing Systems	4430, 4432, 4442, 4446, 4452, 4454	Bench and Counter Scale	4400 Series	III	2,500			Digital Electronic
88-293	01/26/89	Hobart Corporation	SP80	Computing Scale	SP1500	III	3,000	30 x 0.01 lb		Superseded by 88-293A1
88-293A1	03/13/90	Hobart Corporation	SP80, SP2 1500 System	Computing Scale	SP1500	III	3000	30 X 0.01 lb		Digital Electronic
88-294	02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV-A	III	10,000			Digital Electronic
88-295P	01/25/89	Superior Load Cell	Capacities (lb): 150, 200, 300, 500, 750, 1000, 1200	Load Cell	AW 1700	III	5,000 S	150 to 1,200 lb		Shear Beam
88-296	03/01/89	Mettler Instrument Corporation	SM3000/49, SM6000/49, SM1220/49, SM12/49, SM1520/49, SM15000/49, SM15/49	Bench and Counter Scale	SM/49 Series	II	15,000	2K to 15k g	322 x 232 mm	Digital Electronic
88-297P	01/25/89	Fairbanks Scales		Vehicle Scale	14-8271*	III L	8,000	160,000 x 20 lbs	70' x 10'	Weighing Element
		The following model designations carry a prefix of 13- or 14-. The 13- models are mechanical scales, and the 14- models are levertronic (lever system with load cell) scales, e.g. 13-8241 (mechanical) or 14-8241 (levertronic). Models: 8241, 8246, 8251, 8261, 8266, 8276, 8281, 8286, 8291, 8296, 8301								
88-298		Sensortronics	n = 3,000 S/5,000 M	Load Cell	65023S	III	see below	1,000 - 10,000 lb		IN PROCESS

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-298P 01/26/89	Sensortronics		Load Cell	65023S	III	5000 M	1000 to 10000 lb		Superseded by 88-298PA1
		Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000							
88-298P.A2 02/21/91	Sensortronics		Load Cell	65023S	III	see below	1000 - 10,000 lb		Shear Beam Compression
		N-max: SC-3000, MC-5000.							
88-298PA1 06/16/89	Sensortronics		Load Cell	65023S	III	3K S, 5K M	1,000 - 10,000 lb		Shear Beam Compression
		Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000							
88-299 05/25/89	Weigh-Tronix, Inc.		Load Cell	CK-100 Series	III L	6000	250 to 2500 lb		Conversion Kit
		WBC-250, WBC-500, WBC-1000, WBC-2500. Capacities (lb): 250, 500, 1000, 2500							
88-300P 01/11/90	Webster Scale, Inc.		Vehicle Scale	MT, MTD Series	III L	7,500	80,000-200,000 lb	30x12' to 140x12'	Electromechanical
		MT 30402-12, MT 34403-12, MT 40403-10, MT 40403-12, MTD 40403-10, MT 60404-10, MT 60404-12, MTD 60404-10, MT 70404-10, MT 70404-12, MTD 70404-10, MT 70405-10, MT 70405-12, MT 80405-10, MT 80405-12, MTD 80405-10, MT 100407-10, MT 100406-12, MTD 100406-10 MT 120407-10, MT 120407-12, MT 140408-10, MT 140408-12							
88-301 01/25/89	Systems Associates, Incorporated		Indicating Elements	525	III/III L	10,000			Digital Electronic
88-302 01/25/89	Toledo Scale Corporation		Printer	8842					Dot Matrix
88-303 04/19/89	Bennett Pump Company	A 410-1, A 410-2	Service Station Consoles/ECR	A 410-1 and A 410-2					Superseded by 88-303A1
88-303A1 08/21/89	Bennett Pump Company	A 410-1, A 410-2, MI 320, MI 350	Service Station Consoles/ECR	A 410-X*			999.99 vol		Digital Electronic
88-304 05/25/89	Rice Lake Weighing Systems		Load Cell	RL20000	III	4500 S	50 to 10000 lb		Superceded by 88-304A1
		Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000							
88-304A1 04/26/90	Rice Lake Weighing Systems		Load Cell	RL20000	III/III L	5k, 10k S	25 to 20,000 lb		Type "S"
		Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000							
88-304PA1 04/26/90	Rice Lake Weighing Systems		Load Cell	RL20000	III/III L	5K,10K S	25 to 20,000 lb		Type "S" load cell
		Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-305	05/25/89	Rice Lake Weighing Systems	Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000	Load Cell	RL30002, 30000,30001	III/III L	5000 M	1000 to 10000 lb		Shear Beam
88-306	05/25/89	Rice Lake Weighing Systems	Capacities (lb): 5,000, 10,000, 20,000, 50,000	Load Cell	RL700000*-XX	III/III L	5000 M	5000 - 50000 lb		Double Ended Shear Beam
88-306.A1	04/18/91	Rice Lake Weighing Systems		Load Cell	RL70000-XX	III & IIIL	M-Cell 5000	5,000 - 50,000 lb		Double Ended Shear Beam
88-307	01/25/89	Weigh-Tronix, Inc.	FMTS 4010-70T, -6010-100T, -8010-100T, -10010-100T, -4012-70T, -4710-70T, -4712-70T, -6012-100T, -7012-100T, -8012-100T	Vehicle Scale	FMTS 7010-100T	III L	10,000	200,000 lb	70 x 10 ft	Load cell Electronic
88-307.A1	08/05/91	Weigh-Tronix, Inc.	FMTS 4010-70T, FMTS 4710-70T, FMTS 6010-100 T, FMTS 8010-100T, FMTS 9310-100T, FMTS 9310-100T, FMTS 10010-100 T, FMTS 4011-70 T, FMTS 4711-70T, FMTS 6011-100T, FMTS 7011-100T, FMTS 8011-100T, FMTS 9311-100T, FMTS 4012-70T, FMTS 4712-70T, FMTS 6012-100T, FMTS 7012-100T, FMTS 8012-100T, FMTS 6010-100THD, FMTS 8010-100THD, FMTS 9310-100THD, FMTS 10010-100THD, FMTS 6011-100THD, FMTS 7011-100THD, FMTS 8011-100THD, FMTS 9311-100THD, FMTS 6012-100THD, FMTS 7012-100THD & FMTS 8012-100 THD. Capacities:140,00 lb - 200,000 lb. Platform: 40 x 10ft, 47 x 10ft, 60 x 10ft, 80 x 10ft, 93 x 10ft, 100 x 10ft, 40 x 11ft, 60-80 x 11ft, 93 x 11ft, 40 x 12 ft, 47 x 12ft, 60-80 x 12 ft. CLC: 70,000 lb - 80,000 LB.	Load Cell Electronic	FMTS Series	III L	10,000	see below	see below	Load Cell Electronic
88-308	01/26/89	Fairbanks Scales		Indicating Elements	H90-1701; H90-1702	III/III L	10,000			Digital Element
88-309	01/25/89	Weigh-Tronix, Inc.	Capacities (lb): 10, 50, 100	Bench and Counter Scale	2200-1	III	5,000	25 x .005 lbs	12" x 13"	Digital Electronic
88-310	01/25/89	Weigh-Tronix, Inc.		Printer	WP-240					Dot matrix
88-311	01/25/89	NCI Weigh-Tronix Inc.	3800 R (remote indicator)	Bench and Counter Scale	3875	III	2240	5-70 lb x .5 oz	13-1/2" x 12"	Postal Weight Classifier
88-312	05/15/90	Webster Scale, Inc.	LR 20402-20, 22402-20, 24402-20, 26402-20,2 8402-20, 30402-20, 32402-16, 34402-17, 34402-18, 34402-20, 28403-20, 30403-20, 34403-16, 34403-17, 34403-18, 34403-20, CLC = 34,000 lb.	Livestock Scale	LR Series	III L	10,000	50,000 lb	400 - 680 cu. ft.	Electromechanical
88-313		Airway Scale and Mfg Co., Inc.		NO DEVICE TYPE	65023S					
88-313		Superior Load Cell		Load Cell	AW400	III L	10,000 M	15k to 125k lb		IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
88-313P	05/25/89	Superior Load Cell	AW400-15K, -20K, -30K, -40K, -50K, -60K, -75K, -100K, -125K	Load Cell	AW400	III L	10,000 MC	15K to 125K lb		Double-Ended Shear Beam
89-001	03/27/90	Toledo Scale Corporation		Bulkweighing System	9150	III	10,000			Digital Electronic
89-002	02/10/89	Weigh-Tronix, Inc.	MTS 3010-30T, MTS 7010-60T, MTS 7012-60T. Capacities (lb): 60,000 and 120,000	Vehicle Scale	MTS 6010-60T	III L	6,000	120,000 x 20 lbs	60 x 10 ft	Load Cell; Electronic
89-003	03/01/89	Ishida Scales Mfg. Co., Ltd.		Indicating Elements	MTC 10 & MTC 20	III	3,000			Digital Electronic
89-004	02/10/89	K-Scale, Inc.	9010 N, 9010 P, 9020, 9020 N, 9020 N-1 thru 4, 9020 P, 9020 P-1 thru 4, 9030, 9030 U-1 thru 4, 9030 U-10	Computing Scale	9010	III	3,000	30 x 0.01 lbs		Digital Electronic
89-005	01/06/90	Cardinal/Detecto Scale Mfgr. Co.		Bulkweighing System	738CBW	III/III L	10,000			
89-006P	02/23/90	Superior Load Cell		Load Cell	AW900	III L	10,000 M	20k to 100k lbs		WITHDRAWN
89-007	07/05/89	NCR Corporation		Cash Register	2123-XXXX					Electric Stand Alone
89-008	07/05/89	Toledo Scale Corporation		Printer	963					9-Wire Dot Matrix Document
89-009	08/02/89	Bizerba United States, Inc.		Computing Scale	PRO 6000	III	3,000	30 X 0.01 lb	15" x 10.5 "	Superseded by 89-009A1
89-009A1	10/12/89	Bizerba United States, Inc.	PRO 6400 hanging scale	Computing Scale	PRO 6000	III	3000	30 x 0.01 lb	15" x 10.5"	
89-010	04/05/89	Advanced Systems Interfacing, Inc.		Printer	Microway II/TKII					Computer Interface System
89-010A1	01/10/92	Pertech	Software Model: TK II. See certificate for specific specifications.	Computing Scale	Microway II					Digital Electronic
89-011	10/24/89	Wayne Division		Retail Motor Fuel Dispenser	DD1/590-23/G			999.999 total vol		Electronic Computing

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-012 07/05/89	Ivex Corporation	Dry Measure	3871			1 dry quart		Plastic Berry Basket
89-013PN 05/01/89	Smith Meter Inc.	Indicating Elements	AL-1-XU, AL-2-XU					Digital Electronic Wh.sl Meter
89-014 PA1 04/24/91	Winslow Scale Company 93-6040, 94-10050, 94-10060, 94-10070, 95-10080, 98-100100, 93-6040-12, 94-8060, 94-8080-12, 94-10080-12, 94-10070-12, 94-10060-12, 94-10080-12. CLC (lb) - 48,000 & 58,000	Vehicle Scale	94-80709	III L	8,000	160k x 20 lb	70' x 20'	Digital Electronic
89-014P 04/04/89	Winslow Scale Company	Vehicle Scale	94-8070	IIIL	8,000	160,000 lb	70' x 10 '	Digital Weighing Element
89-015 10/12/89	Fairbanks Scales 21 2102 21 2104	Floor Scales	21-2101	III	5,000	2,500 x 0.5 lb	3' x 3'	Loadcell Electronic
89-016P 11/08/89	Thurman Scale Company CLC 90,000 lb. Capacities (lb): 120,000 and 200,000	Vehicle Scale	8560	III L	10,000	200,000 x 20 lb	70'x10' (4)sec.	Load Cell Electronic
89-017 04/04/89	Tokheim Corporation	Retail Motor Fuel Dispenser	785-HV (high volume)		60 gpm	mx. 60; mn.12 gpm		Diesel Dispenser
89-018 04/19/89	Omron Systems of America	Cash Register	RS5510					Superseded by 89-018A1 4/18/90
89-018A1 08/21/89	Omron Systems of America	Cash Register	RS5510, 5550, 5560F					Superceded by 89-018A1 4/18/90
89-018A1 04/18/90	Omron Systems of America	Cash Register	RS5510, 5550, 5560F					
89-019 04/04/89	Gilbarco, Inc.	Retail Motor Fuel Dispenser	MPD - 1			999.99 total pr.		Superseded by 89-019A1
89-019A1 03/13/90	Gilbarco, Inc.	Retail Motor Fuel Dispenser	MPD-1			999.99 TOTAL PRIC		Digital Electromechanical
89-020 07/05/89	Rice Lake Weighing Systems UMC 2000, -2002, -2004, -2006, -2008, -2010, -2012	Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-021	05/01/89	TEC America, Inc.	SL-47-30-L-N	POS Scale	SL-47-50-L-N	III	5,000	50 x 0.01 lb.	13-1/2" x 12"	Digital Electronic
89-022	05/02/89	Emark Corporation		Wholesale Meter	455 Series			99,999 Gallons		Digital Electronic
89-023	05/02/89	Rice Lake Weighing Systems	IQ 700 HB	Indicating Elements	IQ 600 HB	III/III L	10,000			Supersedes previous issues
89-024	01/06/90	Revere Transducers, Inc.	Class III: 5723-A5-1K-, 5723-A5-2.5K-, 5723-A5-4K-, 5723-A5-5K-, 5723-A5-10K-. Class III L: 5723-B10-1K-, 5723-B10-2.5K-, 5723-B10-4K-, 5723-B10-5K-, 5723-B10-10K-	Load Cell	5723	III/III L	3kS,5kM,10kM			
89-024.A1	03/28/91	Revere Transducers Inc	Capacity S-Cell, Class III: 3,000, M-Cells, Class III: 5,000, M-Cells, Class III L: 10,000. The specific models of load cells covered by this certificate for Class III, Models 5723-A5-XXX-YYYY: for Class III L, models 5723-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.	Load Cell	5723-A5 & 5723-B10	III & IIIL	see below	1,000 - 10,000 lb		Single-ended Shear Beam
89-024P	04/04/89	Revere Transducers, Inc.		Load Cell	5723	III/III L	3kS,5kM,10kM			Superseded by 89-024
89-025	05/02/89	General Electronic Systems, Inc.		Indicating Elements	ECONO	III	5,000			Superseded by 89-025A
89-025A	10/24/89	General Electronic Systems, Inc.		Indicating Elements	ECONO-WEIGH	III/III L	5,000			
89-025A2	02/06/91	General Electronic Systems, Inc.	540SS	Indicating Elements	ECONO-WEIGH	III/III L	5,000			Digital Electronic
89-026	01/30/90	ICL, Inc.	M6545, M6546, M6000 Printer Module, M6000 Keyboard Display	Cash Register	6000 Series		2999	29.99 lb		Digital Electronic
89-027	04/04/89	Measurement Systems International	Capacities (lb): 10,000, 20,000, 30,000, 50,000, 70,000	Crane Scale	MSI-6260	III L	5,000	5,000 x 1 lb		Digital Electronic
89-028	06/16/89	John Chatillon & Sons, Inc.	DHA 15K, capacity 15 x 0.005 kg	Hanging Scale	DHA 30	III	3000	30 x 0.01 lb		Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-029 05/25/89	Toledo Scale Corporation	Prepackaging Scale	8305	III	5,000	50 X 0.01 lb		Weighing Element
89-030 01/10/90	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	102 SERIES	III	4,000	100 x 0.05 lb	14" x 14"	Load Cell Electronic
89-030.A2 01/29/92	Cardinal/Detecto Scale Mfgr. Co. 102; 105; 122; 125; 1010; 1020; 1210; 1220; 1240; 1250; 1440; 1450; 12100 & 14100.	Bench and Counter Scale	see certificate	III	4000	2 lb - 100 lb		Load Cell Electronic
89-030A1 03/27/90	Cardinal/Detecto Scale Mfgr. Co. 102, 105, 1010, 1020, 1440, 1450, 14100	Bench and Counter Scale	102W	III	4,000	2 lbs to 100 lbs		Load Cell Electronic
89-031 01/10/90	Cardinal/Detecto Scale Mfgr. Co.	Indicating Elements	6000 & 6800	III	5000			
89-032 01/10/90	Cardinal/Detecto Scale Mfgr. Co. 1100 DB, 1102 DE, 1102 EDX, 1105 DG, 1106 DK, 1105 DGK, 1100 DBK, 1102 EDK, 1106 DKK	Bench and Counter Scale	1100 SERIES	III	1000	50 - 300 lb	13-3/4" x 18-1/2"	Mechanical Dial
89-032A1 08/21/90	Cardinal/Detecto Scale Mfgr. Co. Models: Levertronic- 5110, 7011. Dial- 1100 DB, 1102 DE, 1102 EDX, 1105 EG, 1106 DK, 1105 DGK, 1100 DBK, 1102 EDK, 1106 DKK & 1105 DGK.	Bench and Counter Scale	1100 Series	III	1000	50 to 300 lbs	13-3/4" x 18-1/2"	Mechanical Dial
89-032A2 04/09/92	Cardinal/Detecto Scale Mfgr. Co. Capacities: 50lb x 1 oz; 100lb x 2 oz; 100lb x 0.1lb; 200lb x 4 oz; 300lb x 8oz; 400lb x 0.2lb; 25kg x 25g; 50kg x 50g; 150kg x 250g; 100kg x 100g	Bench and Counter Scale	5110,7011 & 1100	III	1000	see below	13-3/4 x 18-1/2"	Mechanical Dial & Levertronic
89-033 05/01/89	Tokheim Corporation	Retail Motor Fuel Register	2020					Digital Electronic
89-034 05/01/89	Tokheim Corporation	Retail Motor Fuel Register	2010					Digital Electronic
89-035 05/02/89	Tektra International	Computing Scale	AS-3001P	III	3,000	30 x .01 lb	11-1/4" x 13-1/4"	Digital Electronic
89-036 08/17/89	Wayne Division	Retail Motor Fuel Dispenser	PLX-39-IL Series			99.999 vol units		Digital Electronic Multi-Pro.
89-036 amended 04/18/91	Wayne Division	Retail Motor Fuel Dispenser	DLX-390-1L SERIES			999.999 Gallons		Electronic Computing Multi-Pro

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-036A1	05/05/92	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L Series			see below		Digital Electronic Multi-Pro.
			Capacities: $999.99 Total Price, 99.999 Volume Units, 9.999 Unit Price.							
89-037		A&D Engineering, Inc.		Indicating Elements	AD-4332A					
89-037A1	03/16/92	A&D Engineering, Inc.		Indicating Elements	AD 4322A	III & IIIL	10,000			Digital Electronic
89-038				NO DEVICE TYPE						NOT ISSUED
89-039	01/30/90	Ameacon, Inc.		Indicating Elements	PROCESS MATE 96	III L	10,000			
89-039P.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5103-B10	III L	10,000	5K to 20K		Double Ended Shear Beam
			The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is the capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private level variation s. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.					
89-040	05/03/89	Industrial Data Systems, Inc.		Data Processing Systems	DT 210					Electronic/Programmable
89-041P	02/23/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900	III L	10,000 M	20K to 100K		WITHDRAWN
89-042	12/20/89	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50K & 100K lb		COLUMN COMPRESSION
89-042.A1	04/18/91	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	M-Cell 10000	50k - 100k lb		Column Compression
89-042P	08/17/89	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50k & 100k lb		Superseded by 89-042
89-043	08/17/89	General Electronic Systems, Inc.	4412, 4414, 4418, 4424	Bench and Counter Scale	4400 & 4500 Series	III	3k-6k	10 lb to 600 lb	12"x12" - 24"x24"	Load Cell Electronic
89-044	05/25/89	Metro Equipment Corporation	A-251 (SS Round Pan), A-264 (SS Large Round Pan)	Hanging Scale	HDS-820	III	640	20 lb x 1/2 oz	Model A-250	Mechanical Dial

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-045	William M. Wilson's Sons, Inc.		NO DEVICE TYPE	425					NOT ISSUED
89-046 08/17/89	Toledo Scale Corporation		Bench and Counter Scale	6113	II	15000	75 x 0.005 lb	13.75" x 12.25"	Digital Load Cell
89-047 10/02/89	Pitney Bowes		Weight Classifier	A238	III		70 lb	12.5" x 14"	
89-048 10/02/89	Pitney Bowes	A523, capacity 3 lb x 0.05 oz	Weight Classifier	5820	III	1600	5 lb x 0.05 oz	8 7/8" x 8"	
89-049 01/10/90	Pitney Bowes		Bench and Counter Scale	A 510	III	3200	10 lb x 0.1 oz	8 7/8" x 8"	
89-050 08/21/90	Pitney Bowes	A570, A530	Bench and Counter Scale	A610	III	3168	0-2 x 0.1 lb	14 3/8" x 9 1/4"	Postal Weight Classifier
89-050 Amended 10/02/90	Pitney Bowes	Other capacities: n-320 , 0-99 lb x 0.5 oz, n- 3168	Weight Classifier	A 610	III		0-2 lb x 0.1 oz	14 3/8" x 9 1/4"	Digital Electronic Computing
89-051 10/12/89	Doran Scales, Inc.		Indicating Elements	ML 8000	III	3000			Digital Electronic
89-051 AMENDED 05/20/91	Doran Scales, Inc.		Indicating Elements	8000M	III	3000			Digital Electronic
89-051A1 02/04/92	Doran Scales, Inc.		Indicating Elements	8000MIS	III	3000			
89-052P 08/17/89	Superior Load Cell	AW300-250, -500, -750, -1K, -1.5K	Load Cell	AW300	III	3000 S	250 to 1500 lb		Cantilever "S" Cell, Tension
89-053 09/24/90	Tedea Inc.	The load cells in this family are identified by the capacities of the cells. Single cell, Class III: 3,000 - Multiple cells, Class III: 5,000.	Load Cell	3410	III	see below	1000 lb - 10k lb		Shear Beam
89-053.A1 03/07/91	Tedea Inc.	n-max: single cell, class III: 3,000; multiple cells, class III: 5,000.	Load Cell	3140	III	see below	1,000 to 10k lb		Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-053P	05/25/89	Tedea Inc.		Load Cell	3410	III & IIIL	see below	1000 - 4000 lbs		Shear Beam
		n-max: SC,Class III: 3,000; MC, Class III: 5,000; Class III L: 10,000. Capacities (lb): 1,000, 1,500, 2,500, 4,000								
89-053P.A2	09/24/90	Tedea Inc.		Load Cell	3140	III L	see below	1000 lb - 10k lb		Shear Beam
		The load cells in this family are identified by the capacities of the cells. Multiple Cells, Class III L: 10,000.								
89-053PA1	05/15/90	Tedea Inc.		Load Cell	3410	III & IIIL	3,000	1,000 - 10,000 lb		Shear Beam
		Single Cell, Class III: 3,000 - Multiple Cells, Class III: 5,000 - Class III L: 10,000.								
89-054	09/24/90	Tedea Inc.		Load Cell	1250	III	3,000	100 kg - 1,000 kg		Single Point
		The load cells in this family are identified by the capacities of the cells.								
89-054P	05/25/89	Tedea Inc.		Load Cell	1250	III L	3,000 S	50 kg - 1,000 kg		Single Point
		Capacities (kg): 100, 150, 200, 250, 300, 500, 635, 1,001								
89-055	08/17/89	Smith Meter Inc.		Wholesale Meter	ALII-XU0-STD-STD-034			99,999 gallons		Digital Electronic
		Marketing Name: AccuLoad II								
89-055A1	10/02/89	Smith Meter Inc.		Wholesale Meter	ALII-XU-O-STD-034			99,999 gal		
89-056	05/25/89	William M. Wilson's Sons, Inc.	9152, 9153	Retail Motor Fuel Dispenser	9100			999.9		Mechanical: Volume Only
89-057	08/17/89	Pelouze Scale Company		Bench and Counter Scale	PS-6LI	III	1200	6 x 0.005 lb	6.75 x 9.5 in	Digital Electronic
89-058	05/25/89	Morrison Weighing Systems, Inc.		Indicating Elements	T-3500M	III/III L	6,000			Digital Electronic
89-059P	07/05/89	Duratron Corporation		Load Cell	800 000A	III L	10,000 M	1,000 TO 5,000 LB		Double ended shear beam
		800 030, -031, -032, -033, -034, -038, -039, -040, -041, -042, -043, -044, -045, -046, -047, -048, -049, -050								
89-060P	02/23/90	Duratron Corporation		Load Cell	800 000B	III L	10,000 M	VARIES WITH MODEL		WITHDRAWN
89-061P	02/23/90	Duratron Corporation		Load Cell	801 000A	III L	10,000 M	20K TO 100K		WITHDRAWN

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-062		Duratron Corporation		Load Cell	AW400B	III L	10,000 M	15k to 125k lb		IN PROCESS
89-062P	07/05/89	Duratron Corporation	801 024, -025, -026, -011, -027, -012, -028, -029, -030	Load Cell	801 000B	III L	10,000 M	15000-125000 LB		Double ended shear beam
89-063	10/02/89	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series			999.999 total gal		Superseded by 89-063A1
89-063.A2	07/10/91	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series					Electronic Computing
89-063A1	01/31/91	Bennett Pump Company	7600 & 7800 High Cap Series, Includes: 9000 Series, Conventional 7000 Series - Low hose & High hose.	Retail Motor Fuel Dispenser	7000 & 9000 Series		$9.999/vol	999.999 total vol	$9,999.99 total $	Electronic Computing
89-064	07/05/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	425			5 gal delivery		Gallon Stroke Pump
89-065	10/12/89	Gilbarco, Inc.		Cash Register	Q11891-XX, Q11640-XX					Electronic
89-066	07/05/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	CRIND					Card Reader (in Dispenser)
89-067				NO DEVICE TYPE						NOT ISSUED
89-068	10/12/89	Gilbarco, Inc.		Service Station Consoles/ECR	TS-1000			999.999		Superseded by 89-068A1
89-068A1	02/12/90	Gilbarco, Inc.		Service Station Consoles/ECR	PA02400000000					Electronic
89-069	08/01/89	ESCO Manufacturing, Inc.		Service Station Consoles/ECR	TLC-10XX			799.999 gal		Electronic
89-070	08/02/89	Gilbarco, Inc.		Service Station Consoles/ECR	PAO250XXXXXXX			799.999 gal		Electronic
89-071	11/02/90	Cardinal/Detecto Scale Mfgr. Co.	50K-SCD, 100K-SCD, 50K-SCD-C & 100K-SCD-C.	Load Cell	SCD & SCD-C	III L	10,000	50k & 100k lb		Column, Digital Output

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-071 Amended 03/07/91	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	SCD & SCD-C	III L	MC: 10,000	50k to 100k lb		Column, Digital Output
	The specific load cells in this family covered by this certificate are identified by the model number which includes the load cell capacity as a prefix to the SCD or SCD-C indentification. The only difference b/t the SCD & the SCD-C load cells is that the SCD-C has a connector rather than the cable being attached directly to the load cell. Models: 50K-SCD, 100K-SCD, 50K-SCD-C & 100-SCD-C.							
89-071P 07/05/89	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	SCD and SCD-C	III L	10,000 M	50,000-100,000 lb		COLUMN, DIGITAL OUTPUT
	50K-SCD, 100K-SCD, 50K-SCD-C, 100K-SCD-C							
89-072 10/02/89	Bennett Pump Company	Service Station Consoles/ECR	OMNI-OT			up to 24 dispens.		
89-073P 07/05/89	Unibridge Scale Systems	Load Cell	UBDL8900	III L	8,000 M	50,0000-100,000lb		Double-Ended Shear Beam
	Capacities (lb): 50,000, 65,000, 100,000							
89-074 09/24/90	Tedea Inc.	Load Cell	1010	III	3,000	5 to 50 kg		Three Beam, Single Point
	The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.							
89-074P 07/05/89	Tedea Inc.	Load Cell	1010	III	3,000 S	5 to 50 kg		Three Beam, Single Point
	Capacities (kg): 5, 7, 10, 11.36, 15, 20, 30, 50							
89-075 09/24/90	Tedea Inc.	Load Cell	1040	III	3,000	5 to 100 kg		Three Beam, Single Point
	The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.							
89-075P 07/05/89	Tedea Inc.	Load Cell	1040	III	3,000 S	5 to 100 kg		Three Beam, Single Point
	Capacities (kg): 5, 7, 10, 15, 20, 30, 50, 75, 100							
89-076 10/24/89	Wayne Division	Retail Motor Fuel Dispenser	DL1/395-1L/19G			999.999 Total Vol		Electronic Computing Blending
89-076P 08/17/89	Toledo Scale Corporation	Floor Scales	MG4425	III	5000	2500 x 0.5 lb	48" x 48"	Electronic Load Cell
89-077 07/05/89	Holtgreven Scale & Electronics Corporation	Vehicle Scale	FT 2	III L	10,000	200,000 lb	60' x 10'	Electronic Load Cell
	Scale capacities from 100,000 lb to 200,000 lb. Platform sizes from 300' x 300' to 900' x 900' with a platform width of 10'							
89-078 08/17/89	Toledo Scale Corporation	Bench and Counter Scale	1985	III	6,000	60 X 0.01 lb	14 X 14 in	Electronic Weighing Element
	Optional capacities 30 x 0.0005 lb, 60 x 0.01 lb, 120 x 0.02 lb							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-079	08/17/89	Toledo Scale Corporation		Printer	315					Electronic Label Printer
89-080	08/17/89	Toledo Scale Corporation		Printer	8806					Dot Matrix Ticket Printer
89-081	10/12/89	Toledo Scale Corporation		POS Scale	310-DATACHECKER	III	2999	29.99 X 0.01 lb	11" X 15"	Digital Electronic
89-081A	01/10/90	ICL, Inc.		POS Scale	310	III	2999	29.99 x 0.01 lb	11" x 15"	Digital Electronic
89-082	01/06/90	Toledo Scale Corporation		Indicating Elements	8520	III	10,000	100 X 0.01 lb		Digital Iindicator
89-082 Amended	10/21/91	Toledo Scale Corporation		Indicating Elements	8520A	III	10,000			Digital Electronic
89-083	01/06/90	Toledo Scale Corporation		Indicating Elements	8520A	II/III/3L	60,000	30 X 0.0005 kg		Digital Electronic
89-083 Amended	10/21/91	Toledo Scale Corporation		Indicating Elements	8520	see comts	10,000			Class: II, III, III L
89-084	08/17/89	Ohaus Corporation		Jewelers' Balance	CT-600L	III	6000	600 x .1 g	4 in. diameter	Digital Electronic
89-085P	04/24/91	Winslow Scale Company		Vehicle Scale	84-8070	III L	8000	160k x 20 lb	70' x 10	Digital Electronic
		CLC: 48,000 lb. 83-4040, 84-6050, 84-6060, 84-6070, 84-6080, 84-60100, 84-8050, 84-8060, 84-8070, 85-8080, 85-10060, 84-10070, 84-10080 & 86-100100.								
89-086	08/21/90	Tyrel Corporation		Indicating Elements	TC-10	III/III L	10,000			Digital Electronic
		TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 S, TC-10 WS, TC-10 WSK, TC-10 B, TC-10 BK								
89-086	03/28/90	Tyrel Corporation		Indicating Elements	TC-10	III/III L	10,000			Digital Electronic
		TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 S, TC-10 WS, TC-10 WSK, TC-10 B, TC-10 BK								
89-086 A1	01/03/91	Tyrel Corporation	TC-10A	Indicating Elements	TC-10	III/IIIL	10,000			Digital Electronic
89-087	10/24/89	Howe Richardson Division		Indicating Elements	HR-50	III/III L	10,000			Digital Electronic
		HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 WSK, HR-50 B, HR-50 BK								

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-087A1 08/21/90	Howe Richardson Division	HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 WSK, HR-50 B, HR-50 BK (D means desk top, K means keyboard, W means washdown version, S means stainless steel when used as the second letter, B means panel mount, S as first letter means; small.	Indicating Elements	HR-50	III/III L	10,000			Digital Electronic
89-088 10/06/89	Durline Scales and Mfg., Inc.	MT-40403, LS-3420, LS-2620, LS-3020	Livestock Scale	LS 40403	III L	10,000	50,000 lb	40' x 14'	
89-089 11/07/89	Thurman Scale Company		Floor Scales	3500	III	5000	1000 lb	3' x 3'	Load Cell Electronic
89-090 11/21/89	Measurement Systems International		Hanging Scale	4260	III	2000	2000 lb		Load Cell Electronic
89-091A1 09/17/90	Hobart Corporation		Cash Register	GT 6000					Digital Electronic
89-091A2 01/24/91	Hobart Corporation		Cash Register	GT6000					Digital Electronic
89-092 10/12/89	NCR Corporation		Service Station Consoles/ECR	2113-3XXX					Digital Electronic
89-093 10/12/89	Fairbanks Scales	H23-2512, 23-2512	Floor Scales	H23-2512	III	2000	1000 lb	30" x 30"	Load Cell Electronic
89-094 09/12/89	Toledo Scale Corporation		Floor Scales	6213	II/III	15,000	150 x .01 kg	23 3/4" x 17 1/2"	Load Cell Electronic
89-095 04/25/90	Toledo Scale Corporation	Capacities (lb): 300 and 600	Floor Scales	6313	II/III	15,000	300 x .02 kg	31-1/2" x 23-1/2"	Load Cell Electronic
89-096P 01/10/90	Hottinger Baldwin Measurements, Inc	TRT-50K, TRT-75K, TRT-100K	Load Cell	TRT Series	III L	10,000 SC	50,000-100,000 lb		Torsion Ring Transducer
89-097 08/21/89	Cardinal/Detecto Scale Mfgr. Co.		POS Scale	ECR-30	III	3000	30 x .01 lb	14" x 12"	
89-098 10/12/89	Smith Meter Inc.	Generic Name: MiniLoad	Wholesale Meter	ML-X-XX-XXX-STD					Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-099	08/21/89	TEC America, Inc.		Cash Register	FDS-50					Digital Electronic
89-100	10/12/89	Applied Technology		Retail Motor Fuel System	1200P, 1200W					
89-101	09/13/90	Brooks Instrument Division	Generic name: PetroCount II	Wholesale Meter	0500B1BXX1					Digital Electronic
89-102	08/21/89	Cardinal/Detecto Scale Mfgr. Co.	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80, 6900-100, 6901-100	Bench and Counter Scale	6900	III	5000	4 lb - 100 lb		
89-103	01/02/90	Toledo Scale Corporation		Floor Scales	MG4500	III	5,000		48"x48" - 60"x84"	
89-103P	10/02/89	Toledo Scale Corporation		Floor Scales	MG4500	III	5,000		40"x48" - 60"x84"	
89-104.A1	11/02/90	Toledo Scale Corporation		Floor Scales	2155	III	6,000	1000 to 5000 lb	3'x 3' to 5'x 5'	Electronic
89-104P	04/25/90	Toledo Scale Corporation	2155 0131, -0132, -0141, -0142, -0145, -0152, -0155	Floor Scales	2155 Series	III	6,000	1,000 to 5,000 lb	3' x 3' - 5' x 5'	Electronic
89-104PA1	11/02/90	Toledo Scale Corporation		Indicating Elements	2155	III	6,000	1,000 to 5,000 lb	3' x 3' - 5' x 5'	Electronic
89-105	10/02/89	Weigh-Tronix, Inc.		Floor Scales	SC-100	III	1000	500 x 0.5 lb	27 x 28.5 in	Digital Electronic Platform SC
89-106	10/06/89	Weigh-Tronix, Inc.		Hanging Scale	HSDC 200	III	1995	195 x .1 lb		Digital Electronic
89-107	01/10/90	Exact Equipment Corporation	921-30, 921-50, 921R-30, 921R-50	Computing Scale	921, 921R	III	3,000	30 x 0.01 lb	30 x 0.01 lb	Digital Electronic
89-108P	10/02/89	Flex-Weigh Corporation		Load Cell	S	III	3000	500 to 3000 lb		Superseded by 89-108PA1
89-108PA1	01/12/90	Flex-Weigh Corporation	Capacities (lb): 500, 750, 1000, 1500, 2000, 3000	Load Cell	S	III	5,000 S	500 to 3,000 lb		S-Type

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-109		Epelsa International, Inc.		Load Cell	MC					IN PROCESS
89-109P	08/21/90	Epelsa International, Inc.	Capacities (kg): 75, 100, 150, 200, 250, 300, 500, 681	Load Cell	MC	III	3,000	75 to 681 kg		Bending Beam
89-110				NO DEVICE TYPE						NOT ISSUED
89-111	04/25/90	Doran Scales, Inc.	DSP1005, DSP1015, DSP1030	Bench and Counter Scale	DSP1000 Series	III	3,000	5 to 30 lb	8" x 10"	Load Cell Electronic
89-112	04/25/90	Doran Scales, Inc.	DSP2015, -2030, -2060, -2100, -2150, -2200, -3060, -3100, -3150, -3200, -3300	Bench and Counter Scale	DSP2000 & DSP3000	III	2,000	15 to 300 lb	12"x16", 18"x18"	Load Cell Electronic
89-112A1	04/06/92	Doran Scales, Inc	DSP2010, DSP2015, DSP2020; DSP2030; DSP2050; DSP2060; DSP2100; DSP2150; DSP2200; DSP3050; DSP3060; DSP3100; DSP3150; DSP3200; DSP3250; DSP3300	Bench and Counter Scale	DSP2000/3000 Series	III	3,000	10 - 300 lb	12x16" - 18x18"	Load Cell Electronic
89-113	04/25/90	Doran Scales, Inc.	DSP5060/1824, -5100/1824, -5150/1824, -5200/1824, -5300/1824, -5500/1824, -51000/1824, -5060/2424, -5100/2424, -5150/2424, -5200/2424, -5300/2424, -5500/2424, -51000/2424	Bench and Counter Scale	DSP5000 Series	III	2,000	60 to 1,000 lb	18"x24", 24"x24"	Load Cell Electronic
89-113A1	04/06/92	Doran Scales, Inc.	DSP5050/1824; DSP5060/1824; DSP5100/1824; DSP5150/1824; DSP5200/1824; DSP5200/1824; DSP5300/1824; DSP5599/1824; DSP5750/1824; DSP51000/1824; DSP5050/2424; DSP5060/2424; DSP5100/2424; DSP5150/2424; DSP5200/2424; DSP5250/2424; DSP5300/2424; DSP5500/2424; DSP5750/2424; DSP5100/2424	Bench and Counter Scale	DSP5000 Series	III	3,000	50 - 1000 lb	18x24" - 24x24"	Load Cell Electronic
89-114		Epelsa International, Inc.		Load Cell	SC	III	3,000 S	500 - 3,000 kg		IN PROCESS
89-114P	10/06/89	Epelsa International, Inc.	Capacities (kg): 500, 750, 1000, 1500, 3000	Load Cell	SC	III	3,000 S	500 to 3,000 kg		
89-115	04/25/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262 Series Unistar					Superceded by 89-115A1
89-115A1	04/18/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-X, 262A-X					Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-116	10/24/89	Brooks Instrument Division		Wholesale Meter	0501A1BXBX					
89-117	10/24/89	Rice Lake Weighing Systems		Indicating Elements	UMC 555XXXX	III/III L	10,000			Digital Electronic
89-118	01/10/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000			Digital Electronic
89-118 Ammended	03/13/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000			Digital Electronic
89-119	01/06/90	Pelouze Scale Company		Bench and Counter Scale	PS6LR1	III	1200	6 X 0.005 lb	7 7/8 X 5 1/8 "	Digital Electronic
89-120	01/06/90	Pitney Bowes		Weight Classifier	A 605	III	1600	5 lb X 0.1 oz	8 7/8" x 5 5/8"	Digital Electronic Computing
89-121	01/06/90	Pitney Bowes		Bench and Counter Scale	A 603	III	960	3 lb x 0.1 oz	8 7/8" x 5 5/8"	Digital Electronic Computing
89-122	11/08/89	PAR Microsystems	NTA 510, NXA 590-XX, NCX 591-XX, NXA XXX	Cash Register	NTA & NXA Series					Digital Electronic
89-123	12/20/89	Weigh-Tronix, Inc.	3401 (remote display), 3400-X, 3400 PLU	Computing Scale	3400	III	3,000	30 x 0.01 lbs	12" x 14"	Digital Electronic
89-124	12/20/89	Weigh-Tronix, Inc.	Other capacities (lb): 15, 50, 100	Computing Scale	3450	III	3,000	30 x .01 lb	12" x 14"	Digital Electronic
89-125PN	01/30/90	Southwest Pump Company	640-S, 640-T-S, 640-MT-S	Retail Motor Fuel Dispenser	640 Series					Electronic Computing
89-126	10/24/89	Hobart Corporation	HOB 15-1, HOB 15-2, HOB 15-3, HOB 15-4, HOB 15-5	Bench and Counter Scale	HOB 15-X	III	800	50 - 100 lb	13.5" x 19"	Mechanical Lever Spring Dial
89-127	02/09/90	Certified Scale Co.		Floor Scales	2010	III	5,000	1,000 - 5,000 lb	24 x 24 - 60 x 60	Low Profile-Load Cell Electr.
89-127.A1	04/18/91	Certified Scale Co.		Bench and Counter Scale	2010	III	5,000	1,000 - 5,000 lb	24 x 24 - 60 x 60	Low Profile-Load Cell Electr.

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-128	10/24/89	Astec Industries		Hopper Scale	WB		1,000	20,000 lb		Superceded by 89-128A1
89-128A1	04/18/90	Astec Industries		Hopper Scale	WB, WB-A, AC, DA	III L	6,000	1,000 - 20,000 lb		Digital Electronic
89-129	10/24/89	Industrial Data Systems, Inc.	160 (tape printer)	Printer	152					Dot Matrix Ticket
89-130	11/29/89	Totalcomp, Inc.		Load Cell	Nikkei NS	III	4,500 S	25 to 10,000 lb		Type "S" Load Cell
		Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000								
89-130PA1	02/12/90	Totalcomp, Inc.		Load Cell	Nikkei NS	III/III L	5K,10K S	25 to 20,000 lb		Type "S" load cell
		Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000								
89-131	11/29/89	Totalcomp, Inc.		Load Cell	Nikkei NSB and NSBT	III/III L	5,000 M	1,000 - 10,000 lb		Shear Beam
		Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000								
89-131.A1	02/21/91	Totalcomp, Inc.		Load Cell	Nikkei NSB & NSBT	III & IIIL	MC-5000	1000 - 10,000 lb		Shear Beam
89-132	11/29/89	Totalcomp, Inc.		Load Cell	Nikkei NDE	III/III L	5,000 M	5,000 - 50,000 lb		Double Ended Shear Beam
		Capacities (lb): 5,000, 10,000, 20,000, 50,000								
89-132A1		Totalcomp, Inc.		Load Cell		III		3000		IN PROCESS
89-133 A2	01/03/91	Shekel Electronic Scales	SC-150P; SC-15G	POS Scale	SC 150	III	3000	30 x 0.01 lb	14.25" X 10.5"	Digital Electronic
89-133P	01/30/90	Shekel Electronic Scales	Advance Retail Systems Inc. Model HT-1000	POS Scale	SC 150	III	3000	30 x 0.01 lb	14.25" x 10.5"	Superceded by 89-133PA1
89-133PA1	04/25/90	Shekel Electronic Scales	SC-150-P, POSISCALE 3030, Advance Retail Systems Inc. Model HT-1000	POS Scale	SC 150	III	3,000	30 x 0.01 lb	14.25" x 10.5"	Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-134P 11/09/89	Powell All-Steel Scales	Vehicle Scale	EP and ET Series	III L	6,000	120,000 lb	60' x 10'	Supersedes 84-85 dated 4/21/86
89-135PN 11/02/89	Weldtec Scales	Vehicle Scale	50-60T	III L	6,000	120,000 lb	50' x 10'	
89-136 01/31/90	Fairbanks Scales 23-2558	Floor Scales	23-2557	III	5,000	10,000 lb	5' x 7'	Load Cell Electronic
89-137 01/10/90	Toledo Scale Corporation	POS Scale	8215	III	3000	30 x 0.01 lb	17" x 11"	Digital Electronic
89-138 01/10/90	Spectra Physics	POS Scale	760SLS	III	3000	30 x 0.01 lb	17" x 11"	Digital Electronic
89-139 01/10/90	IBM Corporation	POS Scale	4687-2	III	3000	30 x 0.01 lb	17" x 11"	Digital Electronic
89-140 08/21/90	Schlumberger Technologies, Inc.	LPG Liquid Meter	Red Seal Type 4D Com			See notes below		Mechanical
	Meter Size: 3/4 inch, 1 inch, 1-1/4 inch, 1 1/2 inch, 2 inch. Capacity: 2-1/2 to 14 gpm, 3-1/2 to 18, 5 to 30, 12 to 60, 20 to 100. Application: For use in measurement of LPG, For use with compatible indicator with NTEP CC. NOTE: Upgrade to full CC based on CA test on 1" and no comments on pre-NTEP CC.							
89-140PN 11/03/89	Schlumberger Technologies, Inc.	LPG Liquid Meter	4D					Mechanical
89-141 02/14/90	Liqua-Tech Corporation	Vehicle Tank & LPG Meter	LPM-100			3.5 - 18 gal/min		Gas Measuring Device
89-142P 04/25/90	Superior Load Cell	Load Cell	AW200 Family	III	4,000 M	1,000 - 5,000 lb		Shear Beam
	AW-200-1K, -200A-1K, -201A-1K, -202-1K, -203-1K, -200-2K, -200A-2K, -201A-2K, -202-2K, -203-2K, -200-2.5K, -200A-2.5K, -201A-2.5K, -202-2.5K, -203-2.5K, -200-4K, -200A-4K, -201A-4K, -202-4K, -203-4K, -200-5K, -200A-5K, -201A-5K, -202-5K, -203-5K							
89-142P.A1 03/07/91	Superior Load Cell	Load Cell	AW-200	III	MC: 4,000	1,000 to 5,000 lb		Shear Beam
	AW-200-1K, AW-200A-1K, AW-201A-1K, AW-202-1K, AW-203-1K, AW-200-2K, AW-200A-2K, AW-201A-2K, AW-202-2K, AW-203-2K, AW-200-2.5K, AW-200A-2.5K, AW-201A-2.5K, AW-202-2.5K, AW-203-2.5K, AW-200-4K, AW-200A-4K, AW-201A-4K, AW202-4K, AW-203-4K, AW-200-5K, AW-200 A-5K, AW-201A-5K, AW-202-5K & AW-203-5K.							
89-143 04/25/90	Ishida Scales Mfg. Co., Ltd.	Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Checkweighing Scale

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-144	01/30/90	Triner Scale & Manufacturing		Indicating Elements	600 E	III	1,000			Digital Electronic
89-145	03/27/90	Toledo Scale Corporation		Indicating Elements	8510	III/III L	10,000			Digital Electronic
89-145A1 Amend	03/07/91	Toledo Scale Corporation	n-max: 10,000(III/IIIL); 100,000 (II).	Indicating Elements	8510	see below	see below			Digital Electronic
89-146	01/10/90	Toledo Scale Corporation		Indicating Elements	263	III				
89-147	01/10/90	Spectra Physics		POS Scale	760SLS-RD	III				Digital Electronic
89-148	01/10/90	IBM Corporation		POS Scale	4687-2	III				Digital Electronic
89-149	01/10/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/35 Series					High Capacity Digital Comput.
89-149 Amended	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DLX/35X Series					High Capacity Digital Comput
89-150PN	01/12/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/360,DLX/370 Sers			999.999 total vol		Digital Electronic Multi-Pro.
89-151	11/22/89	Fairbanks Scales	Capacities (lb): 10,000, 20,000, 25,000, 30,000, 40,000, 50,000, 60,000, 75,000, 100,000	Load Cell	90814-XX	III L	10,000 M	10 k - 100 k lb		Double Ended Shear Beam
89-152	04/25/90	Omron Systems of America		Cash Register	RS3510					Stand Alone
89-153	04/25/90	Omron Systems of America		Cash Register	RS4043					Stand Alone
89-154	04/25/90	Omron Systems of America		Cash Register	RS5550					Stand Alone
89-155	04/25/90	ICL, Inc.		POS Scale	310RD	III				Digital Electronic

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-156 01/14/90	Rice Lake Weighing Systems KB-102, ACS-105	Printer	KB-105					Printing Element
89-157 01/06/90	Fargo Electronic Services Inc. KB-102, ACS-105	Printer	KB-105					Accessory Keyboard
89-157.A1 01/24/91	Fargo Electronic Services Inc. Optional Models: KB-102, ACS-105 & ACS-107	Printer	KB-105					Accessory Keyboard
89-158P 12/20/89	Flex-Weigh Corporation Capacities (lb): 1000, 2000, 2500, 4000	Load Cell	SSB and SSBT	III	5,000 M	1,000 to 4,000 lb		Shear Beam
89-158P.A1	Flex-Weigh Corporation	Load Cell	SSB/SSBT					IN PROCESS
89-159 05/04/90	Sun Electric Corporation	Cash Register	SM-960					Digital Electronic
89-159 Amended 06/04/90	Sun Electric Corporation	Cash Register	SM-960					Digital Electronic
89-160 12/20/89	Sun Electric Corporation SR-896-1, SP-894, SS-895-1, SS-895, SS-890, SS-960	Service Station Consoles/ECR	SR, SP, SS					Digital Electronic
89-160 Amended 05/04/90	Sun Electric Corporation System consists of these models: SR-896-1 Island Card Reader (ICR), SP-894 Island Receipt Printer (IRP), SS-895-1 Dual Stand (Island Pedestal), SS-895 Single Stand (Island Pedestal), SM-890 Electronic Cash Register & SM-960. Electric Cash Register (ECR	Service Station Consoles/ECR	see below					Digital Electronic
89-160 Amended 05/04/90	Sun Electric Corporation SR-894 Island Receipt Printer (IRP), SS895-1 Dual Stand SS-895 Sigle Stand, SM-890 Electronic Cash Register, SM-960 Electric Cash Register (ECR).	Service Station Consoles/ECR	SR-896-1					Digital Electronic
89-161PN 01/30/90	Southwest Pump Company 660, 660-S, 661, 661-S, 661-REM, 661-T-REM, 662, 662-S, 662-REM, 662-S-REM	Retail Motor Fuel Dispenser	660 Series					Electronic Computing
89-162P 01/06/90	Epelsa International, Inc. ATC 5, ATC 8, ATC 13, ATC 17, ATC 32	Load Cell	ATC	III	3,000 S	5 to 32 kg		

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
89-163		Epelsa International, Inc.		Load Cell	BP					IN PROCESS
89-163P	01/06/90	Epelsa International, Inc.	BP 5, BP 7, BP 10, BP 15, BP 17, BP 20, BP 30	Load Cell	BP	III	3,000 S	5 to 30 kg		Bending Beam
89-164	04/25/90	UHL Scale Service, Inc.		Vehicle Scale	3512, 2412, 2410	III L	6,000	30,000 lb	24'x10'-35'x12'	Load Cell Electronic
89-165	02/16/90	Mid-America Scale Company	H-1, H-2, H-2, H-3, H-4	Hopper Scale	H-1, H-2, H-3	III L	2,250	7,000 lb	Hopper	Levers & Load Cell
90-001	02/27/91	Toledo Scale Corporation	Section Capacity: 85 ton, 6 sections	Railroad Track Scale	7260	III L	6,800	340k x 50 lb	2 plat. 25x4'11ea	Digital Electronic
90-001P	02/16/90	Toledo Scale Corporation	One 12'6" weighing element, Two independent 12'6" weighing elements, One 25' weighing element, One 12'6" and one 25' weighing element, Two 25' weighing elements, One 37'6" weighing element	Railroad Track Scale	7260	III L	6,800	340,000 x 50 lb	25'x4'11" each(2)	Digital Electronic
90-002	02/27/91	Toledo Scale Corporation	Toledo Model 725(CC # 87-084.A1)	Floor Scales	2885	III	2,000	1,000 x 0.5lb	3" x 2.5"	Weighing Element-Load Cell Ele
90-002P	01/06/90	Toledo Scale Corporation		Floor Scales	2885	III	2,000	1000 X 0.5 lb	3' X 2.5'	Weighing Element
90-003	06/14/90	Rice Lake Weighing Systems	Optional Models: MS202HB-3/8 (for 3/8" rail), MS202HB-1/2 (for 1/2" rail).	Monorail Scale	MS200	III	1500	750 x 0.5 lb		Load Cell Electronic
90-004	02/16/90	Wayne Division	V590DX	Retail Motor Fuel Dispenser	V590D Series			999.999 TOTAL VOL		Digital Electronic Computing
90-005	02/16/90	Wayne Division	V387DX	Retail Motor Fuel Dispenser	V38XD Series			999.999 Total Gal		Digital Electronic Computing
90-005.A1	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V38XD Series		V38XD Series	999.999 Total Vol		Digital Electronic Computing

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-006	02/16/90	Wayne Division	V490DX	Retail Motor Fuel Dispenser	V490D Series			999.999 total vol		Digital Electronic Multi-Pro.
90-007	02/16/90	Wayne Division	V390DX	Retail Motor Fuel Dispenser	V39XD Series			99.999 Total Vol		Digital Electronic Multi-Pro.
90-007.A1	04/18/91	Wayne Division	Capacities: $999.99 Total Price, 999.999 Total Volume & $9.999 Total Unit Price.	Retail Motor Fuel Dispenser	V39XXX Series			see below		Digital Electronic Multi-Pro.
90-008	02/14/90	Cardinal/Detecto Scale Mfgr. Co.	PCS 200 MR, PCS 200 M, PCS 200, PCS-RCM, PCS-AS-150	Bench and Counter Scale	PCS 200 M	III	3200	99lb 15.5 x 0.5oz	18" x 18"	
90-009	07/02/90	Stores Automated Systems, Inc.		Cash Register	SuperStar					CPU
90-009 Amended	11/08/90	Stores Automated Systems, Inc.	The SASI SuperStar cash register consists of: Model PR 1028 printer, Model KB 1028 keyboard, Model MN 1028 display.	Cash Register	SuperStar					ECR interfaced with scales
90-009, Amended	11/06/90	Stores Automated Systems, Inc.	Certificate supersedes 90-009.	Cash Register	SuperStar					ECR interfaced with scales
90-010	04/25/90	Toledo Scale Corporation	1938, 2038, 2138	Weight Classifier	XX38 Series	III	5,000	25 - 1,000 lb		Load Cell Electronic
90-011	01/30/90	NCR Corporation		Weight Classifier	4000-XX1X	III	3,500	30 x 0.01 lb	12" x 14"	Digital Electronic
90-012	02/14/90	Emark Corporation	Generic name: HARDiMeter Phase 2	Wholesale Meter	0455-XXXX-001					Digital Electronic
90-013	02/14/90	Southwest Pump Company		Service Station Consoles/ECR	M268 REG., M268 BASE					Digital Electronic
90-014	01/22/90	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series					

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-014A1 05/05/92	Tokheim Corporation	Retail Motor Fuel Dispenser	TCS Series			see below		Digital Electronic
	311 or 311A, 312 or 312A, 322 or 322A, 324 or 324A, 413 or 413A, 426 or 426A, 614 or 614A & 628 or 628A. Capacities: 999.99 Dollars, 999.999 Volume Units.							
90-015P 04/25/90	Hottinger Baldwin Measurements, Inc	Load Cell	U1T	III L	10,000 S	50 - 3,000 lb		Universal Tension /Compression
	Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000							
90-016P 04/25/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III L	10,000 S	200 - 5,000 lb		Universal Tension /Compression
	Capacities (lb): 200, 1000, 2000, 5000							
90-016P.A1 09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III L	10,000	200 to 10,000 lb		Universal, Tension or Comp.
	The specific model of load cells covered by this certificate are USB-YYYXX500 through USB-YYYXX699 where YYY is the load cell capacity and XX is the cable length.							
90-017 10/09/90	Schlumberger Technologies, Inc.	LPG Liquid Meter	831 & 833					Analog Indicating
90-017PN 01/30/90	Schlumberger Technologies, Inc.	LPG Liquid Meter	831 & 833					
90-018 02/16/90	John Chatillon & Sons, Inc.	Hanging Scale	DHB 300	III	3000	300 x 0.1 lb		Digital Electronic
	DHB 150K, DHB 100, DHB 50K							
90-019 03/13/90	International Mailing Systems, Inc.	Computing Scale	3000N	III	3200	100 lb X 0.5 oz	13 X 10.5 in	Computing Postal Scale
	MPS 100N, MPS 100RN							
90-019.A1 02/06/91	International Mailing Systems, Inc.	Computing Scale	3000N	III	3200	100 lb x 0.5 oz	13 x 10.5 "	Digital Electronic
90-020 02/09/90	Tokheim Corporation	Retail Motor Fuel Dispenser	262-HV (High Volume)			60 gpm		Electronic Computing
90-021 02/14/90	InterSystems, Inc.	Bulkweighing System	Masterweigh IV	III	10,000			
90-022 02/06/90	Rice Lake Weighing Systems	Indicating Elements	WS 900					
90-023P 03/14/90	Scaime S.A.	Load Cell	AE Series	III	3,000 S	10 to 100 kg		Single-point beam load cell

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-024	02/14/90	CMI Weighing Equipment	UMC 2000, UMC 2002, UMC 2004, UMC 2006, UMC 2008	Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Electronic
90-025	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC UMC 555AAAA	III/III L	10,000			Digital Electronic
90-026	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
90-027	02/16/90	Husky Corporation		Retail Motor Fuel Dispenser	V (Coaxial)					Vapor Recovery Nozzle/Balance
90-028	04/25/90	Daniel Industries, Inc.	Maximum flow rates: 1000 GPM for gasoline, 800 GPM for diesel	Wholesale Meter	LR 3601-1A					Turbine Meter
90-029	02/14/90	Weigh-Tronix, Inc.	3401 (remote display)	Hanging Scale	PCSR 3400	III	5000	2000 x 1 lb		Digital Electronic
90-030	02/14/90	Weigh-Tronix, Inc.		Indicating Elements	WI-171	III	5000			Electronic, Price Computing
90-031	03/13/90	Ishida Scales Mfg. Co., Ltd.	Optional capacity: 2.5 kg x 0.001 kg	Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Digital Checkweighing Elect.
90-032	04/25/90	Artech Industries, Inc.	Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacity 1,000 to 10,000 lb. Other models: SS30210 and SS30310-xx-C/B	Load Cell	SS30310 SERIES	III/III L	5k, 10k M	1,000 - 10,000 lb		SHEAR BEAM LOAD CELL
90-032P	02/12/90	Artech Industries, Inc.		Load Cell	SS30310 Series	III/III L	5K,10K M	1,000 to 10,000lb		Superseded by 90-032
90-033	04/30/90	Gedge Systems		Indicating Elements	GS1650B	III/III L	10,000			Digital Electronic
90-034	02/14/90	Bennett Pump Company	3722; 3724; 3725; 3725D; 3727; 3782; 3788; 3788D; 3789; 3789D; 3792; 3922; 3924; 3925; 3925D; 3927; 3912; 3913 & 3913D	Retail Motor Fuel Dispenser	3700 & 3900 Series					Analog Volume Only
90-034A1	03/12/92	Bennett Pump Company	3722; 3724; 3725; 3725D; 3727; 3782; 3788; 3788D; 3789; 3789D; 3792; 3922; 3924; 3925; 3925D; 3927; 3912; 3913 & 3913D.	Retail Motor Fuel Dispenser	3700 & 3900 Series					Analog Volume Only

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-034PN 07/11/91	Bennett Pump Company 3722, 3724, 3725, 3725D, 3727, 3782, 3788, 3788D, 3789, 3789D, 3792, 3922, 3924, 3925, 3925D, 3927, 3912, 3913 & 3913D.	Retail Motor Fuel Dispenser	3700 Series					Analog Volume Only
90-034PNA1	Bennett Pump Company	NO DEVICE TYPE	3900 Series					
90-035PN 03/13/90	Bennett Pump Company 4012, 4013, 4022, 4024, 4025, 4027	Retail Motor Fuel Dispenser	4000 Series					Analog Computing
90-036PN 03/13/90	Bennett Pump Company 814M, 816M, 818M	Service Station Consoles/ECR	81 Series					Digital
90-037 04/25/90	Toledo Scale Corporation	Computing Scale	8427	III	3,000	30 x 0.01 lb	15-1/2" x 9-3/4"	Digital Electronic
90-038 04/25/90	Sterling Scale Company, Inc.	Indicating Elements	DW750	III, III L	10,000			Digital Indicator
90-039 04/25/90	Esselte Meto	Computing Scale	CS 512	III	3,000	30 x 0.01 lb	14.25" x 9.75"	Digital Electronic
90-040 04/25/90	Esselte Meto	Computing Scale	ES 1010	III	2,000	10 x 0.005 lb	11.75" x 8.5"	Digital Electronic
90-041 04/25/90	Schlumberger Technologies, Inc.	Vehicle Tank & LPG Meter	Type 4					Analog Indicating
90-042 04/25/90	Fairbanks Scales	Indicating Elements	90-166	III, IIIL	10,000			Digital Electronic
90-043 03/07/91	Fairbanks Scales	Indicating Elements	90-515 & 90-516	III/IIIL	10,000			Digital Electronic
90-044 02/28/90	Omron Systems of America	Cash Register	RS5500 Series					ECR
90-045 06/14/90	Cardinal/Detecto Scale Mfgr. Co. Models: 3025-LP, 3030-LP, 6035-LP, 6040-LP, 6050-LP, 6060-LP & 6070-LP.	Vehicle Scale	LP Series	III L	6000	30 & 60 Ton	25'-70' x 10'	Mechanical Lever System
90-046 02/27/91	Toledo Scale Corporation CLC=60,000lb	Vehicle Scale	7541	III L	10,000	200,000 lb	40x10" to 100x10"	Load Cell Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-046P	06/14/90	Toledo Scale Corporation		Vehicle Scale	7541	III L	10,000	20,000 lb	40x10" - 100x10"	
90-047	08/21/90	Toledo Scale Corporation	1997 & 2197; e min: 0.005 lb; capacity 15 to 600 kg.	Bench and Counter Scale	2097	III	5000	25 to 1000 lb		Load Cell Electronic
90-048	04/25/90	Epelsa International, Inc.	Other manufacturer: FIRST-Weigh Model DI11 and Model DI21	Indicating Elements	LC-110 & LC-210	III, III L	3,000			Digital Electronic
90-048A1	03/12/92	FIRST-Weigh	n: 5000-Class III; 10,000-Class III L	Indicating Elements	FIRST-Weigh DI21/11	III/III L	see below			Digital Electronic
90-049	06/14/90	Digi Postal Corporation	Optional Model DP-102M (computer interface)	Indicating Elements	DP101-U		1999			Digital Electronic
90-050PN	04/25/90	Sooner Scale, Inc		Livestock Scale	PS 18 x 7					
90-050PN Amend	06/14/90	Sooner Scale, Inc.	CLC: 6,750 lb	Livestock Scale	PLS 18 x 7	IIIL	2,000	10,000 lb	18" x 7";2 sect.	Portable Electronic
90-051	04/25/90	M&R Brand Scale	1005010-50, 1006010-60, 1007010-60, 1008010-60, 1004012-50, 1005012-50, 1006012-60, 1007012-60, 1008012-60, 1003014-30, 1003414-30, 1004014-50, 1005014-50, 1006014-60, 1007014-60, 1008014-60	Vehicle Scale	100 Series	III L	6,000	120,000 x 20 lb	70' x 12'	Lever System
90-052	03/27/90	Superior Load Cell	AW600B-2.5K, -5K, -10K, -15K, -20K. Capacities (lb): 2,500, 5,000, 10,000, 15,000, 20,000	Load Cell	AW600B Series	III	5,000 M	2,500 - 20,000 lb		Shear Beam, Tension
90-052.A1	03/07/91	Superior Load Cell	The model desgnation for the series is AW600B-XXK where XXK is the load cell capacity in thousands (K) pounds. Models: AW600B-2.5K, AW600B-5K, AW600B-10K, AW600B-15K & AW600B-20K.	Load Cell	AW600B Series	III	MC: 5,000	2500 to 20k lb		Shear Beam, Tension
90-053	06/14/90	Bizerba United States, Inc.	This series consists of the Models PRO9100, PRO9400, PRO9700, PRO9600 & PRO9800.	Computing Scale	PRO9000 Series	III	3,000	30 x 0.01 lb	10.4" x 15"	Digital Electronic
90-054				NO DEVICE TYPE						NOT ISSUED

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-055	04/25/90	Certified Scale Co.		Floor Scales	2010	III	5,000	5,000 lb	48" x 60"	Load Cell Electronic
90-056	04/25/90	Henry Troemner, Inc.		Prescription Balance	800A	III	6,000	60 x 0.01 g	2.875 inch round	Torsion Band/Equal Arm
90-057	11/02/90	Fairbanks Scales	EL9000	Floor Scales	1126D	III	5000	1000 x 0.2 lb	23.5 x 17.75"	Lever System, Load Cell
90-058	04/25/90	Hardy Instruments, Inc.		Indicating Elements	H2101 WC	III, III L	6,000, 9,000			Digital Electronic
90-059	04/25/90	Industrial Data Systems, Inc.		Printer	Matrix 500					Electronic Dot-Matrix
90-060	04/18/90	Daniel Industries, Inc.		Mass Flow Meter	1450-15-SP			Max 60 GPM		Rotary Meter
90-061	04/18/90	A&D Engineering, Inc.		Floor Scales	FW-150KA1	III	7,500	300 x .1 lb	15.4" x 20.8"	Digital Electronic
90-061.A1	01/24/91	A&D Engineering, Inc.	Platform: 15.4" x 20.8" (KA1); 12.8" x 16.5" (KA2)	Bench and Counter Scale	FW Series	III	10,000	300 lbs	see below	Superseded by 90-061.A2
90-061.A2	02/12/91	A&D Engineering, Inc.	Platform: 12.8" x 16.5"(KA2), capacities - 12, 60, 120, 200 & 300 lbs.	Bench and Counter Scale	FW SERIES	III	10,000	see below	15.4"x20.8" (KA1)	Digital Electronic
90-061.A2 AMEND	08/14/91	A&D Engineering, Inc.	Platform: 15.4" x 20.8"(KA1)-12.8" x 16.5"(KA2).	Bench and Counter Scale	FW Series	III	10,000	see certificate	see below	Digital Electronic
90-062	04/18/90	TEC America, Inc.		Computing Scale	SL 5900-3(x)-C(X)-US	III	3,000	30 x 0.01 lbs	240 mm x 350 mm	Digital Electronic
90-062.A1	04/18/91	TEC America, Inc.		Computing Scale	SL 5900-3(X)-C(Y)-US	III	3,000	30 x 0.01 lb	240mm x 350 mm	Digital Electronic
90-063	04/18/90	Santa Rosa Scale Company	SR3, -4A, -5, -50, -6, -6A, -7, -7A, -7B, -8, -8A, -8B, -9, -9A, -9B, -10, -10A, -10B, -11, -11A, -12, -12A	Floor Scales	SR-XXX	III	4,000	2,000 - 20,000 lb	24"x30" - 60"x84"	Flexure Lever, Load Cell

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-064 08/21/90	A&D Engineering, Inc.	FV-30KA2, FV-60KA2, FV-150KA1. Other capacities: 60 x .02 kg, 1920 x 1 oz	Bench and Counter Scale	FV-60KA1	III	3,100	120 x .05 lb	15.4" x 20.8"	Digital Electronic
90-065 04/18/90	Cardinal/Detecto Scale Mfgr. Co.	EF-100: 100 lb x .05 lb, 18 x 18 / EF-218: 200 lb x .1 lb, 18 x 18 / EF-224l 200 lb x .1 lb, 24 x 24 / EF-524: 500 lb x .2 lb, 24 x 24 & EF-528: 500 lb x .2 lb, 28 x 28.	Bench and Counter Scale	EF Series	III	2500	100 - 1,000 lbs		Load Cell Electronic
90-066 04/18/90	Better Built Scale Products	Optional Models: UMC 555 ----, Enclosure: A=Standard, Mildsteel Painted, B=Nema Enclosure. Input Power: A=117 VAC, 60Hz, B=227 VAC, 50Hz. Load Cell Term: A=Standard 6-wire Connector, B=RFI-Shielded 6-Wire Connector: A=Standard, B=Non-Standard.	Indicating Elements	UMC 555 AAAA	III/III L	10,000			Digital Electronic
90-067 04/18/90	Schlumberger Technologies, Inc.		Service Station Consoles/ECR	MMX 3000					Point-of-Sale Terminal
90-067A1 03/31/92	Schlumberger Technologies, Inc.	Generic Name: Micro-Max 3000	Service Station Consoles/ECR	MMX 3000					Digital Electronic
90-068 08/21/90	Accurate Metering Systems, Inc.		Wholesale Meter	RZ-3A			35 to 315 gal/min		Digital Electronic
90-068A1 02/07/91	Accurate Metering Systems, Inc.		Wholesale Meter	RZ 3A			35 to 315 gal/min		Digital Electronic
90-069 05/11/90	Cardinal/Detecto Scale Mfgr. Co.	FH 522-II, FH 533-II, FH 544-II, FH 553-II, FH 554-II, FH 555-II, FH 563-II, FH 564-II, FH 565-II, FH 566-II, FH 575-II, FH 1044-II, FH 1053-II, FH 1054-II, FH 1055-II, FJ 1063-II, FJ 1064-II, FH 1065-II, FH 1066-II, FH 1075-II, FH 1086-II, FH 1097-II & FH 10106-II.	Floor Scales	FH-XXYY-II	III	5,000	5,000 - 10,000 lb	2 x 2 - 10 x 6	Low Profile-Load Electronic
90-070 04/18/90	Hasstech, Inc.		Retail Motor Fuel Dispenser	HP-2, HP-22					Nozzle
90-071 07/12/90	Digi Postal Corporation	DP-100X, DP-100R, DP-100F, DP-100M	Computing Scale	DP-100*	III	3199	99lb 15.5oz X 0.5	15.75 ' X 10.75"	Postal Weight Classifier
90-072 06/14/90	Jonel Engineering		Indicating Elements	JL-DSD-253B	III/IIIL	1,000			Digital Electronic
90-073 08/21/90	Toledo Scale Corporation		Printer	307					Thermal Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-074	07/29/91	Doran Scales, Inc.	7005-P, 7015-P, 7030-P, 7060-P & 7100-P.	Bench and Counter Scale	7000-P Series	III	3000	5 - 100 lb	10"x10" & 12"x12"	Load Cell Electronic
90-074P	05/11/90	Doran Scales, Inc.	7005-P: 5 lb, 2500, 0.002 lb, 10" x 10" / 7015-P: 15 lb, 3000, 0.005 lb, 10" x 10" / 7030-P: 30 lb, 3000, 0.01 lb, 10" x 10" / 7060-P: 60 lb, 3000, 0.02 lb, 12" x 12" & 7100-P: 100 lb, 2000, 0.05 lb, 12" x 12".	Bench and Counter Scale	7000-P Series	III	3000	5 to 100 lb	10" x 10"	Load Cell Electronic
90-075	04/25/90	Hardy Instruments, Inc.	HI 2151 WC-(XX)	Indicating Elements	HI 2150 WC-(XX)	III, III L	10,000			Digital Electronic
90-076	08/22/90	Toledo Scale Corporation		Printer	325					Thermal Electronic
90-077	09/11/90	Pulsar Technology Systems, Inc.		Taximeter	100					Mileage Odometer
90-078	05/15/90	John Chatillon & Sons, Inc.	PDT-50: 65 lb x 2 oz, PDT-200: 260 lb x 8 oz, PDT-25K: 25 x .05 kg, PDT-50K: 50 x .1 kg & PDT-100K: 100 x .2 kg.	Bench and Counter Scale	PDT-100	III	520	130 lb x 4 oz	12 x 17 inch	Mechanical Spring Dial
90-079	03/07/91	Weigh-Tronix, Inc.	CLC: 70,000lb; Load Cell: Weigh-Tronix Model WBT 50.0K.	Vehicle Scale	FTMSC-XXXX-XXXseries	III L	10,000	7k to 140k lb	10-47 x YY ft	Digital Electronic
90-080				NO DEVICE TYPE						NOT ISSUED
90-081				NO DEVICE TYPE						NOT ISSUED
90-082	09/11/90	Weigh-Tronix, Inc.	Other Capacities: The scale consists of three individual weighing devices, each with a separate indicator. The system is equipped with a fourth indicator that totalizes the weights from the three scales. CLC: 70,000 lb	Vehicle Scale	MCTM-7310-100T3	III L	10,000	200,000 x 20 lb	73' x 10'	Digital Electronic
90-082.A1	04/27/91	Weigh-Tronix, Inc.	MCTM-71XX-100T3X, MCTM-73XX-100T3X, MCTM-74XX-100T3X, MCTM-76XX-100T3X, MCTM-78XX-100T3X, MCTM-80XX-100T3X, MCTM-81XX-100T3X & MCTM-84XX-100T3X.	Vehicle Scale	MCTM-7310-100T3	III L	10,000	200,000 x 20 lb	73' x 10'	Digital Electronic

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-083 05/15/90	Artech Industries, Inc.	Load Cell	80210 Series	III L	10,000	20,000 - 200,000		Double Ended Shear Beam
	80310 - The difference between the Models 80210 and 80310 is in the manner of contact of the load cell to the mounting assembly. The 80210 has a semicircular indentation in the middle of the bottom of the cell where the cell rests on a semicircular rod. The point of contact is the semicircular areas. The bottom of the 80310 is flat and the semicircular is turned upside down so the flat area is in contact with the load cell. The semicircular rod makes contact with a flat plate in its mounting assembly							
90-083.A1	Artech Industries, Inc.	Load Cell	80210 Series	III L	10,000	20,000 - 200,000		IN PROCESS
90-084 09/13/90	Fairbanks Scales	Indicating Elements	H90-3051	III/IIIL	10,000			Digital Electronic
90-085 08/21/90	Toledo Scale Corporation	Bench and Counter Scale	XX96 Series	III	5000	25-1000lb		Load Cell Electronic
	Models: 1196; 2096; 2196							
90-086 04/29/91	Flintab, Inc.	Load Cell	SB4 Series	III	SC-3000	5kN - 50kN		Stainless Steel Bending Beam
	SB4-5kN, SB4-10kN, SB4-20kN, SB4-23kN & SB4-50kN.							
90-086P 09/11/90	Flintab, Inc.	Load Cell	SB4 Series	III	Single 3,000	5 kN - 50 kN		Stainless Steel Bending Beam
	SB4-5kN - 5, 0.25, 0; SB4-10kN - 10, 0.50,0; SB4-20kN - 20, 1.0, 0; SB4-50kN - 50, 2.5, 0.							
90-087 02/12/91	Pitney Bowes	Weight Classifier	A 500	III	160	16 x 0.1 oz	9.25" x 5"	Digital Electronic
90-088 06/14/90	Pitney Bowes	Floor Scales	A219	III	1200	600 x 0.5 lb	30" x 30"	Load Cell Electronic
90-089P 05/31/90	General Electrodynamics Corporation	Wheel Load Weigher	LP400E	IIII	400	20,000 x 50lb	14.5" x 22"	Digital Electronic
90-090 06/12/90	Superior Load Cell	Load Cell	AW900B	III L	10,000	20k to 100k		Double-Ended Shear Beam
	AW900B-20K, AW900B-25K, AW-900B-30K, AW900B-40K, AW900B-50K, AW901B-50K, AW900B-60K, AW900B-60KL, AW901B-65K, AW900B-75K, AW900B-75KL & AW900B-100K.							
90-091 08/07/90	Digi Matex, Inc.	Bench and Counter Scale	DS-410	III	3,000	300 x 0.1 lb		Digital Electronic
	Optional Capacities: 150 x 0.05 lb, 600 x 0.2 lb. Optional Platform Sizes: 15.5" x 15.5", 27" x 22".							
90-092 09/18/90	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III L	10,000	10k to 200 lb		Shear Beam
	The specific load cell covered by this certificate are: SB2-YYYXX500 through SB2-YYYXX699 and SB3-YYYXX500 through SB3-YYYXX699 where YYY is the load cell capacity and XX is the cable length.							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-093	08/21/90	CompuWeigh		Indicating Elements	Compudraft 2000	III/III L				Electronic
			Compudraft Series 2000 console consisting of a self contained 19 inch compact case incorporating a 9-inch CRT, a flip-down alpha keyboard, and a single board Computer with Platform Scale Software.							
90-094	06/14/90	Fairbanks Scales		Indicating Elements	70-1414	III	2000	100 x .05 lb	14" x 14"	Load Cell Electronic
90-094.A	04/18/91	Fairbanks Scales		Load Cell	70-1414	III	2000	100 x 0.05 lb	14 x 14 inch	Load Cell Electronic
90-095	08/21/90	Berkel Incorporated	RS-300: 300 x 0.1 lb	Bench and Counter Scale	RS-150	III	3,500	150 x 0.05 lb	13.9" x 19.7"	Digital Electronic
90-096	08/21/90	A&D Engineering, Inc.	FV-60KAS2 60 x 0.2kg, 150 x 0.5 lb, 2400 x 1 oz, 12.8" x 16.5"	Bench and Counter Scale	FV-60KAS1	III	3,000	60 x .02 kg	15.4" x 20.8"	Digital Electronic
90-097	08/21/90	Pennsylvania Scale Company	24X24-1K, 24X24-2K, 24X24-5K, 30X30-1K, 30X30-2K, 30X30-5K, 36X36-1K, 36X36-2K, 36X36-5K, 36X36-10K, 48X48-1K, 48X48-2K, 48X48-5K, 48X48-10K, 48X60-5K, 48X60-10K, 48X72-5K, 48X72-10K, 48X84-5K, 48X84-10K, 60X60-5K, 60X60-10K, 60X72-5K, 60X72-10K, 60X84-10K	Floor Scales	6600 Series	III	5,000	1,000 - 10,000	12 x 24 - 60 x 84	Load Cell Electronic
90-098	08/21/90	Global Scale Imports, Inc.		Prepackaging Scale	Automator 650A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-099	08/21/90	Global Scale Imports, Inc.		Computing Scale	Concentrator 220A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-099A1	11/26/91	Ishida U.S.A. Inc.		Computing Scale	Ishida Alpha-Cosmic	III	3,000	30 x 0.01 lb	10" x 16"	Digital Eletronic
90-100	08/21/90	Global Scale Imports, Inc.		Computing Scale	Ishida LIBRA 300	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-101	09/17/90	Syracuse Scale Co, Inc.	CLC: 80,000 lb	Vehicle Scale	ALVS-6080	IIIL	8,000	160k x 20 lb	60" x 10" 3 sect.	Load Cell Electronic
90-102	11/02/90	Sanyo Business Systems Corp.		Cash Register	ECR-635					Stand Alone
90-102.A1	01/03/91	Sanyo Business Systems Corp.		Cash Register	ECR-635 & ECR-645					Stand Alone

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-103	09/11/90	Tru-Test Distributors Ltd.		Indicating Elements	AG 500-1	III/IIIL	3,000			Digital Electronic
90-104	09/17/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB300-1	III	4816	301 lb x 1 oz	21.75" x 16.25"	Mechanical Lever System
90-105		Epelsa International, Inc.		Load Cell	TSF & LC18					IN PROCESS
90-105P	09/11/90	Epelsa International, Inc.		Load Cell	TSF & LC18	III/III L		100 to 1,000 lb		
90-105P.A1	04/30/91	Epelsa International, Inc.	SC, Class III: 3000/SC, Class III L: 10,000.	Load Cell	TSFS & LC18	III & IIIL	see below	100 to 1000 lb		S-Type Tension TSFS100, TSFS200, TSFS300, TSFS500, TSFS750 & TSFS1000.
90-106P	09/24/90	Intercomp Corporation		Wheel Load Weigher	PT300	IIII	400	20,000 x 50lb	12" x 12"	Digital Electronic
90-107	08/21/90	Weigh-Tronix, Inc.	SC-2227-500, SC-2229-300, SC-2229-500, SC-2730-300 & SC-2730-500.	Floor Scales	SC-2227-300	III	3,000	300 lbs (150kg)	22" X 27"	Digital Electronic
90-107.A1	07/10/91	Weigh-Tronix, Inc.	Platform dimensions are not to exceed 810 square inches.	Bench and Counter Scale	SC-XXXX-YYY	III	3,000	500 lbs-300 lbs	see below	Digital Electronic
90-108	09/24/90	Weigh-Tronix, Inc.	The specific designations covered by FCTXXXX-YYY meaning XXXX is the platform dimensions in feet range from 40 to 100 ft. and YYY represents the capacity in tons which range from 70T to 100T.	Vehicle Scale	FCTSXXXX-YYY	III L	10,000	140K - 200K lb	see certificate	Low Profile - Load Cell Elect.
90-108.A1	08/06/91	Weigh-Tronix, Inc.	FCTS1010-35T, FCTS1011-35T, FCTS1012-35T, FCTS1210-35T, FCTS1211-35T, FCTS1212-35T, FCTS2010-35T, FCTS2011-35T, FCTS2012-35T, FCTS2310-35T, FCTS2311-35T, FCTS2312-35T, FCTS4010-70T, FCTS4710-70T, FCTS4710-70T, FCTS4711-70T, FCTS6010-100T, FCTS6011-100T FCTS7010-100T, FCTS7011-100T, FCTS8010-100T, FCTS8011-100T, FTS9310-100T, FCTS10010-100T, FCTS4012-70T, FCTS4712-70T, FCTS6012-100T, FCTS7012-100T & FCTS8012-100T. Platform sizes: 10 x 10-12 ft, 12 x 10-12 ft, 20 x 10-12 ft, 40 x 10-11 ft, 47 x 10-11 f t, 60 s 10-11 ft, 70 x 10-11 ft, 80 x 10-11 ft, 93 x 10-11 ft, 100 x 10 ft, 40 x 12 ft, 47 x 12 ft, 60-80 x 12 ft.	Vehicle Scale	FCTSXXXX-YYY	III L	10,000	70k, 140k - 200lb	see below	Low Profile-Load cell Electron
90-109P	08/07/90	Thurman Scale Company	CLC: 90,000 lb	Vehicle Scale	8550	III L	10,000	200,000 x 20 lb	70" x 10"	Digital Electronic
90-110	08 21 90	Cardinal Detecto Scale Mfgr Co	Optional Models 6000/TLC100 & 6800/TLC100 n_max:4,000	Load Cell	6800/Z100 & 600/Z100	III	5,000			Steelyard Rod Adaptor

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-111	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Type Z & TLC load cell capacity: 100 lbs.	Load Cell	738/TLC100-738/Z100		5,000			Steelyard Rod Adaptor
90-112	11/02/90	Weigh-Tronix, Inc.		Indicating Elements	3270M	III/IIIL	10,000			Digital Electronic
90-113	11/02/90	Weigh-Tronix, Inc.		Indicating Elements	WI-160	III/IIIL	10,000			Digital Electronic
90-114	11/02/90	Weigh-Tronix, Inc.		Bench and Counter Scale	3270S	III	3000	6 x 0.0002 lb	9" x 9"	Load Cell Electronic
90-115	08/23/90	Gilbarco, Inc.	$999.00 total price, 999.000 volume units & $9.999 unit price.	Retail Motor Fuel Register	Advantage Series			see below		Electronic Computing
90-115.A1	11/02/90	Gilbarco, Inc.	Model designations identified by four code positions; See Certificate for possible codes.	Retail Motor Fuel Dispenser	Advantage Series			2 x 13 gpm		Elec.Comp.Ret.Motor Fuel Disp.
90-115A2	08/21/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	The Advantage Series					
90-116	11/02/90	Dover Corporation	OPW 111-V 22, OPW 111-V 24, OPW 111-V 47 & OPW 111-V 49.	Retail Motor Fuel System	111-V Series					Vapor Recovery Nozzle-balance
90-117	09/11/90	Brooks Instrument Division	004X-XXXXXXXX and 004X-XXXX	Wholesale Meter	PetroCount 44					Digital Electronic
90-118	11/02/90	Brooks Instrument Division	Generic Name: Parity Series	Wholesale Meter	Turbo					3-inch & 4-inch
90-118A1	03/26/92	Brooks Instrument Division	Trademark Name: Parity Series	Wholesale Meter	Turbo					3-inch; 4-inch & 6-inch
90-119	09/11/90	CMI Weighing Equipment		Hopper Scale	SE/SW 653B	III L	6,000	60 x .01 tons		Load Cell Electronic
90-120	09/17/90	Sanyo Business Systems Corp.		Cash Register	ECR 690					Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-121	11/02/90	Micros Systems, Inc.		Cash Register	Type 2000					Digital Electronic
90-122	08/23/90	Daniel Industries, Inc.		Wholesale Meter	3401-3P					4-inch
90-123	11/02/90	CAT Scale Company		Printer	320					Dot Matrix
90-124	09/26/90	Friden Alcatel	Model 8510-5: 5 lb x 0.1 oz	Weight Classifier	8510	III	1600	10 lb x 0.1 oz	9.5" x 7.5"	Digital Electronic Computing
90-125	09/17/90	CAS Corporation	6D & 15D	Bench and Counter Scale	3D	III	3,000	6 lb	13.5" x 8.5"	Load Cell Electronic
90-126	09/17/90	CAS Corporation		Computing Scale	15 M	III	3,000	30 x .01 lb	17.25" x 10.75"	Load Cell Electronic
90-127	08/30/90	Fairbanks Scales		Bench and Counter Scale	70-490X-XXX FAM	III				
90-128	08/30/90	Fairbanks Scales	H90-5150 & H90-5200.	Indicating Elements	H90-5100	III/IIIL	10,000			Digital Electronic
90-129P	03/07/91	Measurement Systems International		Wheel Load Weigher	MSI-5300	IIII	400	20,000 x 50 lb	11" x 10.25"	Digital Electronic
90-130	11/02/90	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L Series			$999.99 Total Vol		Digital Electronic Multi-Pro.
90-131	09/24/90	Tri-Coastal Industries	Capacities: 1,2500 x .5 lb, 2,500 x 1 lb, 5,000 x 2 lbs.	Hanging Scale	OKD-6	III	2,500	see below		Digital Electronic
90-132	09/24/90	Weigh-Tronix, Inc.	platform: 30 x 30 to 96 x 72.	Bench and Counter Scale	DSLXXXX-YY	III	5,000	2,000 - 10,000	see below	Low Profile-Load Cell Elect.
90-132.A1	08/09/91	Weigh-Tronix, Inc.	DSL3030-02, DSL-3030-05, DSL3636-02, DSL3636-05, DSL4848-02, DSL4848-05, DSL4848-10, DSL6048-02, DSL6048-10, DSL6060-02, DSL6060-05, DSL6060-10, DSL7248-02, DSL7248-05, DSL7248-10, DSL7260-02, DSL7260-05, DSL7260-10, DSL8460-05, DSL8460-10,DSL8472-05, DSL8472-10, DSL9672-05 & DSL9672-10.	Bench and Counter Scale	DSLXXXX-YY	III	5,000	2 K, 5 K, 10,000K	see below	Low Profile-Load Cell Elec.

CC No.	Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-133	08/31/90	Pulsar Technology Systems, Inc.	Taximeter	2010			See "Other Model"		Digital Eletronic Taximeter
		Flag Drop: $0.01 - $999.99, Fare Incr.: $0.01 - $999.99, Extras : $0.02 - $9.99, Earlier version of 2010 is larger---See CC, Shall be installed using Arthur Allen 4 pulse per revolution pulse transducer (NOT 2 pulse per revolution). See CC for impotant notes on proper sealing.							
90-134	10/02/90	Weigh-Tronix, Inc.	Indicating Elements	Motion Stabilzer	III/IIIL				Digital Filter Package
		Description: The "Digital Motion Stabilzer" package is a digital filter software package for electronic digital indicators.							
90-135	03/07/91	Weigh-Tronix, Inc.	Weight Classifier	A120-TA	III	see below	see below	12" x 13"	Digital Electronic Computing
		n-max: 320 (0-2 lb); 2240 (2-70 lb). capacities: 0-2 lb x 0.1 oz / 2-70 lb x 0.5 oz.							
90-136	09/12/90	Pitney Bowes	Weight Classifier	A120-TA	III	SEE BELOW	SEE BELOW	13" x 14"	Digital Electronic
		N-max: 320 (0-2lb) & 2240 (0-70lb). Capacities: 0-2lb x 0.1oz, 0-70lb x 0.5 oz							
90-137	10/02/90	Weigh-Tronix, Inc.	Hanging Scale	HS-100	III	1950	195 x .1 lb		Load Cell Electronic
90-138P	09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III	5000	200 to 5000 lb		Universal, Tension
		The specific models of load cells covered by this certificate are USB-YYYXX500 through USB-YYYXX699 where YYY is the load cell capacity and XX is the cable length.							
90-139	09/26/90	Syracuse Scale Co, Inc.	Load Cell	ALC850	III L	MC 10,000	20k to 100k		Double-Ended Shear Beam
		These load cells are marketed under the brand name "Atlas." The specific models covered by this certificate are: ALC850-2OK, ALC850-25K, ALC850-30K, ALC850-40K, ALC850-50K, ALC901B-50K, ALC850-60K, ALC850-60KL, ALC901B-65K, ALC850-75L, ALC850-75KL & ALC850-100K.							
90-140		Airway Scale and Mfg Co., Inc.	Bench and Counter Scale	XX XL YY	III				IN PROCESS
90-141	11/02/90	Airway Scale and Mfg Co., Inc.	Load Cell	AW600B Series	III	5000	2500 to 20,000lb		Shear Beam, Tension
		Model: AW600B-2.4K, AW600B-5K, AW600B-10K, AW600B-15K & AW600B-20K.							
90-142	11/02/90	Airway Scale and Mfg Co., Inc.	Load Cell	AW900B	IIIL	10,000	20,000-100,000lb		Double-Ended Shear Beam
		Models: AW900B-20K, AW900B-25K, AW900B-30K, AW900B-40K, AW900-50K, AW901B-50K, AW900B-60K, AW900B-60KL, AW900B1-65K, AW900B-75K, AW900B-75KL & AW900B-100K.							

CC No. / Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-143PN 10/09/90	Veeder-Root		Retail Motor Fuel Register	2003					RMFD Mechanical Computer
		Pre-NTEP CC based on OWM ROT 498 and 523 (issued to 2002E) and info from manufacturer. 2003 identical to 2002E except left money wheel goes from 0 - 14 instead of 0-9.							
90-144 11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	200 & 330 Series	999.999gal	$9.999/unit	$999.99 Money	9999.9 liters	Digital Comp. RMFD
		Models: 220B, 222B, 330B, 33B. Suffixes: E-External fixed hose connection. V-External two hose connection for vapor recovery. VC-Coaxial hose fitting for vapor recovery. L-Lighted valance. U-Unlighted valance. SA-Stand Alone. K-Customer select cash credit. P-Customer select preset.							
90-145PN 11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	1100 & 1200 Series	$3.999 up	$99.99 Max$	999.9 gal	999.9 liters	Mech. Comp. RMFD
		Models: 1148T, 1150T, 1248, 1250. Suffixes: T, GP, SP, 1, 2, RCFC, AFC-1, PEH, SCS, HS, TPZ, PR, A, S, G, M, GM, VR, KC-4, KC-8, KC-16, WNC, TW, APC, APC-1, RHO, ESI, IBM, PR-SS, OC,							
90-146 10/09/90	Pitney Bowes		Weight Classifier	A217	III	3200	100 lb	14 1/8" x 12x 1/2	Digital Electronic
		A218 0 2 lb x 1 or 0-100 lb x .05 oz							
90-146A1 04/06/92	Pitney Bowes		Weight Classifier	A217	III	3200	99 lb	14 1/8" x 12 1/2"	Digital Electronic
90-147 03/12/92	Toledo Scale Corporation		Floor Scales	2157	III	2000/2500	see below		Digital Electronic
		Capacity by division: 2000 x 1 lb; 5000 x 2 lb; 10000 x 5 lb & 20000 x 10 lb							
90-148 10/18/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS R CT X X X XX		$9.999 U.P.	$999.99 Total $	999.99 Vol Units	Dig. Comp. RMFD
		EPS = Basic Model Number, R = Remote submersible pump, CT = Calcutrim, Blank = Standard Construction or V = Vapor Recovery, DS = Hoses on both sides or SS = Hoses on one side, 1 - 4 = Number of Products; 2,3,4 or 6 = Number of Hoses.							
90-148 11/02/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS R CT X X X XX			SEE BELOW		Digital Computing
		Generic Name: Calcutrim, Capacities: $999.99 total money, 999.99 volume units, $9.999 unit price							
90-149 10/18/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS RC I X X X XX	$9.999 UP		$999.99 Total $	999.99 Vol Units	Elec. Comp. RMFD
		Model designations and suffixes: EPS = Basic Model Number, RC = Remote Calcutron (submersible), I = Intermediate size, Blank = Standard Construction OR L = dispenser longer than 7 feet, 1, 2, or 8 = # hoses - 1 or 4 = # Products DS = Hoses on both side s or SS = Hoses on one side.							
90-149 11/02/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS RC I X X X XX			SEE BELOW		Electronic Computing
		Generic Name: Calcutron, Capacities: $999.99 total money, 999.99 volume units, $9.999 unit price.							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-150	10/27/90	Advanced Systems Interfacing, Inc.		Bulkweighing System	Bulk II	III	10,000			Digital Electronic
90-150A1	01/10/92	Pertech	See certificate for specific specifications	Bulkweighing System	Bulk II					Digital Electronic
90-150P	09/11/90	Epelsa International, Inc.	see certificate for other models.	Load Cell	TSF & LC18*	III	3000	100 to 1000 lb		S-Type
90-151	04/18/91	Tokheim Corporation	Other name: Vehicle or Stationary-Mount. Other Model: 682-15-SS-L-X.	Wholesale Meter	682-15-AF-L-X					Positive Displacement Meter
90-151A2		Tokheim Corporation		Wholesale Meter	682-15-XX-X-X					IN PROCESS
90-152P	11/02/90	Revere Transducers, Inc.	The Model designation for th load cells is 5423-B10-XXK-YYYY where XXK represents the celol capacity in thousands of pounds (e.g., 10K) & YYYY represents variations that are not metrologically significant.	Load Cell	5423 B	III L	10,000	10,000-65,000 lb		Double-Ended Shear Beam
90-152P.A1	03/28/91	Revere Transducers, Inc.	5423-B10-10K-YYYY, 5423-B10-20K-YYYY, 5423-B10-30K-YYYY, 5423-B10-50K-YYYY & 5423-B10-65K-YYYY. The model designation for the load cells is 5423-B10-XXK-YYYY where XXK represents the cell capacity in thousands of pounds (e.g, 10K) and YYYY represents va riations that are not metrologically significant.	Load Cell	5423-B10	III L	10,000	10,000 - 65,000lb		Double-Ended Shear Beam
90-153	03/07/91	McNeilus Truck & Mfg. Inc.	Load cell type: Rice Lake Weighing Systems RL2000-5K or RL20000-20K or certified equivalent.	Hopper Scale	RL20000-5K	III L	2,000	40k to 10k lb		Weighing Element Electronic
90-153.A1	07/02/91	McNeilus Truck & Mfg. Inc.		Hopper Scale	AH-40 & CH-40	III L	2,000	4k - 40k		
90-154	01/03/91	Berkel Incorporated	624LS Capacity 30 x 0.01lb - Same as the Model 623LS except the operator's display is alphanumeric.	Computing Scale	623LS	III	3,000	30 x 0.01 lb	400 x 252 mm	Digital Electronic
90-155	01/24/91	Epelsa International, Inc.	SP12-1813, SP12-2413 & SP12-3013	Bench and Counter Scale	SP12 Series	III	3000	300 lb		Load Cell Electronic
90-156		Digi Postal Corporation		Bench and Counter Scale	DP70S	III				IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-157	01/24/91	Morrison Weighing Systems, Inc.	Other model: MP201/for use in batching systems	Indicating Elements	DC100	III	10,000			Digital Electronic
90-158	04/18/91	Rice Lake Weighing Systems	Capacity: S-Cell, Class III: 5000 - S-Cells, Class III L: 10,000. The specific load cells covered by this certificate are identified by the cell capacities. The XXX of the model designation represents the load cell capacity.	Load Cell	RL20000A-XXX	III & IIIL	see below	25 - 50,000 lb		S-Beam Tension
90-158P	11/05/90	Rice Lake Weighing Systems		Load Cell	RL20000A-XXX	III		1,000 - 10,000		Shear Beam, Compression
90-159	01/03/91	Rice Lake Weighing Systems	RL30000A-XXX (Thread load hole), RL30001A-XXX (Counterr bored load hole), RL30002A-XXX (Through load hole).	Load Cell	RL30000A-XXX	III	3k S - 5k M	1,000 to 10,000		Shear Beam, Compression
90-159.A1	08/01/91	Rice Lake Weighing Systems	RL30000B-XXX	Load Cell	RL30000A-XXX	III	see below	1000 - 10,000		Shear Beam, Compression
90-160	11/05/90	Intercomp Corporation	AM1660, AM2660	Indicating Elements	AM4660					Digital Electronic
90-161	11/06/90	Pennsylvania Scale Company		Indicating Elements	6400	III	5000	1000 lb	24" x 24"	Load Cell Electronic
90-162	01/31/91	Bennett Pump Company	For use with electronic RMFD's, M405-*e interfaces with up to 8 hoses, M405-16E interfaces with up to 16 hoses.	Service Station Consoles/ECR	M405-8E & M405-16E			999.99 total vol	9,999.999 total $	RMFD Console
90-163	03/07/91	Triangle Microsystems, Inc.	Capacities: $9,999.99 (total money), 999.999 (total gallons).	Service Station Consoles/ECR	MPC-8 & MPC-16			see below		Digital Electronic
90-164	07/27/91	Graco, Inc.	Maximum Accumulation: 19,999 gallons	Wholesale Meter	(P/N) 222-560	III				Meter & Control Valve Assembly
90-165	01/24/91	Micro General	Other Models: 1084, 1064, 1052, 1085, 1065 & 1053.	Bench and Counter Scale	10XX	III	3168	99 lb. x .5oz.		Digital Electronic
90-166	03/07/91	CASIO, INC.	SA-2040KY, SA-2141KY, SA-2060D, SA-2013RJ, SA-2014RJ, SA-2070S & SA-2010SP OR SA-2012 SP.	Cash Register	SA 2000 & SA 2100					Stand Alone

CC No. / Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-167 01/03/91	General Electronic Systems, Inc. 402-12, 402-14, 402-18 & 402-24	Bench and Counter Scale	UBS 402 Series	III	3000 or 5000	20 to 500		Digital Electronic
90-168PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-4-CY-10	III				
90-169PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-5-GX-10					
90-170PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	MA-5-GX-12					
90-171P 01/04/91	Sun Scale Inc.	Load Cell	SHS Series	III	5000	1000 to 10,000 lb		Single-Ended Bending Beam
90-172 12/18/90	Liquid Controls Corporation	Retail Motor Fuel Dispenser	MA-5-1 & MA-5-2					
90-173PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-7-X-10					
90-174PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-7-X-11					
90-175PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-7-X-12					
90-176 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	M-7-1,M-7-2 & M-7-3					
90-177PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	M-7-27					
90-178PN 12/18/90	Liquid Controls Corporation	Vehicle Tank & LPG Meter	M-15-X					
90-179PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-25-2					
90-180PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-30-X					
90-181PN 12/18/90	Liquid Controls Corporation	Wholesale Meter	M-60-X					

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
90-182PN	12/18/90	Liquid Controls Corporation		Wholesale Meter	M-120-X					
90-183PN	12/18/90	Liquid Controls Corporation		Wholesale Meter	MS-7-1, MS-7-2					
90-184P	02/12/91	Flex-Weigh Corporation		Load Cell	C SERIES	III	5000	150 to 500 lb		Single-Ended Bending Beam
90-185	01/24/91	Ohaus Corporation	Model I150-P with mild steel case	Indicating Elements	I150-S	III/IIIL	10,000			Digital Electronic
91-001	01/24/91	Revere Transducers, Inc.		Load Cell	792-B5	III L	4500	50k to 200k lb		Single Column compression can.
91-002	01/24/91	Pacific Scale Co., Inc.	2, 5 or 10 capacity in thousands pounds, 36 to 48, platform length in inches for 2,000 lb weighing element, 36 to 84 platform width in inches.	Floor Scales	TNL SERIES		5,000	see below	see below	Load Cell Electronic
91-003	01/08/91	Absco Scale Co.	CLC: 80,000 lb	Vehicle Scale	5752	IIIL	10,000	200,000 x 20 lb	60" x 10"	Load Cell Electronic
91-003A1	04/17/92	Absco Scale Co.		Vehicle Scale	5752 Series	III L	10,000	100k - 270k lb	30x10" - 90x10"	Load Cell Electronic
91-003P	01/08/91	Absco Scale Co.		Vehicle Scale	5752					
91-004	02/06/91	J&S Scale Company	Capacity Range: 30,000 to 150,000 lb. Platform Size Range: 18' x 10' to 100' x 12'. CLC Range: 25,00 lb to 65,000 lb. Concrete or Steel deck, 2 to 4 sections. See CC for details.	Vehicle Scale	LP Series	III L	6,000	See CC	See CC	Load Cell Elec.Vehicle Scl WE
91-005	01/10/91	Diamond Control Systems		Indicating Elements	Guardian WS					Data Procession Unit
91-006	02/06/91	J&S Scale Company	Range of Capacities: 10,000 lb to 24,000 lb. Range of Platform Sizes: 8' x 8' to 22' x 10'. Range of CLC's: 4,000 lb to 9,000 lb, 2 sections. See CC for specific model information.	Vehicle Scale	FT Series	III L	2,000	See CC	See CC	Load Cell Elec.Vehicle Scl WE
91-007	02/12/91	Thurman Scale Company		Indicating Elements	430	III/IIIL	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-008	01/12/91	Thurman Scale Company		Indicating Elements	455	III/IIIL	10,000			Digital Electronic
91-009	02/12/91	Thurman Scale Company		Indicating Elements	465	III/IIIL	10,000			Digital Electronic
91-010	02/12/91	Thurman Scale Company		Indicating Elements	620					Digital Electronic
91-011	03/27/91	Sensortronics		Load Cell	60001A-XX-1166	III/III L	see below	250 - 2500 lb		S-Beam Tension
			Capacity: SC-Class III: 5000/SCells-Class III L: 10,000. 60001A250, 60001A300, 60001A500, 60001A750, 60001A1K, 60001A1.5K, 60001AK & 60001A2.5K.							
91-011.A1	03/12/92	Revere Corp (See Revere Transducers, Inc.)		Load Cell	792-B10	III L	MC-10,000	50k - 200k lb		Single col. Comp. Canister
91-011P	01/11/91	Sensortronics		Load Cell	60001A-XX-1166					
91-012				NO DEVICE TYPE						NOT ISSUED
91-013	03/12/92	Scales Unlimited Inc.		Vehicle Scale	AGES Series	III L	6000	72,000 lb	12.5"-40 x 10"	Load Cell Electronic
			CLC: 48,000 lb, 2 sections							
91-014	03/12/92	Scales Unlimited Inc.		Indicating Elements	AGES 3PL					Scale System Controller
91-015	01/18/91	POS Data Products, Inc.		POS Scale	3030	III	3,000	30 x 0.01 lb	14.25" x 10.5"	Digital Electronic
91-016	03/07/91	PSI/Command Data		Indicating Elements	Scale Readout	III/III L	1000			Digital Electronic
91-017	02/12/91	Thurman Scale Company		Indicating Elements	405	III	5,000			Digital Electronic
91-018	01/31/91	Weldotron Corporation		Prepackaging Scale	9000 Series	III	3,000	30 x 0.01 lb	13-1/4" x 11-1/4"	Prepackaging Scale
			Includes Models 9602, 9603, 9605, 9609, 9610, 9612. CC based on CC 88-174.A1 issued to NBI, Inc. & information provided by mfg. Corresponding models for all but 9612/ 9612 included based on mfg. information. CC based on CC 88-174.A1 issued to NBI, Inc. & info provided by mfg. information.							
91-019	01/31/91	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	9100 Series					RMFD Volume Only
			For use in applications in which a volume only dispenser is considered suitable. The 9140 Super Speed model is to be used for diesel fuel only.							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-020	02/06/91	William M. Wilson's Sons, Inc.		Service Station Consoles/ECR	8800 Series		$9.999/vol	$999.99 total $	999.999 total vol	Elec. Comp. RMFD
		Models: 8852-, 8853-, 8840-Suffix, See CC for suffixes. Standard, Super, & Highspeed, Model 8840 for use with diesel only.								
91-021	02/04/91	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	8000 Series					Mechanical Computing RMFD
		VeederRoot Registers: VR-10: $999.99, 999.9 vol, $9.999/vol. 2002E: $99.99, 999.9, $3.999/vol. VR-10 register must be used for applications in which total sales will exceed $99.99, Models: 8052-, 8053-, 8652-, 8653-, 8740, 8752-, 8753-Suffix. See C C for suffixes.								
91-022	03/07/91	Seca Corporation		Bench and Counter Scale	920C	III	880	440 x .5 lbs	12" x 12"	Digital Electronic
91-023	03/07/91	Tanita Corporation		Bench and Counter Scale	BWB-620A	III	4,400	400 x 0.1 lbs	12.625" x 13.50"	Digital Electronic
91-023A1	05/05/92	Tanita Corporation		Bench and Counter Scale	BWB-620A	III	4,400	440 x 0.1 lb	12.625" x 13.50"	Digital Electronic
		other capacity: 200 x 0.05 kg.								
91-024	02/01/91	Weigh-Tronix, Inc.		Indicating Elements	WI-190M	III	5000			Indicator Electronics
		The Model WI-190M is the main electronics module that contains the analog to digital converter, microprocessor controller, and calibration storage.								
91-025	02/05/91	TEC America, Inc.		Cash Register	MA-1600 & FDS-30					Stand Alone
91-026	02/01/91	Mettler Instrument Corporation		Jewelers' Balance	AE 1000C/49	I	102,500	1025 x 0.1 c	80 mm diameter	Digital Electronic
91-027	03/07/91	Thurman Scale Company		Printer	600					Dot Matrix
91-028PN	02/06/91	Thurman Scale Company		Floor Scales	TWH Series	III				
91-029	02/19/91	UHL Scale Service, Inc.		Vehicle Scale	40,60,70 & 80 Series	IIIL	6000	60k - 120 lb	see below	Weighing Element
		Series 40 - 4014, 4012 & 4010. Series 60 - 6014, 6012 & 6010. Series 70 - 7014, 7012 & 7010. Series 80 - 8012. Platform size(s): 40x10-14, 60x10-14, 70x10-14, 80x12.								
91-029A1		UHL Scale Service, Inc.		Vehicle Scale	70 Series					IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-030		Hottinger Baldwin Measurements, Inc		Load Cell	HLC/THC	III	see below	1k to 20k		IN PROCESS
			n = 3,000 S/5,000 M							
91-030P	03/07/91	Hottinger Baldwin Measurements, Inc		Load Cell	HLC & THC SERIES	III	see below	1,000 to 10k lb		Bending Beam
			n-max: single cell: 3,000 - multiple cells: 6,000. The specific load cells covered by this certificate are HLC-YYYXX400 through HLC-YYYXX690 & THC-YYYXX400 through THC-YYYXX690, where YYY is the load cell capacity & XX is the cable length. The numbers do not have any effect on compliance with NIST Handbook 44. Models: HLC-1K, HLC-2.5K, HLC-4K, HLC-5K & HLC-10K.						
91-030P AMENDED	05/14/91	Hottinger Baldwin Measurements, Inc		Load Cell	HLC & THC Series	III	see below	1000 - 10,000 lb		Bending Beam
			The specific load cells covered by this certificate are HLC-YYYXX400 through HLC-YYYXX690 & THC-YYYXX400 through THC-YYYXX690, where YYY is the load cell capactiy and XX is the cable length. the numbers 400 through 690 represent cutsomer variations that do not have any effect on compliance with NIST HB 44.						
91-031		Hottinger Baldwin Measurements, Inc		Load Cell	RSC SERIES	see below	see below	50 to 50,000 lb		IN PROCESS
			Class III, S, n = 3,000 Class III L, S, N= 10,000							
91-031P	03/07/91	Hottinger Baldwin Measurements, Inc		Load Cell	RSC SERIES	III/III L	see below	50 to 5,000 lb		Universal Beam ("S" Cell)
			n-max: single cell, class III: 3,000 - single cell, class III L: 10,000. The specific load cells covered by this certificate are RSC-YYYXX400 through RSC-YYYXX6790 where YYY is the load cell capacity & XX is the cable lenth. The numbers 400 through 690 represent customer variations that so not have any effect on compliance with NIST Handbook 44.						
91-032	04/18/91	Edlund Company, Inc.		Bench and Counter Scale	E2000	III	3200	320 x 0.1 oz	9" x 9"	Digital Electronic
91-033	04/18/91	Tyrel Corporation		Printer	TCP-10					Digital Electronic
91-034	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V395D Series					Digital Electronic Computing
			Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.							
91-035	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V58XXX Series					Digital Electronic Computing
			Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.							
91-036	03/07/91	Hottinger Baldwin Measurements, Inc		Load Cell	JRT SERIES	III L	MC: 10,000	20k to 200k lb		Compression Torsion Ring
			The specific load cells covered by this certificate are JRT-YYYXX500 through JRT-YYYXX600, where YYY is the load cell capacity & XX is the cable length. The numbers 500 through 600 represent customer variations that do not have any effect on compliance with NIST Handbook 44. Models: JRT-20K, JRT-50K, JRT-100K & JRT-200K.						

CC No. / Date	Company Name / Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-037 04/01/91	The Scale Store	Indicating Elements	MXP-9900	III-IIIL	10,000			Digital Electronic
91-038 03/06/91	Rice Lake Weighing Systems	Indicating Elements	IQ700HE	III/IIIL	10,000			Digital Electronic
91-039 03/06/91	Rice Lake Weighing Systems	Indicating Elements	IQ700SS	III/IIIL	10,000			Digital Electronic
91-040 03/06/91	Rice Lake Weighing Systems	Indicating Elements	555HE	III/III L	10,000			Digital Electronic
91-041PN 06/11/91	Cardinal/Detecto Scale Mfgr. Co. 7250RSC, 6660RSC, 6650RSC, 6070RSC, 6060RSC, 7250RSCA, 6650RSCA, 6060RSCA & 6050RSCA.	Vehicle Scale	RSC & RSCA Series	III L	10,000	85 - 200	60-72 X 10	Electronic Load Cell
91-042P 04/18/91	Epelsa International, Inc. LC 1000, LC 2500, LC 2600, LC 4000, LC 5000, LC 5000 & LC 10000.	Load Cell	LC Series	III	M-Cells 3000	1,000 - 10,000 lb		Single Ended Shear Beam
91-042P.A1 03/11/91	Epelsa International, Inc. LC 1000, LC 2500, LC 2600, LC 4000, LC 5000, LC 5000 & LC 10000.	Load Cell	LC Series	III	MC- 5000	1000 - 10,000 lb		Single Ended Shear Beam
91-042P.A2 03/11/91	Epelsa International, Inc.	Load Cell	LC Series					
91-043P 06/11/91	Celtron Technologies, Inc. SQB-XX-C (counterbored load hole), SQB-XXX-U (load hole threaded in upper half) & SQB-XX-T (through load hole).	Load Cell	SQB-XX-L	III	see below	1000 - 10,000 lb		Single-Ended Shear Beam
91-044P 06/11/91	Celtron Technologies, Inc. Capacity: SC-Class III, 5000 / SC-Class III L, 10,000.	Load Cell	STC-XX	III/III L	see below	250 - 20,000 lb		Type "S" Load Cell
91-045P 06/11/91	Rice Lake Weighing Systems Capacity: SC-3000/MC-5000	Load Cell	RL35023-XX-YY	III	see below	1000 - 10,000 lb		Single-Ended Shear Beam
91-045PA1 03/01/92	Rice Lake Weighing Systems RL35023-XX-YY	Load Cell	RL35023A-XX-YY	III		1,000 - 10,000 lb		Single-Ended Shear Beam

CC No.	Date	Company Name	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-046P	03/11/91	Rice Lake Weighing Systems	Load Cell	RL20001XX-YY	III/III L	see below	250 - 20,000 lb		Type "S" Tension
		SC-Class III, 5000/SC-Class III L, 10,000. RL20001-XX-250, RL20001-XX-300, RL20001-XX-500, RL20001-XX-750, RL20001-XX-1k, RL20001-XX-1.5k, RL20001-XX-2k, RL2000-XX-2.5k, RL20001-XX-3k, RL20001-XXX-5k, RL20001-XX-7.5k, RL20001-XX-10k, RL2001-XX-15k & RL20001-XX-20k.							
91-046PA1	03/25/92	Rice Lake Weighing Systems	Load Cell	RL210001 & RL20001A	III/III L	see below	25 - 30,000 lb		Tyep "S" Tension
		n-max: S/C;Class III: 5000 ; M/C;Class III L: 10000. RL20001A-XX-25; RL20001A-XX-50; RL20001A-XX-75; RL20001A-XX-100; RL20001A-150; RL20001-XX-250; RL20001A-250; RL20001-XX-300; RL20001A-XX-300; RL20001-XX-500; RL20001A-XX-500; RL20001-XX-750; RL-20001A -XX-750; RL20001-XX-1k; RL20001A-XX-1k; RL20001-XX-2k; RL20001A-XX-2k; RL20001-XX-2.5k; RL20001A-XX-2.5k; RL20001-XX-3k; RL20001A-XX-3k; RL20001-XX-5k; RL20001A-XX-5k; RL20001-XX-7.5k; RL20001A-XX-7.5k; RL20001-XX-10k; RL20001A-XX-10k; RL20001-XX-15k; RL 20001A-XX-15k; RL20001-XX-20k; RL20001A-XX-20k; RL20001A-XX-25K & RL20001A-XX-30K							
91-047	04/18/91	Alcoa Recycling Machinery Services	Hopper Scale	WH27	III	3,000	300 x 0.1 lb		Digital Electronic
		Dimensions: 3 ft x 3 ft							
91-048PN	04/18/91	Liquid Controls Corporation	Wholesale Meter	M-25 Series					
		Flow Rates: 15 to 300 gpm							
91-049	03/20/91		Hanging Scale	LCB-1000H	III	3000	30 x .01 lb	13" diameter	Digital Electronic
91-050		CANMAX Retail Systems, Inc.	Software	C-Serve					IN PROCESS
91-051P	04/18/91	Scaime S.A.	Load Cell	AG Series	III	S-Cell: 5000	5 kg - 100 kg		Single Point Flexion Beam
		AG 5, AG 10, AG 15, AG 20, AG 30, AG 50, AG 75 & AG 100.							
91-052			NO DEVICE TYPE						NOT ISSUED
91-053	04/04/91	Ishida Scales Mfg. Co., Ltd.	Computing Scale	AC-2000	III	3000	30 x 0.01 lb	15.7" x 9.8"	Digital Electronic
91-054	04/04/91	Ishida Scales Mfg. Co., Ltd.	Computing Scale	Libra II	III	3000	30 x 0.01 lb	10" x 15"	Digital Electronic
91-055	04/04/91	Fairbanks Scales	Vehicle Scale	14-4304 S	III L	10,000	60 ton	60,70,80,90 x 10	Mechanical/Levertronic
		the 11-430X-S series weighing elements are mechanical devices and the 14-430X-S weighing elements are levertronic devices.							
91-056		Fairbanks Scales	Vehicle Scale	13-8460-3					IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-057	04/05/91	William M. Wilson's Sons, Inc.	2000S-CFN-DET, 2000S-CFN-PPCII, 2000S-CFN-PCU, 2000S-CFN-SCII, 2000S-CFN-L & 2000S-CFN-CRP.	Retail Motor Fuel Dispenser	2000 Series					Gasboy Cash Flow Network II
91-058	04/05/91	Mobile Computing Corporation	5400-1	Retail Motor Fuel Register	5400-2					Digital Electronic
91-058.A1	09/30/91	Mobile Computing Corporation		Vehicle Scale	5400-3					Digital Electronic
91-059	04/02/91	Ishida Scales Mfg. Co., Ltd.	MS-7003, 7006, 7012, 7030, 7060	Floor Scales	MS70XX	III	3,000	see certificate	see below	Digital Electronic
91-060	03/16/92	Ishida Scales Mfg Co , Ltd	WL 600SS (Stainless steel enclosure)	Indicating Elements	WL600	III	3000			Digital Electronic
91-061	04/10/91	Fairbanks Scales	See certificate for specific models.	Floor Scales	23-6200 Series	III	5,000	1000 - 20,000 lb	30"x30" - 6"x8"	Digital Electronic
91-062	04/15/91	Weigh-Tronix, Inc.	The WI-114 is a weight display that sums the weight values from up to 3 separate Model WI-110 weight indicating elements. It is intended to be used on a vehicle scale with up to 3 individual weighing elements to provide axle-load weights plus the gross weight of the vehicle to comprise a single weighing system.	Indicating Elements	WI-114	III/III L	10,000			Digital Electronic
91-063	02/06/92	Tyrel Corporation		Indicating Elements	UniWeigh					Personal Computer
91-064	04/24/91	Rice Lake Weighing Systems	see certificate for specific specifications	Indicating Elements	UniWeigh					Personal Computer
91-065		Fairbanks Scales		Indicating Elements	Datamaster	III				IN PROCESS
91-066	04/15/91	GSE, Inc.		Indicating Elements	550	III/IIIL	10,000			Digital Electonic
91-067	04/19/91	IBM Corporation		POS Scale	4684-XXX Series					Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-068	11/19/91	Powell All-Steel Scales		Livestock Scale	XXYYECZ	III L	3,000	10K-13,5K x 5 lb		Load Cell, Electronic
		CLC: 9,000 lb. The specific models covered by this certificate are XXYYECZ where XX denotes the scale capacity in thousand pounds, YY denotes scale length in feet, and Z denotes the scale width in feet. Platform: 15" x 8" - 4" x 4" (The maximum platform area shall not exceed 120 sq. ft.)								
91-069		Mobile Computing Corporation		Service Station Consoles/ECR	5400-X					IN PROCESS
91-070	04/15/91	Digi Matex, Inc.		Indicating Elements	DI-10	III	5000			Digital Electronic
91-071	05/15/91	Shekel Electronic Scales		POS Scale	SC250-Q	III	3000	30 x 0.01 lb	16.25" x 10"	Digital Electronic
91-072	05/15/91	Bizerba United States, Inc.		Indicating Elements	MCE-XX	III	6,800			Digital Electronic
91-073	05/15/91	Bizerba United States, Inc.		Indicating Elements	MCI-W	III	6,800			Digital Electronic
91-074	05/15/91	Bizerba United States, Inc.		Indicating Elements	20	III	6,800			Load Cell Electronic
91-075	05/15/91	Bizerba United States, Inc.		Indicating Elements	150	III	6,800	300 x 0.05 lb	15.7 x 19.7 "	Flexure Lever, Load Cell
91-076	05/15/91	Bizerba United States, Inc.		Indicating Elements	350	III	6,800	600 x 0.05 lb	23.7 x 31.5"	Flexure Lever-Load Cell
91-077	03/03/91	Tara Systems		Indicating Elements	TR-1	III/III L				
91-077.A2	03/16/92	Tara Systems	n-max: Class III: 5000; Class IIIL: 10000	Indicating Elements	TR-1	III/IIIL	see below			Digital Electronic
91-078	03/23/92	ICL, Inc.	9520/60-69; 9520/150-159	POS Scale	9520 Family		2999	29.99 x 0.01 lb		Digital Electronic
91-079				NO DEVICE TYPE						NOT ISSUED
91-080	[illegible]	Metro Equipment Corporation		Bench and Counter Scale	301TAD	III	4800	301 lb x 1 oz		Fully Mechanical
		Model 50 TK Beams 49 x 1 kg, 1 kg x 10 g. Model 150 TK beams: 140 x 10 kg, 10 x 0.1 kg. Model 126 TAD Beams: 120 x 5 lb, 5 lb x 1 oz, 1 x 0.1 lb.								

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-081	03/25/92	Consolidated Controls, Eaton Corporation		Indicating Elements	UMC 5600	III/III L	10,000			Digital Electronic
91-082	03/19/92	Honeyville Metal, Inc.		Floor Scales	864 Weigh Buggy	III	1000	1000 x 1 lb	22" x 34"	Mechanical Beam
91-083	05/22/91	Analogic Corporation		Indicating Elements	AN3050	III/III L	10,000			Electronic
91-084	08/12/91	K-Scale, Inc.	Other capacity: 15.5 oz x 0.5 oz.	NO DEVICE TYPE	MS-D	III	3,200	99 lb	13.5" x 9.5"	Digital Mass Transducer
91-085	08/12/91	K-Scale, Inc.		NO DEVICE TYPE	KMS-2000					Manifest System, PC Computer
91-086	06/04/91	NCR Corporation		Cash Register	2760					Digital Electronic
91-087	06/04/91	Division Scale	DLP-2K44, DLP-5K44, DLP-5K45, DLP-10K45, DLP-5K46, DLP-10K46, DLP-5K55, DLP-10K55, DLP-5K57 & DLP-10K57. Capacities: 2000 lb, 5,000 lb & 10,000 lb. Platform Size: 48" x 48", 48" x 60", 48" x 72", 60" x 60" & 60" x 84".	Floor Scales	DLP Series	III	5,000	see below	see below	Load Cell Electronic
91-088PN	06/06/91	Gilbarco, Inc.	Generic Name: Trimline	NO DEVICE TYPE	AAX X (Ten Times)					Mechanical
91-089		Toledo Scale Corporation	n = 3,000 S/5,000 M	Load Cell	744	III	see below	500 to 5,000 lb		IN PROCESS
91-089P	06/06/91	Toledo Scale Corporation	SC-3,000. MC-5,000.	Load Cell	744	III	see below			Bending Beam
91-090		Toledo Scale Corporation	Class III, n = 3,000 S/Class III L, n = 10,000 S	Load Cell	736	III/III L	see below	50 to 5,000 lb		IN PROCESS
91-090P	06/06/91	Toledo Scale Corporation	SC-Class III: 3,000; SC-Class III L: 10,000.	Load Cell	736 Series	III/III L	see below	50 - 5,000 lb		Universal Beam ("S" Cell)
91-091	06/07/91	FIRST-Weigh		Computing Scale	RS10	III	2000	10 x 0.005 lb	11.75" x 8.5"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-092	06/10/91	Epelsa International, Inc.	5000, Class III; 10,000 - Class IIIL	Indicating Elements	FIRST-Weigh DI12	III/IIIL				Digital Eletronic
91-093	03/26/92	Holtgreven Scale & Electronics Corporation		Floor Scales	135-XXYY-Z	III/IIIL	3000	2000-30,000 lb	2"x 2" - 8"x 10"	Digital Electronic
91-093A1	05/06/92	Holtgreven Scale & Electronics Corporation	see certificate for specific models and capacities.	Floor Scales	135-XXYY-Z	III/III L	5,000	2000 - 30,000 lb	2'x 2' - 8' x 10'	Digital Electronic
91-094		POS Data Products, Inc.		POS Scale	xxxxx					IN PROCESS
91-095	04/12/91	Bennett Pump Company		Retail Motor Fuel Register	SB 100					
91-096	03/12/92	TEC America, Inc.	SL-2200-15-US	Computing Scale	SL-2200-30-US	III	3000	30 x 0.01 lb	9.8" x 11.6"	Digital Electronic
91-097	03/11/92	Toledo Scale Corporation		Floor Scales	2158	III	5,000	1,000 x 10000 lb	3x3" - 5x7"	Load Cell Electronic
91-098	03/26/92	General Electronic Systems, Inc.	Optional Models see certificate	Indicating Elements	Freedom II/B	III/III L	10,000			Digital Electronic
91-099	06/07/91	Unibridge Scale Systems	The load cells are offered as a DL 9000-10 for use in HB44 applications up to a maximum of 10,000 divisions and as a DL 9000-6 for applications up to 6000 divisions. Load cells of industrial grade (not for HB44 applications) carry the model designation of DL 9000-9.	Load Cell	DL9000 Series	III L	MC-10,000	50k - 100k lb		Double Ended Shear Beam
91-100	06/21/91	GSE, Inc.		Floor Scales	Weigh Deck	III	5000	1000 - 20,000 lb		Load Cell Electronic
91-101	03/12/92	R&W Specialty Mfg. Corp.	SCLFT065; Capacity: 65 lb x 2 oz	Bench and Counter Scale	SCLFT130	III	520	130 lb x 4 oz	12 x 17"	Mechanical Spring Dial
91-102	08/12/91	FIRST-Weigh		Computing Scale	see certificate	III	5,000	2,000 lb-5,000 lb	5" x 5" - 3" x 3"	Load Cell Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-103	12/13/91	Ohaus Corporation	Capacities: 0-400 x 0.01 g, 400-4,000 x 0.1 g	Grain Test Scale	GT 4400-G	II	40,000	see below	6.5 " diameter	Digital Electronic
91-104	07/01/91	FIRST-Weigh		Computing Scale	RS20	III	3000	30 x 0.01 lb	14.25" x 9.75"	Digital Electronic
91-105A1	04/17/92	Pacific Scale Co., Inc.	CLC: 40,000 lb	Vehicle Scale	P Series	IIIL	10,000	200,000 x 20 lb	100 x 10	Digital Electronic
91-106	03/23/92	Doran Scales, Inc.		Indicating Elements	7000M	III	3000			Digital Electronic
91-107	03/12/92	Toledo Scale Corporation		Bench and Counter Scale	8213	III	1999	9.995 x 0.005 lb	12.5" x 14"	Digital Electronic
91-108	07/11/91	Cardinal/Detecto Scale Mfgr. Co.	X is the platform size represented in inches where(1 = 24 x 24, 2 = 26 x 19, 3 = 23 x 20, 4 = 24 x 22, 5 = 25 x 24) and Y represents the available option combinations (0 to 7) such as an upturned platform, dual display and metric conversion.	NO DEVICE TYPE	AL62SPLT XY	III	600	300 x 0.5 lb	672 in squared	Digital Electronic
91-109	08/12/91	FIRST-Weigh	DP10-1003, DP10-1006 & DP10-10. Capacities: 30 lb x 0.01, 60 lb x 0.02 & 100 lb x 0.02. N-max: 3,000 & 5,000.	Bench and Counter Scale	DP10	III	see below	30 lb - 100 lb	12" x 14"	Digital Electronic
91-110	07/22/91	Totalcomp, Inc.		Indicating Elements	T-80	III	3000			Digital Electronic
91-111				NO DEVICE TYPE						NOT ISSUED
91-112		Division Scale		Floor Scales	DSP1000 Series	III				IN PROCESS
91-113		Division Scale		Indicating Elements	DSP-BSI	III				IN PROCESS
91-114	03/26/92	General Electronic Systems, Inc.		Indicating Elements	GE600 & 600SS	III	10,000			Digital Electronic
91-114A1	04/06/92	General Electronic Systems, Inc.		Bench and Counter Scale	4550SS/4560SS	III	see cert.	10 - 600 lb		Load Cell Electronic
91-114A2	03/26/92	General Electronic Systems, Inc.		Bench and Counter Scale	4600SS	III	see cert.	10 - 600 lb		Load Cell Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-115	05/05/92	Samson Scale Co. Inc.		Crane Scale	SM 10000	IIIL	2,000	10,000 x 5 lb		Digital Electronic
91-116	08/02/91	Universel Epsco, Inc.	Part No. 9-30 & Part No. 9-32	Retail Motor Fuel Dispenser	4000M-XX-X					Series 4000 Retail Dispenser
91-117	08/02/91	Universel Epsco, Inc.		Retail Motor Fuel Dispenser	8000M-X-XX					Motor Fuel Dispenser
91-118		Universel Epsco, Inc.		Retail Motor Fuel Dispenser	7000					IN PROCESS
91-119		Universel Epsco, Inc.		Retail Motor Fuel Dispenser	3000					IN PROCESS
91-120	08/06/91	Liquid Controls Corporation	800 GPM Maximum Flow Rate, 40 GPM Minimum Flow Rate, 150 PSI Maximum Pressure.	Wholesale Meter	M-80-2					Non-Ferrous Aircraft Fueling
91-121	03/27/92	Ishida Scales Mfg. Co., Ltd		Bench and Counter Scale	MG-3000	III	3000	6 x 0.002kg	200 x 250 mm	Digital Checkweighting Elect.
91-122	06/25/91	Parcom Technologies		Data Processing Systems	PAR 3000					Manifest System, PC Computer
91-123		Mantle Industries inc.		Vehicle Scale	C and SPE Series	IIIL	10,000	200,000	120x 10"	IN PROCESS
91-124.A1	08/12/91	Weigh-Tronix, Inc.		Bench and Counter Scale	SC300P or T	III		50 - 250 lb		
91-125	03/16/92	A&D Engineering, Inc.		Printer	AD-8115 A,B,or C					Electronic
91-126	08/20/91	Toledo Scale Corporation	Other Capacity: 200 x 0.05 lb	Bench and Counter Scale	8213	III	5,000	100 x 0.02 kg	12.5" x 14"	Digital Electronic
91-127	03/19/92	Friden Alcatel	n-max: 640 (0-20 lb x 0.5 oz); 1120 (0-70 lb x 1 oz)	Weight Classifier	8865	III	see below	70 lb	14 1/2" x 12 1/2"	Load Cell Electronic
91-128	03/12/92	Toledo Scale Corporation		Indicating Elements	8525	III	5000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-129	08/21/91	Brechbuhler Scales, Inc.		Indicating Elements	UMC 600 XX-XX	III/III L	10,000			Digital Electronic
91-130	08/22/91	Brechbuhler Scales, Inc.		Indicating Elements	UMC 555-XXXX Series	III/IIIL				Digital Electronic
91-131	08/22/91	Brechbuhler Scales, Inc.	N-max: SC-Class III: 5,000; SC-Class III L: 10,000	Load Cell	RL200000A-XXX	III/III L	see below	25 - 20,000 lb		S-Beam Tension
91-131		Hottinger Baldwin Measurements, Inc	Class III, S, 3,000 Class III L, S, 10,000	Load Cell	RSC	III/III L	see below	50 to 50,000 lb		IN PROCESS
91-132	08/22/91	Rice Lake Weighing Systems		Indicating Elements	IQ + 310 - YY	III/III L	10,000			Electronic
91-133	08/07/91	Southwest Pump Company		Retail Motor Fuel Dispenser	4000 Series					
91-133A1	05/05/92	Southwest Pump Company	See certificate for specific model numbers. Capacities: 999.999 Gallons/Liters, $9999.99 Total Sale, 9.999 Unit Price.	Retail Motor Fuel Dispenser	4000 Series			see below		Digital Electronic
91-134	08/28/91	Smith Meter Inc.		Indicating Elements	ACCULOAD II-SEQ					Digital Electronic
91-135	01/31/91	Hardy Instruments, Inc.		Indicating Elements	HI 2151/20 WC-(XX)	III/III L	10000			Digital Electronic
91-136	05/02/91	PC Synergy		Data Processing Systems	PCS 2000					Manifest System, PC Computer
91-137	03/16/92	DH Print	4410; 4411; 4412; 4413; 4414 & DHP 7000; DHP 4000	Printer	SERIES 44XX					
91-138	05/05/92	Rice Lake Weighing Systems	FB2430-2K, FB3030-2K, FB3636-3K, FB4848-2K, FB3846-3K, FB3846-10K FB4848-5K, FB4848-10K, FB4848-20K, FB4860-5K, FB4860-10K, FB4860-20K, FB4872-5K, FB4872-10K, FB4872-20K, FB6060-5K, FB6060-10K, FB6060-20K, FB6072-10K, FB6072-20K, FB6084-10K & FB6084-20K. Capacities: 2,000 lb, 3,000 lb, 5,000 lb, 10,000 lb & 20,000 lb. Platform sizes: 24" x 24", 30" x 30", 36" x 36", 48" x48" 38"x 46", 48" x 48", 48" x 60", 48" x 72", 60" x 60", 60" x 72", 60" x 84".	Indicating Elements	FB-XXX	III	5,000	see below	see below	Flexure Lever, Load Cell

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-139	03/12/92	CASIO, INC.		Vehicle Tank & LPG Meter	SA 2000					Stand Alone
91-140	03/16/92	Pulsar Technology Systems, Inc.		Taximeter	2010R					
91-141		CAS Corporation		Computing Scale	S2000					IN PROCESS
91-142	04/10/91	TEC America, Inc.		Service Station Consoles/ECR	MA 1700					Stand Alone
91-143	03/19/92	Fairbanks Scales		Vehicle Scale	FP-XXXX Series	IIIL	10,000	see below	40 x 10'-90 x 10'	Load Cell Electronic
		Capacities: 120,000 x 20 lb - 200,000 x 20 lb. FP-4010; FP-6010; FP-7010; FP-8010 & FP-9010								
91-144		Pitney Bowes		POS Scale	J070					IN PROCESS
91-145		New Brunswick International, Inc.		Hanging Scale	DS580					IN PROCESS
91-146	03/26/92	Rice Lake Weighing Systems		Bench and Counter Scale	CW40 Series	III	3000	5lb - 1000 lb	10"x10" - 24"x24"	Digital Electronic
		CW40-5; CW40-10; CW40-30; CW40-60; CW40-100; CW40-60A; CW40-100A; CW40-150; CW40-200; CW40-300; CW40-60B; CW40-100B; CW40-150A; CW40-200A; CW40-300A; CW40-500; CW40-1000; CW40-60C; CW40-100C; CW40-150B; CW40-200B; CW40-300B; CW40-500A & CW40-1000A.								
91-147	03/26/92	General Electronic Systems, Inc.		Floor Scales	Porta-Tronic 800 Srs	III	2500	500 - 1500 lb		Weighing Element
		PT-820; PT-821; PT-822; PT-825; PT-826; PT-820X; PT-820X-4; PT-830SS; PT-831SS; PT-830SS/X; PT-800; PT-801; PT-802; PT-805; PT-806; PT-800X; PT-800X-4; PT-810 SS; PT-811SS;P PT-810SS/X								
91-148	09/09/91	Fairbanks Scales		Bench and Counter Scale	23-2443	III	4,000	200 x 0.05 lb	14" x 14"	Load Cell Electronic
		70-2443, 70-2443ABR								
91-149	02/07/92	Pennsylvania Scale Company		Bench and Counter Scale	7X00 Series	III	5,000	see below	12" x 14"	Electronic
		Capacities: 10 x 0.002 lb; 25 x 0.005 lb; 50 x 0.01 lb; 100 x 0.02 lb. Models : 7000; 7100; 7200; 7300; 7400; 7400M.								
91-149A1		Pennsylvania Scale Company		Indicating Elements	7400M	III	5,000			IN PROCESS
91-150				NO DEVICE TYPE						NOT ISSUED

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-151	10/01/91	Universel Epsco, Inc.		NO DEVICE TYPE	7100M-X-XX					Moter Fuel Dispenser
91-152	03/23/92	Fairbanks Scales	90-154	Indicating Elements	90-158	III/III L	5000			Digital Electronic
91-153	03/16/92	Seedburo Equipment Company	2500 (0-500g); 4000(0-2000g)	Grain Test Scale	8800A	III	see below	500x0.2/2000x0.5g	15cm x 12.5 cm	Digital Electronic
91-153A1	04/09/92	Seedburo Equipment Company	N-max: 2500(0-500g); 4000(0-2000g). Capacities: 500 x 0.2g/2000 x 0.5g	Grain Test Scale	8800A	III	see below	see below	15cm x 12.5cm	Digital Electronic
91-154		Doran Scales, Inc.		Indicating Elements	4200M					IN PROCESS
91-155	10/08/91	BLH Electronics, Inc.	Multiple Cells: III L	Load Cell	C2Z1	III L	10,000	20k to 200k		Compression
91-156				NO DEVICE TYPE						NOT ISSUED
91-157	09/04/91	Computer Advice		Printer	CAM-290A					Dot Matrix
91-158	10/28/91	Tele-Weight, Inc.		Printer	TP-1					Dot Matrix
91-159	03/16/92	Tech 21		Retail Motor Fuel Register	715500 UDC-T/ UDC II					Solid State Electronic
91-160	03/23/92	Wisconsin Electrical Mfgr. Co., Inc	HI 2151 WC-(XX)	Indicating Elements	HI 2150 WC-(XX)	III/III L	10,000			Digital Electronic
91-161		Agri-Electronic Systems, Inc.		Vehicle Scale	AES1000 Series					IN PROCESS
91-162	03/26/92	Cardinal/Detecto Scale Mfgr. Co.	441; 442; 443; 444; 445; 446 & 4420 (short column)	Bench and Counter Scale	440	III	1400	350 x 1/4 lb	13-3/4" x 18-1/2"	Full Mech., Beam Indicator

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
91-163	03/20/92	Cardinal/Detecto Scale Mfgr. Co.		Weight Classifier	MS-100	III	8000	see below	14.87" x 8.12"	Load Cell, Electronic
			Capacity: 99 lb 15.8 oz x 0.2 oz. MS-15 (15 lb x 0.05 oz); MS-30 (30 lb x 0.1 oz) n-max: 4800 for both.							
91-164		General Electronic Systems, Inc.		Bench and Counter Scale	4500 & 4560 Series	III				IN PROCESS
91-165	03/12/92	Berkel Incorporated		Bench and Counter Scale	CX10	III	5000	50 x 0.01 lb	11" x 13 1/2"	Digital Electronic
			CX9 - Capacity- 50 x 0.01 lb							
91-166		Rice Lake Weighing Systems		Load Cell	RL8C2P1	III L		50K - 200K lb		IN PROCESS
91-167	12/12/91	Rice Lake Weighing Systems		Load Cell	RL75223	III L	10,000 MC	50K, 65K, 100K		Double Ended Shear Beam
91-168	12/12/91	Argo Instruments, Inc.		Taximeter	1144					Digital Electronic
			Flag Drop: $0.01-$655.35; Fare Increment: $0.01-$655.35; Extras: $0.01-$99.99							
91-169	03/25/92	Pacific Scale Co., Inc.		NO DEVICE TYPE	AGX Series	III L	10,000	150K x 20 lb	100 x 10 45,000lb	Electronic, Pitless
			AGX3510-40; AGX3512-40; AGX4010-40; AGX4012-40; AGX5010-40; AGX5012-40; AGX6010-50; AGX6012-50; AGX7010-50; AGX7012-50; AGX8010-75; AGX8012-75; AGX9010-75; AGX9012-75; AGX10010-75; AGX10012-75; AGX12510-100; AGX12512-100 & AGX15010-100.							
92-001	03/16/92	Rice Lake Weighing Systems		Bench and Counter Scale	XxXHP-YYK	III	5000	see below	see below	Low Profile-Load Cell Elect.
			2x2HP-2K; 2.5x2.5HP-2K; 3x3HP-2K; 4x4HP-5K; 4x4HP-10K; 4x5HP-5K; 4x5HP-10K; 4x6HP-5K; 4x6HP-10K; 5x5HP-5K; 5x5HP-10K; 5x6HP-5K; 5X6HP-10K; 5x7HP-5K & 5x7HP-10K. Capacity - 2000; 5000; 10000. Platform - 2x2'; 2.5x2.5'; 3x3'; 4x4'; 4x5'; 4x6'; 5x5'; 5x6'; 5x7'							
92-002		Midwest Computer Register Corp.		NO DEVICE TYPE	8000					IN PROCESS
92-003		Digi Matex, Inc.		Bench and Counter Scale	Series S	III				IN PROCESS
92-004	01/07/92	Fairbanks Scales		Floor Scales	HS100	III	3,000	600 lb	12" x15"	Digital Electronic
92-005	03/16/92	Tech 21		Retail Motor Fuel Dispenser	CARD LOCK 1000					Card Activated Fuel Cont. Sys
			Max Volume Display: 999.99; Max Unit Price Display: 9.999							

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-006		TechLink Control Sys., Inc.		Retail Motor Fuel System	1100					IN PROCESS
92-007		Concrete Equipment Co. Inc.		Hopper Scale	1170, 2150					IN PROCESS
92-008		Healy Systems, Inc.		NO DEVICE TYPE	99999					IN PROCESS
92-009		Powell All-Steel Scales		Bench and Counter Scale	XXYYECZ					IN PROCESS
92-010	04/08/92	Omron Systems of America		Service Station Consoles/ECR	RS4541					Stand Alone
92-011		Omron Systems of America		Service Station Consoles/ECR	RS5000					IN PROCESS
92-012		Tokheim Corporation		Wholesale Meter	682-15-XX-X-X					IN PROCESS
92-013	03/26/92	Rice Lake Weighing Systems		Indicating Elements	IQ+810-XY	III/III L	10,000			Digital Electronic
92-014	04/17/92	Thurman Scale Company	2000; 2002; 2300; 2302; 2400; 2500; 2502; 2510 & 2512	Floor Scales	2000 Series	III	5000	1k - 10k lb	30x30" x 6x8"	Digital Electronic
92-015		Suntronic Technology Group		Retail Motor Fuel Dispenser	SM996					IN PROCESS
92-016	01/17/92	JB Scale Mfg.		Floor Scales	HP XY	III	4,000	20,000 x 5 lb	5' x 7'	Load Cell Electronic
92-017		Scales Unlimited Inc.		Vehicle Scale	AGES 10010					IN PROCESS
92-018	02/04/92	Rice Lake Weighing Systems		Load Cell	RL75040A-XXK	III L	10,000 MC	25K - 125K lb		Double Ended Shear Beam
92-019		Liquid Controls Corporation		Wholesale Meter	M7					IN PROCESS
92-020	02/07/92	ICL, Inc.		Cash Register	300	III	3,000	30 x 0.01 lb	14.2" x 12.7"	Digital Register

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-021PN		Tokheim Corporation		Retail Motor Fuel Dispenser	162					IN PROCESS
92-022	03/26/92	Fairbanks Scales	HS120; HS120WW; 1135D; 1135K; HS125 & HS125WW	Floor Scales	1135L	III	3000	600 x 0.2 lb	11" x 16"	Digital Electronic
92-023	03/26/92	Toledo Scale Corporation		Bench and Counter Scale	3026	III	3000	6 X 0.002 lb	9" x 9"	Over/Under Scale
92-024	01/29/92	Jacobs Scale Co.		Floor Scales	J1827	IIIL	2000	1000 x 0.5 lb	18" x 27"	Mechanical Lever System
92-025				NO DEVICE TYPE						NOT ISSUED
92-026	03/18/92	The Scale People, Inc.		Hanging Scale	2805-S	III	640	20 lb x 0.5 oz	Pan/other attach.	Mechanical Dial
92-027	01/27/92	TARE Incorporated	SC-Class III: 5,000; SC-Class III L: 10,000. Other Models: S-60001A25, S60001A50, S-60001A75, S-60001A100, S-60001A150, S-60001A200, S-60001A250, S-60001A300, S-60001A500, S-60001A750, S-60001A1K, S-60001A1.5K, S-60001A2K, S-60001A2.5K, S-60001A3K, S-60001A4K, S-60001A5K, S-60001A7.5K, S-60001A10K, S-60001A15K, S-60001A20K, S-60001A25K & S-60001A30K.	Load Cell	S-60001A-XX	III & IIIL	see below	25 - 20,000 lb		S-Beam Tension
92-028	01/29/92	Totalcomp, Inc.	SC-Class III: 5,000; SC-Class III L: 10,000. Optional Model Families: NBSS-XX-T & NBSS-XX-C.	Load Cell	NBSS-XX	III & IIIL	see below	1,000 - 10,000 lb		Shear Beam
92-029	05/05/92	Emark Corporation	0455-6600-001 (Master Terminal), 0455-6400-001 (Gallons Display), 0455-6400-002 (Liters Display) & 0455-7100-001 (Control Unit).	Wholesale Meter	see below					Digital Electronic
92-030		FIRST-Weigh		Load Cell	STR	III L	10,000	10K - 50K lb		IN PROCESS
92-031PN	03/25/92	Sun Refining and Marketing Company		Retail Motor Fuel Dispenser	Series E-511					Electronic Computing
92-032	02/03/92	Ramsey Technology Inc.	10-14A-3; 10-14A-4. Scale Capacity: Min-108 tph; Max-10,800 tph.	Belt Conveyor Scale	10-14A SERIES					Load Cell Electronic
92-033		Retail Automation, Inc		Software	Starpoint					IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-034	03/26/92	Fairbanks Scales		Indicating Elements	System IV	III/III L	10,000			Electronic
92-035		Winslow Scale Company		Indicating Elements	Type Series 7					IN PROCESS
92-036	04/16/92	Toledo Scale Corporation	CLC: 100000 & 120000 lb	Vehicle Scale	7565	III L	10,000	120k - 270k lb	see certificate	Electronic Weighing Element
92-037	03/25/92	Berkel Incorporated		Computing Scale	A100E	III	3000	30 lb	13.5" x 11"	Digital Electronic
92-038	03/25/92	Berkel Incorporated		Computing Scale	A600	III	3000	15x0.01/30x0.01lb	13.75" x 8.75"	Digital Electronic
92-039	03/25/92	Sooner Scale, Inc.	CLC: 60,000	Vehicle Scale	701030-6	III L	6000	120K x 20 lb	70" x 10"	Load Cell Electronic
92-040	03/25/92	Triple A Scale		Indicating Elements	600 E	III	1000			Digital Electronic
92-041	03/26/92	CASIO, INC.		Service Station Consoles/ECR	CE-4600					Stand Alone
92-042	03/23/92	Abacus Scales	2x2HP-2K; 2.5x2.5HP-2K; 3x3HP-2K; 4x4HP-5K; 4x4HP-10K; 4x5HP-5K; 4x5HP-10K; 4x6HP-5K; 4x6HP-10K; 5x5HP-5K; 5x5HP-10K; 5x6HP-5K; 5x6HP-10K; 5x7HP-5K & 5x7HP-10K	Floor Scales	XxXHP-YYK	III	5,000	see certificate	see certificate	Low Profile-Ld Cell Electronic
92-043	03/26/92	InterSystems, Inc.		Bulkweighing System	Masterweigh V	III/III L	10,000			Controller/Computer Interface
92-044		New Brunswick International, Inc.		NO DEVICE TYPE	DS590					IN PROCESS
92-045		Unibridge Scale Systems		Vehicle Scale	UBSH121022					IN PROCESS
92-046	04/06/92	Livingston Seed Company		Dry Measure	A & B			1/32 & 1/8 dry pt		
92-047	03/25/92	Revere Corp (See Revere Transducers, Inc.)	n-max: S/C: 3000; M/C: 5000. 933-A5-5k-YYYY; 933-A5-7.5k-YYYY; 933-A5-10k-YYYY & 933-A5-20k-YYYY	Load Cell	933-A5-XXXX-YYYY	III	see below	5000 - 20,000 lb		Shear Beam

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-048		CASIO, INC.		Service Station Consoles/ECR	TK-2600					IN PROCESS
92-049	03/27/92	Friden Alcatel	n-max: 640(0-20 lb); 1120(0-70 lb)	Weight Classifier	8860	III	see below	70 lb	13" x 12"	Load Cell Electronic
92-050	03/27/92	Fairbanks Scales	H90-3052; 90-3052D; H90-3052D	Indicating Elements	90-3052	III/III L	5000			Digital Electronic
92-051	03/26/92	Weigh-Tronix, Inc.	capacities: 30.00 x 0.01 lb/29.99 x 0.01 lb. Trademark Name: NCI.	POS Scale	47XX	III	3000	see below	10" x 14"	Digital Electronic
92-052		Schlumberger Technologies, Inc.	Chevron US06-17.1, Chevron CA-3000, Amoco 1.XX, Texaco 5.XX.	POS Scale	see below					IN PROCESS
92-053	04/06/92	JWS CORPORATION		Software	Aggregate System					IBM Comp. Ticket Software
92-054	04/02/92	Toledo Scale Corporation	capacities: 9 x 0.001 lb or 144 x 0.01 oz	POS Scale	PJ4000P/PJ4000GP	II	14,100	see below	7.24" x 9"	Digital Electronic
92-055	04/07/92	Denver Instrument Company		POS Scale	AL-3K/44	III	10m000	6lb, 4oz x 0.01oz	8" x 7"	Digital Mass Transducer
92-056	04/17/92	Gilbarco, Inc.	Generic Model: "C" Meter	NO DEVICE TYPE	PAO24TC10/PAO24NC10					Positive Displacement Meter
92-057	04/08/92	SCOOP Logic Group		NO DEVICE TYPE	A-21 S					Personal Computer
92-058		The Scale Store		Load Cell	TSS					IN PROCESS
92-059		Livestock Marketing Services Corporation		Livestock Scale	Market Master					IN PROCESS
92-060		Indiana Scale Company Inc.		Indicating Elements	IN-20					IN PROCESS

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-061		UHL Scale Service, Inc.		Floor Scales	XxXHP-YYK					IN PROCESS
92-062	05/06/92	Hobart Corporation	1840S, 1840M, 1840F, 1840B, 1800 & 1800V (1800 models are not computing devices).	Bench and Counter Scale	1840	III	3,000	30 x 0.01 lb	12" x 14"	Digital Electronic
92-063		Digi Matex, Inc.		Floor Scales	Digi-Grand					IN PROCESS
92-064	05/07/92	Agri-Electronic Systems, Inc.		Bulkweighing System	AES 2001		10,000			Controller/Computer Interface
92-065		Berkel Incorporated		Computing Scale	CX20, CX30					IN PROCESS
92-066		Sponsler Company Inc.		NO DEVICE TYPE	xxxxxx					IN PROCESS
92-067	05/06/92	Orion Scale		Computing Scale	2830	III	3,000	30 X 0.01 lb	17.25" x 10.75"	Digital Electronic
92-068	05/06/92	Universal Weight Systems of Santa Rosa		Computing Scale	2830	III	3,000	30 x 0.01 lb	17.25" x 10.75"	Load Cell Electronic
92-069	05/06/92	Mathews Ready Mix Inc.		Hopper Scale	A.W.H.-1& C.W.H.-1		2,000	see certificate		Load Cell, Electronic
92-070	05/06/92	Sharp Electronics Corporation	ER-3110 (The Model ER-3110 is identical to the ER-3250 but utilizes a flat keyboard).	Service Station Consoles/ECR	ER-3250					
92-071	05/06/92	Sharp Electronics Corporation		Service Station Consoles/ECR	ER-2595					
92-072	05/06/92	Cedarapids, Inc.		Indicating Elements	HMS 3006	5,000				
92-073	05/06/92	Hauck Engineering	MAX 3000. Marketing Name: Ross Linewinder	Wire and Cordage Device	99999					
92-074	05/06/92	Smith Meter Inc.	Device Description: Positive Displacement Meter. Vehicle Tank or Stationary Mount. Product: Liquid Concrete Admixture	Wholesale Meter	I-75					Wholesale Measuring Element

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-075	05/06/92	Liquid Controls Corporation		Wholesale Meter	M5-X, M7-X, & M15-X					Wholesale Measuring Element
			Model descriptions see certificate. Device description: Positive Displacement Meter. Vehicle Tank or Stationary Mount.							
92-076	05/07/92	Tuthill Corporation		Retail Motor Fuel Dispenser	FR712					Digital Ele. Vol. Only Display
92-077		GasBoy (See Winslow under The A.H. Emory Co.)	SST-8	Service Station Consoles/ECR	SST-8 and SST-16					IN PROCESS
92-078		Epelsa International, Inc.		Load Cell	SB2					IN PROCESS
92-079		Epelsa International, Inc.		Load Cell	LCI					IN PROCESS
92-080		Doran Scales, Inc		Indicating Elements	4100L					IN PROCESS
92-081		Toledo Scale Corporation		Bench and Counter Scale	3027					IN PROCESS
92-082PN		Brooks Instrument Division	B62DS, B-72DB, B-82DB, B-92DEB.	Wholesale Meter	see below					IN PROCESS
92-083PN		Brooks Instrument Division	BA-31, BA-33, B-40DB, B-50DB, B-60CB, B-61CB, B-61CB-1	Wholesale Meter	see below					IN PROCESS
92-084P		NMB Technologies Incorporated		Load Cell	C2G1xx	III	3,000 S	0.6 to 300 kg		IN PROCESS
92-085		Wayne Division		Retail Motor Fuel Dispenser	xxxxxx					IN PROCESS
92-086		Winslow Scale Company		Vehicle Scale	42, 43 & 44 Series					IN PROCESS
92-087		General Electronic Systems, Inc.		Floor Scales	ABS-4000					IN PROCESS
92-088		NCR Corporation		Service Station Consoles/ECR	7052					IN PROCESS

CC No. Date	Company Name Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-089	Thurman Scale Company	Load Cell	TSC700					IN PROCESS
92-090	Thurman Scale Company	Load Cell	TSC100					IN PROCESS
92-091	Thurman Scale Company	Load Cell	TSC800					IN PROCESS
92-092	Thurman Scale Company	Load Cell	TSC300					IN PROCESS
92-093	Toledo Scale Corporation	Computing Scale	8460					IN PROCESS
92-094	Triple A Scale	Floor Scales	600B					IN PROCESS
92-095	Triner Scale & Manufacturing	Floor Scales	600B					IN PROCESS
92-096	Industrial Data Systems, Inc.	Indicating Elements	SDI					IN PROCESS
92-097	Rice Lake Weighing Systems	Load Cell	RL70000B					IN PROCESS
92-098	Flintab, Inc.	Load Cell	RC1-XX	III L	10,000 S	250 to 400 kN		IN PROCESS
92-098	Flintab, Inc.	Load Cell	RCI Series	III L	10,000 S	250 to 400 kN		IN PROCESS
92-099	Hottinger Baldwin Measurements, Inc	Load Cell	PWS Family	III	3,000 S	5 to 200 kg		IN PROCESS
92-100.	Bizerba United States, Inc.	NO DEVICE TYPE	PVT/PHT Series					IN PROCESS
92-101	Bizerba United States, Inc.	Computing Scale	SW/BW/EW Series					IN PROCESS
92-102P	National Scale and Repair	Load Cell	S5000N					IN PROCESS

CC No. Date	Company Name Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Comments
92-103P	National Scale and Repair	Load Cell	S2000N					IN PROCESS
92-104	National Scale and Repair	Load Cell	TI2000S					IN PROCESS
92-105	National Scale and Repair	Load Cell	TI5000N					IN PROCESS
92-106	National Scale and Repair	Load Cell	R3000CSPN					IN PROCESS
92-107	New Brunswick International, Inc.	Computing Scale	SM-40					IN PROCESS
92-108	Toledo Scale Corporation n = 3,000 S/5,000 M	Load Cell	745	III	see below	1k to 20k		IN PROCESS

NIST-114A
(REV. 3-89)

U.S. DEPARTMENT OF COMMERCE
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY

BIBLIOGRAPHIC DATA SHEET

1. PUBLICATION OR REPORT NUMBER
NISTIR 4862

2. PERFORMING ORGANIZATION REPORT NUMBER

3. PUBLICATION DATE
June 12, 1992

4. TITLE AND SUBTITLE

NCWM Publication 5
National Type Evaluation Program Index of Device Evaluation, Fourth Edition

5. AUTHOR(S)

Richard Whipple

6. PERFORMING ORGANIZATION (IF JOINT OR OTHER THAN NIST, SEE INSTRUCTIONS)

U.S. DEPARTMENT OF COMMERCE
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY
GAITHERSBURG, MD 20899

7. CONTRACT/GRANT NUMBER

8. TYPE OF REPORT AND PERIOD COVERED

9. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (STREET, CITY, STATE, ZIP)

10. SUPPLEMENTARY NOTES

[ ] DOCUMENT DESCRIBES A COMPUTER PROGRAM; SF-185, FIPS SOFTWARE SUMMARY, IS ATTACHED.

11. ABSTRACT (A 200-WORD OR LESS FACTUAL SUMMARY OF MOST SIGNIFICANT INFORMATION. IF DOCUMENT INCLUDES A SIGNIFICANT BIBLIOGRAPHY OR LITERATURE SURVEY, MENTION IT HERE.)

This publication contains the listing of all devices that have been evaluated under the National Type Evaluation Program (NTEP) from January 1, 1968 to June 12, 1992. It replaces all previous editions and supplements.

12. KEY WORDS (6 TO 12 ENTRIES; ALPHABETICAL ORDER; CAPITALIZE ONLY PROPER NAMES; AND SEPARATE KEY WORDS BY SEMICOLONS)

National Type Evaluation Program

13. AVAILABILITY

[ ] UNLIMITED

[X] FOR OFFICIAL DISTRIBUTION. DO NOT RELEASE TO NATIONAL TECHNICAL INFORMATION SERVICE (NTIS).

[ ] ORDER FROM SUPERINTENDENT OF DOCUMENTS, U.S. GOVERNMENT PRINTING OFFICE, WASHINGTON, DC 20402.

[ ] ORDER FROM NATIONAL TECHNICAL INFORMATION SERVICE (NTIS), SPRINGFIELD, VA 22161.

14. NUMBER OF PRINTED PAGES

15. PRICE

ELECTRONIC FORM